

# Chapter 7. Cube and Cube Root

## Question 1

Find the cubes of the following numbers: (i) 7, (ii) 12, (iii) 21, (iv) 100, (v) 302

**Solution:**

(i)  $(7)^3 = 7 \times 7 \times 7 = 343$

(ii)  $(12)^3 = 12 \times 12 \times 12 = 1728$

(iii)  $(21)^3 = 21 \times 21 \times 21 = 9621$

(iv)  $(100)^3 = 100 \times 100 \times 100 = 1000000$

(v)  $(302)^3 = 302 \times 302 \times 302 = 27543608$

## Question 2

**Write cubes of all natural numbers between 1 and 20 and verify the following statements:**

(a) Cubes of all odd natural numbers are odd.

(b) Cubes of all even natural numbers are even.

**Solution:**

$(2)^3 = 8, (3)^3 = 27, (4)^3 = 64, (5)^3 = 125, (6)^3 = 216, \dots (19)^3 = 6859.$

(a) Yes, cubes of all odd natural numbers are odd.

(b) Yes, cubes of all even natural numbers are even.

### Question 3

Write cubes of 5 natural numbers which are multiples of 3 and verify the following:

'The cube of natural number, which is a multiple of 3 is a multiple of 27'.

**Solution:**

$$(3)^3 = 3 \times 3 \times 3 = 27$$

$$(6)^3 = 6 \times 6 \times 6 = 216$$

$$(9)^3 = 9 \times 9 \times 9 = 729$$

$$(12)^3 = 12 \times 12 \times 12 = 1728$$

$$(15)^3 = 15 \times 15 \times 15 = 3375$$

Verification:

$$(3)^3 = 27 = 27 \times 1$$

$$(6)^3 = 216 = 27 \times 8$$

$$(9)^3 = 729 = 27 \times 27$$

$$(12)^3 = 1728 = 27 \times 64$$

$$(15)^3 = 3375 = 27 \times 125$$

∴ 'The cube of natural number, which is a multiple of 3 is a multiple of 27'.

## Question 4

Write cubes of 5 natural numbers which are of the form  $3n+1$  (e.g 4, 7, 10, ...) and verify the following: 'The cube of a natural number of the form  $3n + 1$  is a natural number of the same form'.

### Solution:

The 5 natural numbers which are of the form  $3n + 1$  (e.g 4, 7, 10, ...) are as follows:

$$3 \times 1 + 1 = 3 + 1 = 4$$

$$3 \times 2 + 1 = 6 + 1 = 7$$

$$3 \times 3 + 1 = 9 + 1 = 10$$

$$3 \times 4 + 1 = 12 + 1 = 13$$

$$3 \times 5 + 1 = 15 + 1 = 16$$

The cubes of 5 natural numbers which are of the form  $3n + 1$  (e.g 4, 7, 10, ...) are as follows:

$$(4)^3 = 4 \times 4 \times 4 = 64$$

$$(7)^3 = 7 \times 7 \times 7 = 343$$

$$(10)^3 = 10 \times 10 \times 10 = 1000$$

$$(13)^3 = 13 \times 13 \times 13 = 2197$$

$$(16)^3 = 16 \times 16 \times 16 = 4096$$

Verification:

$$64 = 3 \times 21 + 1$$

$$343 = 3 \times 114 + 1$$

$$1000 = 3 \times 333 + 1$$

$$2197 = 3 \times 732 + 1$$

$$4096 = 3 \times 1365 + 1$$

.....

### Question 5

Write cubes of 5 natural numbers which are of the form  $3n + 2$  (e.g. 5, 8, 11, ...) and verify the following: 'The cube of a natural number of the form  $3n + 2$  is a natural number of the same form'.

#### Solution:

The 5 natural numbers which are of the form  $3n + 2$  (e.g 5, 8, 11, ...) are as follows:

$$3 \times 1 + 2 = 3 + 2 = 5$$

$$3 \times 2 + 2 = 6 + 2 = 8$$

$$3 \times 3 + 2 = 9 + 2 = 11$$

$$3 \times 4 + 2 = 12 + 2 = 14$$

$$3 \times 5 + 2 = 15 + 2 = 17$$

The cubes of 5 natural numbers which are of the form  $3n + 2$  (e.g 5, 8, 11, ...) are as follows:

$$(5)^3 = 5 \times 5 \times 5 = 125$$

$$(8)^3 = 8 \times 8 \times 8 = 512$$

$$(11)^3 = 11 \times 11 \times 11 = 1331$$

$$(14)^3 = 14 \times 14 \times 14 = 2744$$

$$(17)^3 = 17 \times 17 \times 17 = 4913$$

Verification:

$$125 = 3 \times 41 + 2$$

$$512 = 3 \times 170 + 2$$

$$1331 = 3 \times 443 + 2$$

$$2744 = 3 \times 914 + 2$$

$$4913 = 3 \times 1637 + 2$$

$\therefore$  'The cube of a natural number of the form  $3n + 2$  is a natural number of the same form'.

## Question 6

Which of the following numbers are perfect cubes? 1728, 106480

**Solution:**

$$\begin{array}{r|l} 2 & 1728 \\ 2 & 864 \\ 2 & 432 \\ 2 & 216 \\ 2 & 108 \\ 2 & 54 \\ 3 & 27 \\ 3 & 9 \\ & 3 \end{array}$$

$$1728 = 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 3 \times 3 \times 3$$

$$= (2^3 \times 2^3 \times 3^3) = (2 \times 2 \times 3)^3$$

$$\text{Therefore cube root of } 1728 = \sqrt[3]{1728} = 12$$

Hence 1728 is a perfect cube.

$$\begin{array}{r|l} 2 & 106480 \\ 2 & 53240 \\ 2 & 26620 \\ 2 & 13310 \\ 5 & 6655 \\ 11 & 1331 \\ 11 & 121 \\ & 11 \end{array}$$

$$106480 = 2 \times 2 \times 2 \times 2 \times 5 \times 11 \times 11 \times 11$$

$$= (2^3 \times 2 \times 5 \times 11^3) = (2 \times 11)^3 \times 2 \times 5$$

In the above factorisation  $2 \times 5$  remains after grouping in triplets. Therefore 106480 is not a perfect cube.

### Question 7

What is the smallest number by which 392 must be multiplied so that the product is a perfect cube ?

**Solution:**

$$392 = 2 \times 2 \times 2 \times 7 \times 7$$

7 occurs as a prime factor only twice.

Hence, 7 is the smallest number by which 392 must be multiplied so that the product is a perfect cube.

2	392
2	196
2	98
7	49
	7

### Question 8

What is the smallest number by which 8640 must be divided so that the quotient is a perfect cube ?

**Solution:**

$$8640 = 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 3 \times 3 \times 3 \times 5$$

5 occurs as a prime number only once.

Hence, 5 is the smallest number by which 8640 must be divided so that the quotient is a perfect cube.

2	8640
2	4320
2	2160
2	1080
2	540
2	270
3	135
3	45
3	15
	5

## Question 9

If one side of a cube is 13 metres, find its volume.

**Solution:**

The volume of a cube = (side)<sup>3</sup> = (13)<sup>3</sup> = 2197m<sup>3</sup>.

## Question 10

Find the cube root of:

(i) 343 (ii) 1000 (iii) 2744 (iv) 74088

**Solution:**

(i)  $343 = 7 \times 7 \times 7$

$$\begin{array}{r|l} 7 & 343 \\ 7 & 49 \\ \hline & 7 \end{array}$$

$$\therefore \sqrt[3]{343} = \sqrt[3]{7 \times 7 \times 7} = 7$$

(ii)  $1000 = 2 \times 2 \times 2 \times 5 \times 5 \times 5$

$$\begin{array}{r|l} 2 & 1000 \\ 2 & 500 \\ 2 & 250 \\ 5 & 125 \\ 5 & 25 \\ \hline & 5 \end{array}$$

$$\therefore \sqrt[3]{1000} = \sqrt[3]{2 \times 2 \times 2 \times 5 \times 5 \times 5} = 2 \times 5 = 10$$

(iii)  $2744 = 2 \times 2 \times 2 \times 7 \times 7 \times 7$

$$\begin{array}{r|l} 2 & 2744 \\ 2 & 1372 \\ 2 & 686 \\ 7 & 343 \\ 7 & 49 \\ \hline & 7 \end{array}$$

$$\therefore \sqrt[3]{2744} = \sqrt[3]{2 \times 2 \times 2 \times 7 \times 7 \times 7} = 2 \times 7 = 14$$

(iv)  $74088 = 2 \times 2 \times 2 \times 3 \times 3 \times 3 \times 7 \times 7 \times 7$

$$\begin{array}{r|l} 2 & 74088 \\ 2 & 37044 \\ 2 & 18522 \\ 3 & 9261 \\ 3 & 3087 \\ 3 & 1029 \\ 7 & 343 \\ 7 & 49 \\ \hline & 7 \end{array}$$

$$\therefore \sqrt[3]{74088} = \sqrt[3]{2 \times 2 \times 2 \times 3 \times 3 \times 3 \times 7 \times 7 \times 7} = 2 \times 3 \times 7 = 42$$

## Question 11

Find the cube root of 125.

**Solution:**

$$\begin{array}{r} 125 \\ - 1 \\ \hline 124 \\ - 7 \\ \hline 117 \\ - 19 \\ \hline 98 \\ - 37 \\ \hline 61 \\ - 61 \\ \hline 0 \end{array}$$

Since we had to subtract five times, therefore,  $\sqrt[3]{125} = 5$

## Question 12

Multiply 137592 by the smallest number so that the product is a perfect cube. Also, find the cube root of the product.

**Solution:**

$$137592 = 2 \cdot 2 \cdot 2 \cdot 3 \cdot 3 \cdot 3 \cdot 7 \cdot 13$$

The number 7 and 13 should be multiplied once and twice respectively so that the product is a perfect cube.

$\therefore$  The smallest number by which 137592 must be multiplied =  $7 \cdot 13 \cdot 13 = 1183$

$$\begin{aligned} \text{The required product} &= 137592 \times 1183 = 2 \times 2 \times 2 \times 3 \times 3 \times 3 \times 7 \times 7 \times 13 \times 7 \times 13 \times 13 \\ &= (2^3 \times 3^3 \times 7^3 \times 13^3) \\ &= (2 \times 3 \times 7 \times 13)^3 \end{aligned}$$

$$\begin{aligned} \sqrt[3]{137592 \times 1183} &= 2 \times 3 \times 7 \times 13 \\ &= 546 \end{aligned}$$





## Question 15

Which of the following numbers are cubes of negative integers?

- (a) -64    (b) -2197    (c) -1056    (d) -3888

**Solution:**

(a)  $64 = 2 \times 2 \times 2 \times 2 \times 2 \times 2$

$$\sqrt[3]{64} = \sqrt[3]{2 \times 2 \times 2 \times 2 \times 2 \times 2} = 2 \times 2 = 4$$

$$\sqrt[3]{-64} = -\sqrt[3]{64} = -4$$

∴ -64 is a cube of -4 a negative integer.

(b)  $2197 = 13 \times 13 \times 13$

$$\sqrt[3]{2197} = \sqrt[3]{13 \times 13 \times 13} = 13$$

$$\sqrt[3]{-2197} = -\sqrt[3]{2197} = -13$$

∴ -2197 is a cube of -13 a negative integer.

(c)  $1056 = 2 \times 2 \times 2 \times 2 \times 3 \times 11$

In the above factorisation  $2 \times 3 \times 3 \times 11 \times 11$  remains after grouping in triplets. Therefore, 1056 is not a perfect cube.

Hence -1056 is not a cube of negative integer.

(d)  $3888 = 2 \times 2 \times 2 \times 2 \times 3 \times 3 \times 3 \times 3 \times 3$

In the above factorisation  $2 \times 3 \times 3$  remains after grouping in triplets. Therefore, 3888 is not a perfect cube.

$$\sqrt[3]{5832} = \sqrt[3]{2 \times 2 \times 2 \times 3 \times 3 \times 3 \times 3 \times 3 \times 3} = 2 \times 3 \times 3 = 18$$

$$\sqrt[3]{-5832} = -\sqrt[3]{5832} = -18$$

## Question 16

Find the cube roots of:

- (a) -125    (b) -5832    (c) -17576

**Solution:**

(a)  $125 = 5 \times 5 \times 5$

$$\sqrt[3]{125} = \sqrt[3]{5 \times 5 \times 5} = 5$$

$$\sqrt[3]{-125} = -\sqrt[3]{125} = -5$$

(b)  $5832 = 2 \times 2 \times 2 \times 3 \times 3 \times 3 \times 3 \times 3$

$$\sqrt[3]{5832} = \sqrt[3]{2 \times 2 \times 2 \times 3 \times 3 \times 3 \times 3 \times 3} = 2 \times 3 \times 3 = 18$$

$$\sqrt[3]{-5832} = -\sqrt[3]{5832} = -18$$

(c)  $17576 = 2 \times 2 \times 2 \times 13 \times 13 \times 13$

$$\sqrt[3]{17576} = \sqrt[3]{2 \times 2 \times 2 \times 13 \times 13 \times 13} = 2 \times 13 = 26$$

$$\sqrt[3]{-17576} = -\sqrt[3]{17576} = -26$$

## Question 17

Find the cube root of each of the following numbers:

1.  $8 \times 64$
2.  $(-216) \times 1728$
3.  $27 \times (-2744)$
4.  $(-125) \times (-3375)$
5.  $-456533$
6.  $-5832000$

**Solution:**

$$(1) \quad 8 \times 64 = 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2$$

$$\sqrt[3]{8 \times 64} = 2 \times 2 \times 2 = 8$$

$$(2) \quad 216 \times 1728 = 2 \times 2 \times 2 \times 3 \times 3 \times 3 \times 2 \times 2 \times 2 \times 2 \times 2 \times 3 \times 3 \times 3$$

$$\sqrt[3]{(-216) \times 1728} = -(2 \times 3 \times 2 \times 2 \times 3) = -72$$

$$(3) \quad 27 \times 2744 = 3 \times 3 \times 3 \times 2 \times 2 \times 2 \times 7 \times 7 \times 7$$

$$\sqrt[3]{27 \times (-2744)} = -(3 \times 2 \times 7) = -42$$

$$(4) \quad 125 \times 3375 = 5 \times 5 \times 5 \times 3 \times 3 \times 3 \times 5 \times 5 \times 5$$

$$\sqrt[3]{(-125) \times (-3375)} = 5 \times 3 \times 5 = 75$$

$$(6) \quad 5832000 = 5832 \times 1000 = 2 \times 2 \times 2 \times 3 \times 3 \times 3 \times 3 \times 3 \times 2 \times 2 \times 2 \times 5 \times 5 \times 5$$

$$\sqrt[3]{(-5832) \times 1000} = -(2 \times 3 \times 3 \times 2 \times 5) = -180$$

## Question 18

Find the cubes of the following by multiplication.

- (i)  $-4$
- (ii)  $23$
- (iii)  $3030$

**Solution:**

$$(i) \quad (-4)^3 = (-4) \times (-4) \times (-4) = -64$$

$$(ii) \quad (23)^3 = 23 \times 23 \times 23 = 12167$$

$$(iii) \quad (3030)^3 = 3030 \times 3030 \times 3030 = 27818127000.$$

### Question 19

Find the cube of the following rational numbers:

(i) 1.4

**Solution:**

$$(i) (1.4)^3 = 1.4 \times 1.4 \times 1.4 = 2.744.$$

### Question 20

By what number would you multiply 231525 to make it a perfect cube?

**Solution:**

The prime factorisation of 231525 is  $5 \times 5 \times 3 \times 3 \times 3 \times 7 \times 7 \times 7$ .

The number that must be multiplied in order that the above product is a perfect cube is 5.

Therefore, Cube root of  $231525 \times 5$  is  $5 \times 3 \times 7 = 105$ .