GENERAL SCIENCE, Paper - I

(Physical Science) (English version)

Parts A and B

Time: 2 brs. 45 min.1

[Maximum Marks: 40

Instructions:

- I. This paper contains Part-A and Part-B.
- 2. Answer the questions under Part-A on separate answer book. Write the answers to the questions under Parks on the question paper itself and attach it to the answer book of Part-A.
- Answer all the questions. Itemernal choice is given to the questions under 3. Section- III.
- 4. In the duration of 2.45 hrs., 15 minutes of time is allotted to read the Question paper.

Part - A

Time: 2 hours

Marks: 30

Instructions:

- Part-A comprises Three sections I, II and III. (i)
- (ii) All the questions are compulsory.
- (iii) There is no over-all choice. However, there is an internal choice to the questions under section-III.

SECTION - I

 $4 \times 1 = 4$

- **NOTE**: (i) Answer all the questions.
 - (ii) Answer each question in 1 or 2 sentences.
 - (iii) Each question carries ONE mark.
- 1. Let heat is not lost by any other process between two objects in thermal contact, "Net heat lost (by hot body) = Net heat gain (by cold body)." above statement indicates a principle. Write the name of that principle.

19E(A)

PTO.

- 2. Pose a question to understand the difference between plane mirrors and curved mirrors.
- 3. A teacher asked to give an example for Dobereiner's triad. Ramu wrote them as "Li, Na, Mg". In these three, identify which element does not belongs to this triad?
- 4. Imagine and write what type of ion can be formed generally by an atom of element with low ionisation energy, low electron affinity with high atomic size?

SECTION - II

 $5 \times 2 = 10$

NOTE: (i)

- i) Answer all the question
- (ii) Answer each question in 4 or 5 sentences.
- (iii) Each question carries Two marks.
- 5. Temperatures of two cities at different times are given as follows:

ne → City ↓	At 6 AM	At 11.30 AM	At 6 PM
A	- 3° C	300 K	5°C
В	271 K	27° C	270 K

On the basis of above table, answer the following questions.

- (1) In which city, the morning temperature at 6 o'clock is relatively high?
- (2) At what time, both cities are having the equal temperature?
- While doing an experiment with a mirror to get an image, Gayathri got magnification value m as +1.5.

Based on the above statement, answer the following.

- (a) Which mirror she used for this experiment?
- (b) Write any two characteristics of the image formed at this magnification value.

19E(A)

- 7. Write the material that you use to find out the value of refractive index of a prism. What is the necessity of the graph in this experiment?
- 8. Imagine, which one in each of the following pairs is large in size relatively with other? Explain.

e 2 x

T & ...

(X) Na, Al (Y) Na, Mg⁺²

9. OH C₂H₅

Based on the diagram, answerene following.

- Write the name of we compound.
- (2) Write the name or functional group in the structure.

SECTION - III

4x4 = 16

NOTE: (i) Answer all the questions.

- (ii) Answer each question in 8-10 sentences.
- (iii) There is internal choice for each question.
- (iv) Only one option from each question is to be attempted.
- (v) Each question carries FOUR marks.
- 10. Write the role of lenses in our daily life.

OR

A house has 3 tubelights, 2 fans and a television. Each tubelight draws 40 W. The fan draws 80 W and the television draws 60 W. On an average, all the tubelights are kept on for five hours, two fans for 12 hours each and the television for five hours a day. Find the cost of electric energy used in 30 days at the rate of Rs. 3.00 per KWH.

PTO.

19E(A)

11. $2Al + Fe_2O_3 \rightarrow Al_2O_3 + 2Fe$

(Al = 27u, Fe = 56u, O = 16u are the atomic masses)

How much of Iron, we can get if 54 kg of Aluminium is used?

OR

Write Bohr's model of Hydrogen atom and s limitations.

12. Write the procedure of a lab activities understand lateral shift of light rays through a glass slab.

OR

Write an activity to know the reaction of bases with metals.

13. Which device is used to convert mechanical energy into electrical energy?
Draw a neat diagram and label the parts of this device.

OR

Write the name of the method we use to separate the ore or impurity in which one of them is magnetic substance. Draw a neat diagram indicating the method.

19E(A)

19E(B)

GENERAL SCIENCE, Paper - I

(Physical Science)
(English version)

Parts A and B

Time: 2 hrs. 45 min.]

[Maximum Marks: 40

Instruction: Write the answers to the questions in this Part-B on the Question paper itself and attach it to the answer book of Part-A.

Part B

Time : 30 min.

Marks: 10

SECTION - 1V

20×½=10

NOTE:

- Answer all the questions.
- 2. Each question carries 1/2 mark.
- 3. Marks will not be awarded in any case of over-written, rewritten or erased answers.
- 4. Write the CAPITAL LETTER (A, B, C, D) showing the correct answer for the following questions in the brackets provided against them.
- 14. When water is boiling, its temperature

1 1

- (A) remains constant
- (B) increases

(C) decreases

- (D) can't say
- 15. The spoilage of food can be prevented by using vitamins like ... and ... [
 - (A) B, C

,(B) C, E

(C) B, E

(D) A, E

19E(B)

P.T.O.

В

16.
$$2\text{PbO} + \underset{(s)}{\text{C}} \rightarrow 2\text{Pb} + \underset{(g)}{\text{CO}_2}$$

Which of the following statements are correct for the above chemical reaction?

- (i) Lead is reduced.
- (ii) Carbon dioxide is oxidized.
- (iii) Carbon is oxidized.
- (iv) Lead oxide is reduced.
- (A) (i) and (ii)

(B) (i) and (iii)

(C) (iii) and (iv)

- (D) (i), (ii), (iii) and (iv)
- 17. Which of the following is not an Olfactory increator?
- []

(A) Onion

(B) Valla essence

(C) Groundnut

- (D) Nelove oil
- 18. Mirages formed due to ...


1 1

(A) Dispersion


(B) Scattering


(C) Interferance


- (D) Total internal reflection
- 19. The complete ray diagram for ...




f 1









19E(B)

20,	Short sightedness is known as and lens is used to correct					
		visibility.			r	64
	(A)	Myopia, Convex	(B)	Hypermetropia, Convex		÷
	(C)	Hypermetropia, Concave	(D)	TO STATE OF THE ST		
21.	The eye lens adjusts its focal length between cm to cm.					1
	(A)			2.27 ; 2.42	•	
	(C)	2.26 ; 2.5		2.27; 2.5		
22.	Match the following.					ñ
	(1) Between the aqueous humour (X) Retina and the lens, there is a muscular diaphragm.					
	(2) Small hole in a muscular dieshragm, (Y) Pupil where diaphram lies between the aqueous humour and the eye lens.					
	(3)	The place where the image at back side of eye ball.				
	(A)	(1) - X, (2) - Y, (3) - Z	(B)	(1) - X, (2) - Z, (3) - Y		
		(1) - Z, (2) - X, (3) - Y		(1) - Z, $(2) - Y$, $(3) - X$		
23.	The scientist who explained splitting of line spectra					
	into	into finer lines is				
	(A)	Max Planck	(B)	Sommerfeld	182	1970
	(C)	Moseley	(D)	Lewis		
24.	An example for Mendelcev's anomalous series is					1
	(A)	Tellurium, Iodine		Sodium, Potassium	\$1 5	
	(C)	Eka Boron, Eka Silicon		Sodium, Calcium		
25.	Among the following, which is more stable?					1
	(A)	Li	(B)	Be	[in t hi
	(C)	F	(D)	Ne .		70
t9E	B)				p	т.о.
В						

Statement 1: The VSEPR theory proposed by Sidewick Powell					-1
Sta	tement 2: The VSEPR theo	ry wa	s further improved by	50.	8# Y
(A)			Only Statement 1 is right		
(C)	Only statement 2 is right.				
Among the following, correct pair is					1
(A)	BeCl ₂ - Bond angle 120°			50%	800
(C)	$\mathrm{NH_3}$ - Bond angle 104° 27'	(D)			
6Ω , 6Ω are connected in parallel, the esultant resistance is					j
(A)	1/6	(18)	6		
(C)	18	(D)	2		
The	induced current will appear	in su	ch a direction that it opposes		
the change in the flux in the coil, is known as					1
(A)	VSEPR theory			98.25	
(C)	Faraday's law	(D)	Ohm's law		31
SI unit for magnetic flux is					1
27.20	Weber	(B)	Volt	3.50	-
(C)	Ampere	(D)	Coulomb		
Froth floatation is the method mostly used for the purification of ore					1
(A)	Sulphide	(B)	Oxide	560 L e	-
(C)	Carbonate	(D)	Nitrate		
The general formula of Alkene is					
(A)	C_nH_{2n}		C_nH_{2n+1}		
(C)	C_nH_{2n-2}				
Correct order of priority for choosing and naming a principal					8
chara	acteristic.		19	t]
(A) $\sim COOH > - CHO > R - OH > - NH_2 > C = O > COOR$					33 00
(B) $-COOH > -COOR > C = O > R - OH > -NHo > CHO$					
(C)	-COOH > -COOR > -CHO	0 > :	>C = O > R - OH > - NH.		
(D)	- COOH > - CHO> - COOF	2 > C	t = 0 > R - OH > - NH		
B)		Week	**************************************	Ж, 2	019
	(A) (C) Am (A) (C) 6Ω, (A) (C) The the (A) (C) Frot (A) (C) Corr char: (A) (C) (C) (C) (C) (C) (C) (C) (C) (C) (C	Statement 2: The VSEPR theo Sidgwick, Gillesp (A) Both 1, 2 are correct. (C) Only statement 2 is right. Among the following, correct part (A) BeCl ₂ - Bond angle 120° (C) NH ₃ - Bond angle 104° 27′ 6Ω, 6Ω, 6Ω are connected in part (A) ½6 (C) 18 The induced current will amount the change in the flux in the coil (A) VSEPR theory (C) Faraday's law SI unit for magnetic flux is (A) Weber (C) Ampere Froth floatation is the method most (A) Sulphide (C) Carbonate The general formula of Alkene is (A) C _n H _{2n} (C) C _n H _{2n-2} Correct order of priority for choose characteristic. (A) - COOH > - CHO > R - OF (B) - COOH > - CHO > CHO (C) - COOH > - CHO > CHO (C) - COOH > - CHO > - CHO (C) - COOH > - CHO > - CHO (C) - COOH > - CHO > - CHO (C) - COOH > - CHO > - CHO (C) - COOH > - CHO > - CHO (C) - COOH > - CHO > - CHO (C) - COOH > - CHO > - CHO (C) - COOH > - CHO > - CHO (C) - COOH > - CHO > - CHO (C) - COOH > - CHO > - CHO (C) - COOH > - CHO > - CHO (C) - COOH > - CHO > - CHO (C)	Statement 2: The VSEPR theory was Sidgwick, Gillespie. (A) Both 1, 2 are correct. (B) (C) Only statement 2 is right. (D) Among the following, correct pair is (A) BeCl ₂ - Bond angle 120° (B) (C) NH ₃ - Bond angle 104° 27′ (D) 6 Ω , 6 Ω , 6 Ω are connected in parallel. (A) $\frac{1}{6}$ (B) (C) 18 (D) The induced current will ausear in surthe change in the flux in the coil, is known in the coil, is know	Statement 2: The VSEPR theory was further improved by Sidgwick, Gillespie. (A) Both 1, 2 are correct. (B) Only Statement 1 is right. (C) Only statement 2 is right. (D) Both statements are false. Among the following, correct pair is (A) BeCl ₂ - Bond angle 120° (B) BF ₃ - Bond angle 180° (C) NH ₃ - Bond angle 104° 27′ (D) CH ₄ - Rend angle 109° 28′ 6Ω, 6Ω are connected in parallel. the resultant resistance is (A) ½6 (B) 6 (C) 18 (D) 2 The induced current will anaecar in such a direction that it opposes the change in the flux in the coil, is known as (A) VSEPR theory (B) Lenz's law (C) Faraday's law (D) Ohm's law SI unit for magnetic flux is (A) Weber (B) Volt (C) Ampere (D) Coulomb Froth floatetion is the method mostly used for the purification of ore (A) Sulphide (B) Oxide (C) Carbonate (D) Nitrate The general formula of Alkene is (A) C _n H _{2n} (B) C _n H _{2n+1} (C) C _n H _{2n-2} (D) C _n H Correct order of priority for choosing and naming a principal characteristic. (A) ~ COOH > ~ CHO > R ~ OH > ~ NH ₂ > C = O > COOR (B) ~ COOH > ~ COOR > C = O > R ~ OH > ~ NH ₂ > CHO (C) ~ COOH > ~ COOR > C = O > R ~ OH > ~ NH ₂ > CHO (C) ~ COOH > ~ COOR > C = O > R ~ OH > ~ NH ₂ > CHO (C) ~ COOH > ~ COOR > C = O > R ~ OH > ~ NH ₂ > CHO (C) ~ COOH > ~ CHO > COOR > C = O > R ~ OH > ~ NH ₂ > CHO (C) ~ COOH > ~ CHO > COOR > C = O > R ~ OH > ~ NH ₂ > CHO (C) ~ COOH > ~ CHO > COOR > C = O > R ~ OH > ~ NH ₂ > CHO (C) ~ COOH > ~ CHO > COOR > C = O > R ~ OH > ~ NH ₂ > CHO (C) ~ COOH > ~ CHO > COOR > C = O > R ~ OH > ~ NH ₂ > CHO (C) ~ COOH > ~ CHO > COOR > C = O > R ~ OH > ~ NH ₂ > CHO (C) ~ COOH > ~ CHO > COOR > C = O > R ~ OH > ~ NH ₂ > CHO (C) ~ COOH > ~ CHO > COOR > C = O > R ~ OH > ~ NH ₂ > CHO (C) ~ COOH > ~ CHO > COOR > C = O > R ~ OH > ~ NH ₂ > CHO (C) ~ COOH > ~ CHO > ~ CHO > COOR > C = O > R ~ OH > ~ NH ₂ > CHO (C) ~ COOH > ~ CHO > ~ CHO > COOR > C = O > R ~ OH > ~ NH ₂ > CHO (C) ~ COOH > ~ CHO > C	Statement 2: The VSEPR theory was further improved by Sidgwick, Gillespie. (A) Both 1, 2 are correct. (B) Only Statement 1 is right. (C) Only statement 2 is right. (D) Both statements are false. Among the following, correct pair is (A) BeCl ₂ - Bond angle 120° (B) BF ₃ - Bond angle 180° (C) NH ₃ - Bond angle 104° 27′ (D) CH ₄ - Rend angle 109° 28′ 6Ω , 6Ω are connected in parallel. the resultant resistance is [(A) $\frac{1}{6}$ (B) 6 (C) 18 (D) 2 The induced current will appear in such a direction that it opposes the change in the flux in the coil, is known as (A) VSEPR theory (B) Lenz's law (C) Faraday's law (D) Ohm's law SI unit for magnetic flux is [(A) Weber (B) Volt (C) Ampere (D) Coulomb Froth floatation is the method mostly used for the purification of ore. [(A) Sulphide (B) Oxide (C) Carbonate (D) Nitrate The general formula of Alkene is [(A) C_nH_{2n} (B) C_nH_{2n+1} (C) C_nH_{2n-2} (D) C_nH Correct order of priority for choosing and naming a principal characteristic. (A) $-$ COOH $-$ CHO $-$ R $-$ OH $-$ NH ₂ $-$ COOR $-$ CHO