This Question Paper contains 20 printed pages,

SI.No.

331 (E) (FEBRUARY-MARCH, 2025)

> (SCIENCE STREAM) (CLASS - XII)

પ્રશ્ન પેપરનો સેટ નંબર જેની સામેનું વર્તુળ OMR શીટમાં ઘટ કરવાનું રહે છે. Set No. of Question Paper, circle against which is to be darken in OMR sheet. **10**

Time : 2 Hours/

[Maximum Marks : 100

Instructions:

- 1) There are 100 questions in this question paper. All questions are compulsory.
- 2) Select proper option to make statement correct.
- 3) The OMR sheet is given for answering the questions. The answer of each question is represented by (A) O, (B) O, (C) O, (D) O. Darken the circle \bigcirc of the correct answer with ball-pen.
- 4) Each question carries 1 mark.
- Rough work is to be done on the space provided for this purpose in the Test Booklet only.
- 6) Read the questions carefully before your answer.
- 7) Set No. of Question Paper printed on the upper-most right side of the Question Paper is to be written in the column provided in the OMR sheet.
- From all the Java literals, which literals are to be typed without quotes. They
 represent values, not variables.
 - (A) Character(B) String(C) Numeric(D) Boolean
- 2) In Java, when x = 6 and y = -4, then the result of x % y is _____.

(A) 1 (B) 2 (D)
$$\leq 2$$

The conditional operator in Java is a ternary operator using three operands. The 3) symbol of it's _____. (B) : and ? (A) ? and : (D) ; and ? (C) ? and : Among the following operators which operator having the associativity from Right-4) to-Left? (B) Equality and Inequality (A) Relational Operators (D) Logical Operators (C) Unary Operations for (exp1; exp2; exp3) 5) {statements} in the above syntax of for looping in Java, _____ shows iterator. (B) exp2 (A) expl (D) statements (C) exp3 Which of the following is the syntax of CSS? 6) (A) select{property:value} (B) selector{property:value} (D) selection{property:value} (C) selector{value:property} Which of the following is an HTML element on which style can be applied? 7) (A) declaration (B) script (C) selector (D) declare Which of the following symbol signifies the start and end of a JavaScript block? 8) (B) curly bracket (A) semicolon (C) square bracket (D) round bracket

Which of the following is a reusable block of code that performs a particular task 9) in Java?

(A)	Array	(B) Program
(C)	Code	(D) Function

10) Which of the following is the top level object in the Browser Object Model (BOM)?

- (B) Page (A) Window
- (D) Location (C) Document
- 11) Which of the following is a container for storing data in Java?

A	Variable	(B)	Event
-	Integer	(D)	Event handler

12) if (x = = null){ alert ("please enter your name"); document.jsl.name.focus(); return false; } What is 'alert' in the above JavaScript code? (B) method (A) built-in function (D) conditional statement (Ĉ) object It is preferred that the JavaScript code be placed in the ______ tag. (B) <head> (A) <title> (D) <body>

(C) <html>

14) To make sure (confirm) that KompoZer uses CSS by default, we have to click (select) ______ option.

- (A) Insert \rightarrow Tools
 - (C) View \rightarrow Tools
- (B) Tools \rightarrow Preferences (D) Format \rightarrow Tools
- 15) ______ is used in web pages to improve the design and validate the forms.

- (A)-	JavaScript	(B)	CSS
(0)	1 1773 /7	(D)	TITTD

(C) HTML (D) HTTP

16) Selling the products through ______ is the fastest growing method of trading World Wide. (choose option as per textbook)

- (A) Mobile (B) Television
- (D) Shop
- 17) Which of the following is a feature of traditional commerce?
 - (A) Operates within a certain period of time or business hours
 - (B) E-Payment systems are used for receiving payment
 - (C) Advertising of the product is done on internet
 - (D) Customers can browse through products and offers

18) Which of the following E-commerce business model refers to business and organizations that sell products or services to consumers over the internet using websites?

B2C	(B)	C2B
(C) B2B	(D)	G2B

- 19) Which of the following is a good example of C2C model?
 - (A) E-newspaper (B) Online Purchasing
 - (C) Information Services (D) Auction sites

20) Which of the following E-commerce business model refers to online non-commercial communication between the Government agencies, organisations & departments with other Government agencies, organizations & departments?

- (A) B2B (B) G2G
- (C) C2B (D) C2C

The objective of ______ business model is to provide good and effective services to individual citizen.

(A) G2B	(B) C2B
(C) G2G	(D) G2C

22) Once the ticket is booked through the website of Indian railways, the E-copy of the ticket is send on customer's ______ as well as sent as an SMS on his/her mobile.

(A) Home Address	(B) Office Address
(C) E-mail Address	(D) School Address

- 23) Which of the following is a limitation of M-commerce given in the textbook?
 - (A) Provides global reach
 - (C) It offers a limited bandwidth

24) Three satellites around the earth generate GPS signals, create an intersecting point (triangulation) that locates the device within _____ meters.

(B) 400

(B) Conduct business 24*7

(D) Reduces transaction cost

- (A) 1000
- (C) 200 (D) 500
- 25) SSL protocol is used for securing web transactions on the internet was developed by which company?
 - (A) Yahoo(B) Netscape(C) Google(D) Intel

- 26) According to Bank Terminology what is the full form of ATM?
 - (A) Any Time Money
 - (B) Automatic Token Money
 - (C) All Time Money
 - (D) Automatic Teller Machines

27) With a ______ we can assure the business organizations, online services and friends that the electronic information they receive from us are authentic.

- (A) Final Certificate (B) First Certificate
- (C) Digital Certificate (D) Ultimate Certificate

28) Issuing threat using online medium that may provoke an individual to hurt themselves or others is an example of which of the following?

- (A) Phishing(B) Span(C) Cyber Bullying(D) Cyber Grooming
- 29) Which of the following defines attributes and methods?
 - (A) Class(B) Instance(C) Object(D) Variable

30) Which of the following operator creates an object and returns its reference?

- (A) dot (B) colon (C) new (D) assignment
- 31) Which of the following is the keyword used to refer a superclass constructor in subclass constructor?
 - (A) name of the superclass(B) new(C) extends(D) super

32) W	hich of the followin	g is used to invoke a	n instance method in Java?
-------	----------------------	-----------------------	----------------------------

- (A) The name of the object, colon, the name of the method
- (B) The name of the class, colon, the name of the method
- (If The name of the object, dot, the name of the method
 - (D) The name of the class, dot, the name of the method
- 33) Which of the following keyword is used to declare class variables and class methods?
 - (C) Private (B) Public (D) Package
- 34) component of Java is defined by methods in a class.
 - (A) Attribute (B) Behaviour
 - (C) Variable (D) Object

35) Variables in a class are classified in how many types?

- (A) 4 (B) 3 (C) 5 (D) 8
- 36) In Java ______ is a special kind of method that is invoked when a new object is created.
 - (A) Constructor (B) Class (C) Variable (D) Object
- 37) The Four P's of protection, when no modifier is used, it is the default one having visibility only within a ______ that contains the class.
 - (A) Public (B) Private
 - (C) Package (D) Protected
- 38) In OOP language ______ allows us to build new class with added capabilities by extending existing class.
 - (A) Aggregation (B) Abstraction (D) Inheritance
 - (D) Composition

			G - 4015
In Ja	wa, 2-D array declared with the int marks [][]	e followi	ing syntax.
In th	e above syntax what indicates	the first	square bracket?
			Row
(C)	Data type	(D)	Array name
Wha	at does 'length' refer to for an	object of	f string class?
			class variable
(C)-	method	(D)	class name
Inde	x value of an array starts with		
(A)	one	(B)	character
(C)	negative one	(D)	zero
To s	earch an element in an array, A	rrays cla	ss providesmethod.
(A)	linearSearch()	(B)	IndexSearch()
(C)	ArraySearch()	(D)	binarySearch()
		epresent	two dimensional (2-D) data structure
like			전
(1)	matrix		1-array
(C)	table	(D)	vector
int п	narks[] = {90, 80, 70, 65, 60};		•
Wha	t is the value of an index of the	array var	riable 'marks'?
(A)	90 to 60	-(B)	0 to 4
(C)	1 to 5	(D)	60 to 90
	In th (A) (C) Wha (A) (C) In de (A) (C) In ar like (A) (C) In ar like (A) (C)	int marks [] [] In the above syntax what indicates (A) Column (C) Data type What does 'length' refer to for an (A) attribute (C) method Index value of an array starts with (A) one (C) negative one To search an element in an array, A (A) linearSearch() (C) ArraySearch() In an array is used to relike table of rows and columns. (A) matrix (C) table int marks[] = {90, 80, 70, 65, 60}; What is the value of an index of the (A) 90 to 60	In the above syntax what indicates the first (A) Column (B) (C) Data type (D) What does 'length' refer to for an object of (A) attribute (B) (C) method (D) Index value of an array starts with (A) one (B) (C) negative one (D) To search an element in an array, Arrays cla (A) linearSearch() (B) (C) ArraySearch() (D) In an array is used to represent like table of rows and columns. (A) matrix (B) (C) table (D) int marks[] = {90, 80, 70, 65, 60}; What is the value of an index of the array van (A) 90 to 60 (B)

(Space for Rough Work)

- W. S. ...

.45) To use variables that can store strings, Java supports ______ types of strings. 2 (B) 3 (D) 5 (C) 4 46) In Java, _____ method is used to convert string into lowercase. (B) String toSmallCase() (A) String ConvertSmall() (C) String ConvertLower() (D) String toLowerCase() 47) Java library provides Date class in _____ package. (B) java.date() (A) java.lib.date() (C) java.util (D) java.io.class() 48) Which constant of calendar class in Java is used to show the day of calendar month in constant form? (B) MONTH (A) DATE (D) DAY OF YEAR (C) DAY **49**) int a = 50/0; in the above example of to divide a number by zero, which exception class is generated? (A) NumberFormatException (B) FileNotFoundException (C) NullPointerException (D) ArithmeticException 50) According to Java program, Errors can be broadly classified into _____ categories. (B) Three (A) Four (D) Two (C) Six

51) Which of the following block handles or takes appropriate action when an Exception occurs? (B) throws (A) try (D) handles (Q) catch 52) In Java, the _____ block is generally used to clean up at the end of executing a try block. (B) finally (A) try (D) try....catch (C) catch 53) Which keywords are used by Java to write can exception handler? (A) try (B) catch (C) finally (D) all of these 54) In any programming language ______ is used to convert source code into object code. (A) Æditor (B) Program (C) Compiler (D) Processor 55) \documentclass [12pt]{article}; In the above command, what is documentclass? (A) class (B) name of the command (C) compulsory argument (D) optional argument 56) What is the full form of CTAN? Comprehensive TeX Archive Network (B) Collection Tax Automative Network (C) Continuous Text Advanced Network (D) Comprehensive Total Active Network

57) In LaTeX to use one or more packages in our document, we need to declare \usepackage{package_name} command in _____.

- (A) Environment (B) Nested Environment
- (C) Preamble (D) Equation

58) In LaTeX after the success of compilation to view the file in document viewer we have to select menu option Tools → Go. Which is the shortcut key?

- (A) F3
 (B) F7
 (C) F9
 (D) F5
 (D) F5
 (D) F5
 (D) F5
 (D) F5
 (D) F5
 - (A) Roman
 (B) monospace
 (C) Sans serif
 (D) serif
- 60) Match the commands of LaTeX given in Section-A with the Mathematical symbols given in Section-B.

Section-A		Section-B		
(1)	\mp	(P)	× (Cross Mark)	
(2)	\geq	(Q)	Ŧ	
(3)	\cup	(R)	≥	
(4)	\times	(S)		
1AT	$(1) \rightarrow Q, (2)$ -	→ R, (3) -	\rightarrow S, (4) \rightarrow P	
(B)	$(1) \rightarrow \mathbb{R}, (2)$ -	→ Q, (3) -	$\rightarrow P_{f}(4) \rightarrow S$	
(C)	$(1) \rightarrow P, (2) \rightarrow P$	→ S, (3) +	$Q_{4}(4) \rightarrow \mathbb{R}$	
(D)	$(1) \rightarrow S, (2) -$	→ P, (3) →	$R_{f}(4) \rightarrow Q$	

61)	In L	inux systems the common	practice	is to combine the files into a single en compress the file in the zip format
	unco		mat and th	en compress an
	usin	g program.	(D)	~~~~
	A	Zip		grar
	(C)	unzip	(4)	gzip
62)	Wha	at is the full form of VLC?		
	(A)	Video Local Cable	, (B)	Video LAN Client
		Video Line Cable	(D)	Video Long Client
63)	Fron	n the given free tools	is availab	le for Ubuntu 12.04 and later versions.
00)	(A)	R		VLC Media Player
	(C)	Character map	•	Rational Plan
64)	Fron thou	n the below given free tools gh its source code is proprie	which soft tary & not	ware can be downloaded free of cost, available for modification?
	(A)	R	(B)	, Skype
	(C)	Google Map	(CR)	Rational Plan
65)		mobile phone, high accuracy.	_ facility is	used to know the user's location with
	(A)	GPS	(B)	RAR
<i>c</i>	(C)	Satellite Button		TAR
66)	Whe	n there is 'a-kind-of' relation	nship betwo	een two classes, it is called

- (B) Polymorphism (A) Composition
 - (C) Aggregation

(D) Inheritance

67) Write down the type of inheritance occurs in the below example of classes. Class 'Employee' can be derived from Class 'Person', then Class 'Teacher' can be derived from 'Employee'.

- (A) Multilevel inheritance (B) Multiple inheritance
- (C) Multitasking inheritance (D) Multiclass inheritance

can be used to create models of object-oriented software to help with, design of an application.

- (C) UUL (B) UML (C) UUL (D) UBL
- 69) Which option is correct to replace the ? (Question mark) in the rectangular icon of class-diagram?



70) Data and the methods that manipulate data are protected against modification or misuse by other components of the program. This mechanism of give protection to

data and methods of program is called		·
(A) Abstraction	(B)	Polymorphism
(C) Encapsulation	(D)	Composition
(C) Liteapstration		

- 71) _____ is a concept that hides the complexity; it says what it does, but not how it is done.
 - (A) Abstraction (B) Encapsulation
 - (D) Polymorphism

(Space for Rough Work)

(C) Composition

68)

72) In object-oriented terminology, a call to a method is referred to as a _____. (B) message (A) array (D) process (C) function 73) Object-Oriented Programming (OOP) allows defining more than one method having same name but different signatures in a single class. This feature is known as _____. (B) Variable Overloading (A) Operator Overloading (D) Function Overloading (C) Object Overloading 74) Give the shortcut key to close the site-manager pane in the KompoZer Interface. (B) F3 (A) F5 -(e) F9 (D) F10 75) In KompoZer Interface, the left side of the ______ shows design, split and source tabs. (B) Toolbar (A) Status bar (D) Page Pane (C) Site Manager 76) In KompoZer when the HTML form is submitted, ______ attribute is used to specify where to send the data. (B) input element (A) action (D) type (C) method is used to insert various fields like radio button, text box and check box in 77) HTML form. (B) form element (A) select element (D) input element (C) option element

78)	(8) Which HTML element has to be written in place of the ? example of HTML form.	and ?? of the below given
	< ?> <option value="Surat">Surat</option> <option value="Rajkot">Rajkot</option>	
	? (A) <select> </select> (B) <form> (D) </form>	
79)	 What denotes the given values of the Text Area Properties address, 5, 70 (A) Rows, Columns, FieldName (B) FieldName, C) (C) Columns, FieldName, Rows - (D) FieldName, I 	Columns, Rows
80)	 Which of the following attribute of form specifies the H² when sending the data? (A) submit (B) method (C) action (D) input 	TTP method to be used
	 The option 'page colors and background' to change the control KompoZer is found in menu option. (A) Tools (B) View (C) Format (D) Insert 	lor of the form made in
	 Which of the following is used as a separator between field (A) path (B) variable (C) definiter (D) space 	ds of a record?

(Space for Rough Work)

.

.

83) The data hierarchy occurs in which of the following order from the smallest to largest piece of data?

- (A) file : character : field : record
- (B) character : field : file : record
- (C) file : character : record : field
- (D) character : field : record : file

84) While reading from a file, to identify that the file has ended. The program reads from input stream so java read() method returns _____ to identify the end of data in the stream.

- (A) 0 (zero) (B) = I (negative one)
- (C) 1 (one) (D) null

85) The _____ class provides a method for reading password. When reading the password the user input will be hidden or not shown in the screen.

(A)	Console	(B)	Secret
(C)	Password	(D)	Scanner

86) How many types of streams supported by Java?

(A) Four(B) Two(C) One(D) Three

87) From the given examples of extensions which shows the binary file extension?

fAT	.mp3	(B)	.java
(C)	.txt	(D)	.c

88) What is the full form of W3C?
(A) World Wide Web Corporation
(C) World Web Work Corporation
(D) World Working Web Corporation

- 89) Which of the following is the first page that opens when the user enters the URL address in the address bar of the browser?
 - (A) Home Page (B) Starting Page
 - (C) First Page (D) Web Page
 - 90) In KompoZer which option in Table tab of 'Table Properties' dialogue box shows row and column and height - width of table?

(A) Caption	Table Alignment
(e) Size	(D) Borders and Spacing

- 91) Which option is used to insert an image in the table made with KompoZer?
 - (A) Insert \rightarrow Image (B) Edit \rightarrow Image
 - (C) Insert \rightarrow Table \rightarrow Image (D) Tools \rightarrow Insert \rightarrow Image
- 92) In website the defined function accepting data from cookie and converting the data into number by using ______ function.
 - (A) convertnum() (B) Bytetonum()
 - (C) transdigit() (D) parseFloat()
- 93) In KompoZer which menu contains the option to Publish the website?
 - (A) Format(B) Tools(C) File(D) View
- 94) Ruby, PHP, Python and many other languages supported by the ______ powerful open source IDE for building web application.
 - (A) Amaya (D) KompoZer
 - (C) BlueGriffon

				tored on the user's computer?	
95)	Which of the following is a variable that is stored on the user's computer?				
	(A)	Integer	(B)	Cookie	
	(C)	HTML	(D)	Java	
			. .	her of folse??	
96)					
	(A)	Long	• •	Float	
	(C)	Boølean	(D)	Char	
		Less for to the d	ata stari	ed in memory is called a	
97)	In Ja	iva a name used to refer to the d		Variable	
	(A)	Character			
	(C)	Keyword	(D)	Password	
98)	98) Which of the following name is legal name in Java?				
, . ,		% discount	- <u>(B)</u>	birth date	
	(C)		(D)	\$ price	
99)	In Ja	ava, there are kinds of v	ariable	S.	
	(A)	4	(B)	5	
	Ç.	~	(D)	8	
		numbel is used for	or the be	egin of single line comment.	
100)) In Ja	ava, symbol is used in			
	(A)	11	(B)	#	
	(C)	/*	(D)	%	
	-				