





AROMATIC COMPOUNDS

EXERCISE # O-I

1. Which of the following is not an aromatic compound :



AH0001

2. Which of the following group is divalent:

(A) Benzoyl

(B) Benzyl

(C) Benzal

(D) p-Tolyl

AH0002

3. Benzene is a resonance hybrid mainly of two Kekule structures. Hence :

(A) Half of the molecules correspond to one structure, and half of the second structure


(B) At low temperatures benzene can be separated into two structures

(C) Two structures make equal contribution to resonance hybrid

(D) An individual benzene molecule changes back and forth between two structures

AH0003

4. How many π electron are there in the following species :



(A) 2

(B) 4

(C) 6

(D) 8

AH0004

5. The number of benzylic hydrogen atoms in ethylbenzene is:

(A) 3




(B) 5

(C) 2

(D) 7


AH0005




6. Trans-Butene-2 $\xrightarrow[\text{Solvent}]{\text{CHCl}_3 / \text{KOH}}$ Product



(D) Both (A) & (B)

AH0006

7.  + $\text{CH}_3\text{CH}_2\text{CH}_2\text{CH}_2\text{Cl} \xrightarrow{\text{AlCl}_3}$ hydrocarbon (X) major product X is:



(D) None is correct


AH0007

8. In the sulphonation, acetylation and formylation of benzene the group of effective electrophiles would be :




AH0008

9. o/p ratio in highest for nitration of which of the following compound ?



AH0009

10. Which can be used to generate NO_2^+ in nitration of benzene ring



AH0010

11. For the electrophilic substitution reaction involving nitration, which of the following sequence regarding the rate of reaction is true?



AH0011

12. For the electrophilic substitution reaction involving sulphonation, which of the following sequence regarding the rate of reaction is true?



AH0012


13. $\text{C}_6\text{H}_6 \xrightarrow[\text{AlCl}_3]{\text{CH}_3\text{COCl}} \text{A} \xrightarrow[\text{HCl}]{\text{Zn-Hg}} \text{B}$

The end product in the above sequence is:



AH0013

14. p-Nitrotoluene on further nitration gives:



AH0014

15. Reaction of SO_3 is easier in:



AH0015

16. Which order is correct for the decreasing reactivity to ring monobromination of the following compounds:

(I) $C_6H_5CH_3$ (II) C_6H_5COOH (III) C_6H_6 (IV) $C_6H_5NO_2$
(A) I > II > III > IV (B) I > III > II > IV (C) II > III > IV > I (D) III > I > II > IV





AH0016

17. The highest yield of m-product is possible by the electrophilic substitution of the following:

(A) $C_6H_5CH_3$ (B) $C_6H_5CH_2COOC_2H_5$
(C) $C_6H_5CH(COOC_2H_5)_2$ (D) $C_6H_5C(COOC_2H_5)_3$

AH0017

18. Which of the following will undergo sulphonation at fastest rate ?



AH0018

19. Aniline under acidic medium, when chlorinated, produces:

(A) o-Chloro aniline (B) m-Chloro aniline
(C) p-Chloro aniline (D) Mixture of ortho and para-chloro aniline

AH0019

20. When sulphonilic acid ($p\text{-H}_2\text{NC}_6\text{H}_4\text{SO}_3\text{H}$) is treated with excess of bromine water, the product is:

(A) Tribromo product (B) Dibromo product
(C) Monobromo product (D) Tetrebromo product

AH0020

21. In a reaction of C_6H_5Y , the major product (>60%) is m-isomer, so the group Y is:

(A) $-\text{COOH}$ (B) $-\text{Cl}$ (C) $-\text{OH}$ (D) $-\text{NH}_2$

AH0021

22. An aromatic compound of molecular formula $C_6H_4Br_2$ was nitrated then three isomers of formula $C_6H_3Br_2NO_2$ were obtained. The original compound is:

(A) o-Dibromobenzene (B) m-Dibromobenzene
(C) p-Dibromobenzene (D) Both A & C


AH0022

23. Which of the following is most reactive towards sulphonation?

(A) m-Xylene (B) o-Xylene (C) Toluene (D) p-Xylene


AH0023

24. Ring nitration of dimethyl benzene results in the formation of only one nitro dimethyl benzene. The dimethyl benzene is:




AH0024

25. If meta-nitroaniline is chlorinated, the major product is:



AH0025

26. If p-methoxy toluene is nitrated, the major product is:




AH0026

27. $\text{C}_6\text{H}_5\text{CH}_3 \xrightarrow{\text{CrO}_2\text{Cl}_2} \text{A} \xrightarrow{\text{H}_2\text{O}} \text{B}$

The functional group present in B and name of the reaction would be

- (A) $-\text{CHO}$, Gattermann aldehyde synthesis (B) $-\text{CHO}$, Etard reaction
(C) $-\text{COCH}_3$, Friedel Crafts reaction (D) $-\text{CHO}$, Oxo reaction

AH0027




Compound A and B respectively are:

- (A) o-Bromostyrene, benzoic acid (B) p-Bromostyrene, benzaldehyde
(C) m-Bromostyrene, benzaldehyde (D) Styrene dibromide, benzoic acid

AH0028

29. If the mixture of the following four aromatic compounds on oxidation by strong oxidising agent gives:




- (A) Mixture of $\text{C}_6\text{H}_5\text{CH}_2\text{OH} + \text{C}_6\text{H}_5\text{COOH}$ (B) Mixture of $\text{C}_6\text{H}_5\text{CHO} + \text{C}_6\text{H}_5\text{COOH}$
(C) Only $\text{C}_6\text{H}_5\text{COOH}$ (D) None of the above


AH0029

30. Which of the following is/are produced when a mixture of benzene vapour and oxygen is passed over V_2O_5 catalyst at 775 K?


(A) Oxalic acid (B) Glyoxal (C) Fumaric acid (D) Maleic anhydride


AH0030


31. Benzene on reaction with 'A' forms  which on reaction with 'B' forms




'A' and 'B' are:

(A) $Zn(Hg) + \text{conc. HCl}$, 





(B) , $LiAlH_4$

(C) , $NaBH_4$

(D) , $Zn(Hg) + \text{conc. HCl}$


AH0031

32. Which chloroderivative of benzene among the following would undergo-hydrolysis most readily with $aNaOH$ to furnish the corresponding hydroxy derivative.



AH0032

33. Major product of this reaction will be :



(A) o-Xylene

(B) p-Xylene

(C) Both

(D) m-Xylene

AH0033

34. For preparing monoalkyl benzene, acylation process is preferred than direct alkylation because

(A) In alkylation, a poisonous gas is evolved
 (B) In alkylation, large amount of heat is evolved
 (C) In alkylation, polyalkylated product is formed
 (D) Alkylation is very costly

AH0034

35. Phenol and ethanol are distinguished by the reaction with

(A) Red litmus





(B) $NaHCO_3$

(C) $FeCl_3$


(D) Na





AH0035

36. An aromatic compound 'A' $C_7H_6Cl_2$, gives AgCl on bonding with alcoholic $AgNO_3$ solution, and yields C_7H_7OCl on treatment with sodium hydroxide. 'A' on oxidation gives a mono chlorobenzoic acid which affords only one mononitro derivative. The compound A is:




AH0036

37.  + $H_2 \xrightarrow[\text{High pressure}]{Ni, \text{ high temp.}}$ (A). Which of the following can be isolated as the product of this reaction.



AH0037

38. Chloral +  $\xrightarrow{\text{Conc. } H_2SO_4}$ product. The product is:

(A) Lindane





(B) DDT

(C) Teflon

(D) Ethaneperchlorate





AH0038

39. Acetophenone $\xrightarrow{HCO_3H}$ A $\xrightarrow{H_3O^+}$ B + C $\xrightarrow[H^+]{\text{Phthalic Anhydride}}$ Indicator (D) ; C & D are




AH0039

40. Select the reaction giving correct major product :



AH0040







In this reaction, the end product C is:

- (A) Salicylaldehyde (B) Salicylic acid (C) Phenyl acetate (D) Aspirin





AH0041

42. m-Aminophenol on treatment with NaOH and CO_2 gives which of the following as major product?



AH0042


43. Stability order of following singlet halocarbene is



AH0043

EXERCISE # O-II

1. In which of the following reaction t-butylbenzene is formed:



AH0044

2. The replacement of a hydrogen atom in benzene by alkyl group can be brought about with the following reagents :




AH0045

3. Benzene reacts with n-propyl chloride in the presence of anhydrous AlCl_3 to give predominantly:




AH0046

4. The structure of the compound that gives a tribromo derivative on treatment with bromine water is:




AH0047

5. Electrophilic attack of NO_2^+ at meta position is observed in:




AH0048

6. The good method for converting benzene into n-propyl benzene is:



AH0049

7. Which of the following can be used as reagent in Friedel Crafts reaction?



AH0050

8. Of the species PhSR , PhSR , PhSR and Ph-S-OR the meta-substituted product is obtained from



AH0051

9. Amongst the following, the moderately activating group is



AH0052

10. False statement is / are :

- (A) Although benzene contains three double bonds, normally it does not undergo addition reaction.
 (B) m-Chlorobromobenzene is an isomer of m-bromochlorobenzene.
 (C) In benzene, carbon uses all the three p orbitals for hybridization.
 (D) An electron donating substituent in benzene orients the incoming electrophilic group to the meta position.


AH0053

11. Benzoic acid may be prepared by the oxidation of:






AH0054

12. Identify reactions give ketone product ?



AH0055

13. Which of the following reaction(s) will give aromatic product ?



AH0056

14. Which of the following statements is/are not true?

- (A) All ortho-para directing groups activates the ring towards electrophilic substitution.
 (B) Halobenzene is ortho para directing but deactivating in nature
 (C) All meta-directing groups have π -bond on the atom directly attached to the ring
 (D) All meta directing groups are deactivating.

AH0057

15. Which of the following is not an ortho-para directing group?

- (A) CF_3 (B) CCl_3 (C) $-\text{CH}=\text{CH}-\text{COOH}$ (D) $-\text{N}\equiv\text{C}$

AH0058

16. Which of the following does not gives Friedel-Crafts reaction?



AH0059

17. Which of the following reactions of benzene proves the presence of three carbon-carbon double bonds in it :

- (A) Formation of a triozonide
 (B) Hydrogenation of benzene to cyclohexane
 (C) Formation of $\text{C}_6\text{H}_6\text{Cl}_6$ by addition of chlorine
 (D) Formation of nitrobenzene on heating benzene with a mixture of concentrated nitric acid and sulphuric acid

AH0060

18. Which of the following are classified as aromatic ?

- (A) 1, 2, 3-Triphenylcyclopropenium cation (B) Cyclooctatetraenyl dianion
 (C) Azulene (D) Annulene [10]


AH0061

19. Which of the following is/are name of 1,2,3,4,5,6 - hexachloro cyclohexane :

- (A) Lindane (B) Gammexane (C) 666 (D) BHC


AH0062

20. Among the following reaction sequences identify incorrect step :




AH0063

21. How many of following compounds are less reactive than benzene for sulphonation by conc. H_2SO_4 :




AH0064

22. Decide the correct order of reactivity of following compounds towards halogenation with $(\text{Cl}_2 + \text{AlCl}_3)$.




AH0065

23. Which of the following method(s) is/are not used to prepare p-bromo aniline as major product :



AH0066




X is/are -


- (A) CHCl_3 (B) CCl_4 (C) CO_2 (D) HCOOH

AH0067


25. Which product is/are not obtained in following reaction.




AH0068



E is :








AH0069



Identify correct statement :

- (A) Product C is phenolphthalein indicator
 (B) Product B gives CO_2 effervescence with $NaHCO_3$
 (C) Product A formation involves carbocation intermediate
 (D) Product B gives no colour with neutral $FeCl_3$


AH0070







AH0071

Paragraph for 29 to 30

Identify reagent used and intermediate products in following conversion.




29. Identify II product -



AH0072

30. (III) major product is ?




AH0072

31. Match the following :

Column-I
(Properties)

- (A) $\text{CO}_2 \uparrow$ is evolved from NaHCO_3
- (B) Gives libermann nitroso test
- (C) Gives yellow oily liquid with $\text{NaNO}_2 + \text{HCl}$
- (D) Evolve a colourless gas with active metals

Column-II
(Compound)







AH0073

32. Match the following :

Column I
(Compound)

Column II
(Properties)





- (A)  (P) o-p directing
- (B)  (Q) m-directing
- (C)  (R) Activating towards electrophile
- (D)  (S) Deactivating towards electrophile

AH0074

33. Match the column :

Column I

(Reaction)



Column II

(Product & its property)

(P) Tropylium ion

(Q) Benzaldehyde





(R) Product can oxidise by KMnO_4/H^+

(S) Aromatic product obtained

AH0075

34. Column - I

(Reactions)



Column - II

(Intermediate formed or type of reaction)

(P) Product obtained as racemic mixture

(Q) Substitution reaction

(R) Nu^- Addition takes place during reaction

(S) Carbocation intermediate

(T) Carbanion intermediate





AH0076

EXERCISE # S-I



1. Write the most stable resonating structure for the cyclohexadienyl anion formed by reaction of methoxide ion with o-fluoronitrobenzene.

AH0077

2. Write the principal organic product in each of the following reactions:



AH0078



AH0079

4. Reaction of 1,2,3-tribromo-5-nitrobenzene with sodium ethoxide in ethanol gave a single product, $C_8H_7Br_2NO_3$, in quantitative yield. Suggest a reasonable structure for this compound.






AH0080


5. Compare the given characteristics of aniline and cyclohexanamine :

- Both are primary amine
 - Both can be acylated by $RCOCl$
 - Both reacts with $CHCl_3/KOH$
 - Both reacts with $NaNO_2 + HCl$ at $0-5^\circ C$
 - Both reacts with $PhSO_2Cl$ to give a compound which is soluble in KOH
 - Both gives coupling reaction with phenol
 - Both gives electrophilic substitution reaction
- How many of the given characteristics are correct?

AH0081







6. Number of compounds which can show faster rate of nucleophilic substitution of halogen







AH0082

7. Identify total number of reactions incorrectly match with its product ?




100 % product [Stereo specific reactions] / 100 % उत्पाद [त्रिविम् विशिष्ट अभिक्रिया]



AH0083

Paragraph for No. 8 to 9

For given reaction sequence molecular formula for compound 'U' is $C_7H_6O_2$ & P gives negative Fehling test.



8. Compound which is not a hydrocarbon

- (A) W (B) R (C) T (D) V

AH0084

9. Compound S is :

- (A) $CH_3 - CH = O$


- (B) $Ph - CH = O$

- (C) $\begin{array}{c} CH = O \\ | \\ CH = O \end{array}$

- (D) $\begin{array}{c} CH - CH_2 - CH \\ || \quad \quad \quad || \\ O \quad \quad \quad O \end{array}$

AH0084

EXERCISE # (MAINS)



The electrophile involved in the above reaction is


[AIEEE-2006]

- (1) dichlorocarbene ($:\text{CCl}_2$) (2) trichloromethyl anion (CCl_3^-)
 (3) formyl cation (CHO^+) (4) dichloromethyl cation (CHCl_2^+)

AH0085

2. The electrophile, E^+ attacks the benzene ring to generate the intermediate σ -complex. Of the following, which σ -complex is of lowest energy ?


[AIEEE-2008]



AH0086

3. In the chemical reactions,

[AIEEE-2010]




the compounds 'A' and 'B' respectively are :-

- (1) Nitrobenzene and chlorobenzene (2) Nitrobenzene and fluorobenzene
 (3) Phenol and benzene (4) Benzene diazonium chloride and fluorobenzene

AH0087

4. In the chemical reactions




[AIEEE-2011]

- (1) Fluorobenzene and phenol (2) Benzene diazonium chloride and benzonitrile
 (3) Nitrobenzene and chlorobenzene (4) Phenol and bromobenzene


AH0088

5. Sodium phenoxide when heated with CO_2 under pressure at 125°C yields a product which on acetylation produces C.

[JEE(Main)-2014]




The major product C would be :







6. In the reaction

[IIT-2015]



the product E is :-







AH0090

7. In the following sequence of reactions :

[IIT 2015]







the product C is :-



AH0091

8. Which of the following compounds will significant amount of meta product during mono-nitration reaction ?





[JEE(Main)-2017]



AH0092


9. Phenol on treatment with CO_2 in the presence of NaOH followed by acidification produces compound X as the major product. X on treatment with $(\text{CH}_3\text{CO})_2\text{O}$ in the presence of catalytic amount of H_2SO_4 produces :

[JEE(Main)-2018]




AH0093

10. Phenol reacts with methyl chloroformate in the presence of NaOH to form product A. A reacts with Br_2 to form product B. A and B are respectively : [JEE(Main)-2018]



AH0094



11. The increasing order of nitration of the following compound is :-[JEE(Main)-2018(ONLINE)]



- (1) (b) < (a) < (c) < (d) (2) (b) < (a) < (d) < (c)
(3) (a) < (b) < (c) < (d) (4) (a) < (b) < (d) < (c)


AH0095









12. The major product of the following reaction is : [JEE(Main)-2018(ONLINE)]



AH0096

13. Products A and B formed in the following reactions are respectively : [JEE(Main)-2018(ONLINE)]








- (1)  and  (2)  and 
- (3)  and  (4)  and 

AH0097

14. The major product of the following reaction is :


[JEE(Main)-2018(ONLINE)]



- (1)  (2)  (3)  (4) 

AH0098

15. The compounds A and B in the following reaction are, respectively: [JEE-Mains (JAN)-2019]




- (1) A = Benzyl alcohol, B = Benzyl isocyanide
 (2) A = Benzyl alcohol, B = Benzyl cyanide
 (3) A = Benzyl chloride, B = Benzyl cyanide
 (4) A = Benzyl chloride, B = Benzyl isocyanide

AH0099

16. The major product of the following reaction is:

[JEE-Mains (JAN)-2019]



AH0100

17. Which of the following compounds is not aromatic ?


[JEE-Mains (JAN)-2019]



AH0101

18. The major product of the following reaction is:


[JEE-Mains (JAN)-2019]



AH0102

19. What will be the major product in the following mononitration reaction ?


[JEE-Mains (JAN)-2019]



AH0103

20. Which compound(s) out of the following is/are not aromatic ?

[JEE-Mains (JAN)-2019]





- (1) C and D (2) B, C and D (3) A and C (4) B

AH0104

21. The major product of the following reaction is :

[JEE-Mains (JAN)-2019]



AH0105

22. Which of the following compounds will produce a precipitate with AgNO_3 ?


[JEE-Mains (JAN)-2019]



AH0106

23. The major product of the following reaction is :-


[JEE-Mains (JAN)-2019]



AH0107

24. Among the following four aromatic compounds, which one will have the lowest melting point ?






[JEE-Mains (JAN)-2019]



AH0108

25. The major product of the following reaction is :






[JEE-Mains (JAN)-2019]



AH0109



26. The major product in the following reaction is :

[JEE-Mains (April)-2019]





AH0110

27. Coupling of benzene diazonium chloride with 1-naphthol in alkaline medium will give








[JEE-Mains (April)-2019]



AH0111

28. The major product of the following reaction is:






[JEE-Mains (April)-2019]



AH0112

29. The major product of the following reaction is :


[JEE-Mains (April)-2019]



AH0113

30. The increasing order of reactivity of the following compounds towards aromatic electrophilic substitution reaction is :


[JEE-Mains (April)-2019]



- (1) $D < B < A < C$ (2) $A < B < C < D$ (3) $D < A < C < B$ (4) $B < C < A < D$


AH0114

31. Aniline dissolved in dilute HCl is reacted with sodium nitrite at 0°C. This solution was added dropwise to a solution containing equimolar mixture of aniline and phenol in dil. HCl. The structure of the major product is : **[JEE-Mains (April)-2019]**




AH0115

32. p-Hydroxybenzophenone upon reaction with bromine in carbon tetrachloride gives: **[JEE-Mains (April)-2019]**




AH0116

33. The major product of the following reaction is : **[JEE-Mains (April)-2019]**



AH0117

34. The increasing order of the reactivity of the following compounds towards electrophilic aromatic substitution reactions is :- **[JEE-Mains (April)-2019]**



- (1) I < III < II (2) II < I < III (3) III < I < II (4) III < II < I





AH0118

35. Which of the following is NOT a correct method of the preparation of benzylamine from cyanobenzene ? **[JEE-Mains (April)-2019]**

- (1) (i) HCl/H₂O (ii) NaBH₄
 (2) (i) LiAlH₄ (ii) H₃O⁺
 (3) (i) SnCl₂+HCl(gas) (ii) NaBH₄
 (4) H₂/Ni

AH0119






36. Compound A ($C_9H_{10}O$) shows positive iodoform test. Oxidation of A with $KMnO_4/KOH$ gives acid B ($C_8H_6O_4$). Anhydride of B is used for the preparation of phenolphthalein. Compound A is :-
[JEE-Mains (April)-2019]



AH0120

37. The major product obtained in the given reaction is :-


[JEE-Mains (April)-2019]







AH0121

38. In the following reaction sequence

[JEE-Mains (Jan)-2020]







the major products B is -



AH0122

39. Consider the following reactions :

[JEE-Mains (Jan)-2020]



Which of these reactions are possible ?

(1) (a) and (d)

(2) (b) and (d)

(3) (a) and (b)

(4) (b) , (c) and (d)

AH0123

40. A solution of m-chloroaniline, m-chlorophenol and m-chlorobenzoic acid in ethyl acetate was extracted initially with a saturated solution of NaHCO_3 to give fraction A. The left over organic phase was extracted with dilute NaOH solution to give fraction B. The final organic layer was labelled as fraction C. Fractions A, B and C, contain respectively :


[JEE-Mains (Jan)-2020]

- (1) m-chlorobenzoic acid, m-chloroaniline and m-chlorophenol
- (2) m-chloroaniline, m-chlorobenzoic acid and m-chlorophenol
- (3) m-chlorobenzoic acid, m-chlorophenol and m-chloroaniline
- (4) m-chlorophenol, m-chlorobenzoic acid and m-chloroaniline

AH0124

41. Consider the following reaction :

[JEE-Mains (Jan)-2020]




The product 'X' is used :

- (1) in acid base titration as an indicator
- (2) in protein estimation as an alternative to ninhydrin
- (3) in laboratory test for phenols
- (4) as food grade colourant

AH0125

42. In the following sequence of reactions the maximum number of atoms present in molecule 'C' in one plane is _____.

[JEE-Mains (Jan)-2020]



(A is a lowest molecular weight alkyne)

AH0126

EXERCISE # (ADVANCE)

1. The chlorination of toluene in presence of ferric chloride gives predominately: [JEE 1986]

(A) Benzyl chloride (B) m-Chlorotoluene (C) Benzal chloride (D) *o*- and *p*-Chlorotoluene

AH0127

2. The most basic compound among the following is: [JEE 1990]

(A) Benzylamine (B) Aniline (C) Acetaniline (D) *p*-Nitro aniline


AH0128

3. When nitrobenzene is treated with Br_2 in presence of FeBr_3 the major product formed is m-bromonitrobenzene. Correct statements are : [JEE 1992]

(A) The electron density on meta carbon is more than on ortho and para position.
 (B) The intermediate carbonium ion formed after initial attack of Br^+ attack the meta position is least destabilized.
 (C) Loss of aromaticity when Br^+ attacks at the ortho and para positions and not at meta position
 (D) Easier loss of H^+ to regain aromaticity from the meta position than from ortho and para position.

AH0129

4. Choose the correct statement from the ones given below for two aniline in: [JEE 1993]



(A) II is not an acceptable canonical structure because carbonium ions are less stable than ammonium ions
 (B) II is not an acceptable canonical structure because it is non aromatic
 (C) II is not an acceptable canonical structure because the nitrogen has 10 valence electrons
 (D) II is an acceptable canonical structure

AH0130

5. Most stable carbonium ion is: [JEE 1995]

(A) $p\text{-NO}_2\text{-C}_6\text{H}_4\text{-}^+\text{CH}_2$ (B) $\text{C}_6\text{H}_5\text{-}^+\text{CH}_2$
 (C) $p\text{-Cl-C}_6\text{H}_4\text{-}^+\text{CH}_2$ (D) $p\text{-CH}_3\text{O-C}_6\text{H}_4\text{-}^+\text{CH}_2$

AH0131

6. Arrange in order of decreasing trend towards S_{E} reactions: [JEE 1995]

(I) Chlorobenzene (II) Benzene (III) Anilinium chloride (IV) Toluene
 (A) $\text{II} > \text{I} > \text{III} > \text{IV}$ (B) $\text{III} > \text{I} > \text{II} > \text{IV}$ (C) $\text{IV} > \text{II} > \text{I} > \text{III}$ (D) $\text{I} > \text{II} > \text{III} > \text{IV}$

AH0132

7. Among the following statements on the nitration of aromatic compounds, the false one is:

(A) The rate of benzene is almost the same as that of hexadeuterobenzene [JEE 1997]
 (B) The rate of nitration of toluene is greater than that of benzene.
 (C) The rate of nitration of benzene is greater than that of hexadeuterobenzene
 (D) Nitration is an electrophilic substitution reaction

AH0133

8. Nitrobenzene can be prepared from benzene by using a mixture of conc. HNO_3 and conc. H_2SO_4 . In the nitrating mixture HNO_3 acts as a: [JEE 1997]

(A) Base (B) Acid (C) Reducing agent (D) Catalyst


AH0134

9. Benzyl chloride ($\text{C}_6\text{H}_5\text{CH}_2\text{Cl}$) can be prepared from toluene by chlorination with: [JEE 1998]

(A) $\text{SO}_2\text{Cl}_2\text{h}\nu$ (B) SOCl_2 (C) $\text{Cl}_2\text{h}\nu$ (D) NaOCl

AH0135

10. The most unlikely representation of resonance structure of p-nitrophenoxide ion is: [JEE 1998]



AH0136

11. Benzenediazonium chloride on reaction with phenol in weakly basic medium gives: [JEE 1998]

(A) Diphenyl ether (B) p-hydroxyazobenzene
(C) Chlorobenzene (D) Benzene

AH0137

12. Toluene, when treated with Br_2/Fe , gives p-bromotoluene as the major product, because the CH_3 group:

(A) is para directing (B) is meta directing [JEE 1999]
(C) activates the ring by hyperconjugation (D) deactivates the ring

AH0138

13. Amongst the following the strongest base is:

[JEE 2000]

(A) $\text{C}_6\text{H}_5\text{NH}_2$ (B) $\text{p-O}_2\text{NC}_6\text{H}_4\text{NH}_2$ (C) $\text{m-O}_2\text{NC}_6\text{H}_4\text{NH}_2$ (D) $\text{C}_6\text{H}_5\text{CH}_2\text{NH}_2$

AH0139

14. Identify the correct order of reactivity in electrophilic substitution reactions of the following compounds:




[JEE 2002]

(A) $\text{I} > \text{II} > \text{III} > \text{IV}$ (B) $\text{IV} > \text{III} > \text{II} > \text{I}$ (C) $\text{II} > \text{I} > \text{III} > \text{IV}$ (D) $\text{II} > \text{III} > \text{I} > \text{IV}$

AH0140


15. $\text{F}-\text{C}_6\text{H}_4-\text{NO}_2 \xrightarrow[\text{DMF}]{(\text{CH}_3)_2\text{NH}} \text{A} \xrightarrow[\text{(ii) H}_2 \text{ Catalytic Reduction}]{\text{(i) NaNO}_2 \text{ HCl } 0^\circ-5^\circ\text{C}} \text{B}$

[JEE 2003]




AH0141

16.



[JEE 2004]

Major product of above reaction is:




AH0142

17.


Which of the following is obtained when 4-Methylbenzenesulphonic acid is hydrolysed with excess of sodium acetate?

[JEE 2005]




AH0143

18.



[JEE 2006]


The major products P and Q are



AH0144

Question No. 19 to 21 (3 questions)

Comprehension I

RCONH₂ is converted into RNH₂ by means of Hofmann bromamide degradation.

In this reaction, RCONHBr is formed from which this reaction has derived its name. Electron donating group at phenyl activates the reaction. Hofmann degradation reaction is an intramolecular reaction.

19. How can the conversion of (i) to (ii) be brought about? [JEE 2006]

- (A) KBr (B) $\text{KBr} + \text{CH}_3\text{ONa}$ (C) $\text{KBr} + \text{KOH}$ (D) $\text{Br}_2 + \text{KOH}$


AH0145











20. Which is the rate determining step in Hofmann bromamide degradation? [JEE 2006]

- (A) Formation of (i) (B) Formation of (ii) (C) Formation of (iii) (D) Formation of (iv)

AH0145

21. What are the constituent amines formed when the mixture of (i) and (ii) undergoes Hofmann bromamide degradation? [JEE 2006]




- (A)  ,  ,  , 
- (B)  , 
- (C)  , 
- (D)  , 

AH0145

Paragraph for Question Nos. 22 to 25 (4 questions)

Riemer-Tiemann reaction introduces an aldehyde group, on to the aromatic ring of phenol, ortho to the hydroxyl group. This reaction involves electrophilic aromatic substitution. This is a general method for the synthesis of substituted salicylaldehydes as depicted below.




22. Which one of the following reagents is used in the above reaction ? [JEE 2007]
- (A) a NaOH + CH₃Cl (B) a NaOH + CH₂Cl₂
 (C) a NaOH + CHCl₃ (D) aNaOH + CCl₄

AH0146

23. The electrophile in this reaction is [JEE 2007]
- (A) :CHCl (B) ⁺CHCl₂ (C) :CCl₂ (D) •CCl₃


AH0146

24. The structure of the intermediate I is [JEE 2007]




AH0146

25. In the following reaction, [JEE 2007]



the structure of the major product 'X' is



AH0147

26. **Statement - 1 :** Bromobenzene upon reaction with Br₂ / Fe gives 1, 4-dibromobenzene as the major product.

and

Statement-2 : In bromobenzene, the inductive effect of the bromo group is more dominant than the mesomeric effect in directing the incoming electrophile.

- (A) Statement-1 is True, Statement-2 is True ; Statement-2 is a correct explanation for Statement-1
 (B) Statement-1 is True, Statement-2 is True ; Statement-2 is NOT a correct explanation for Statement 1
 (C) Statement-1 is True, Statement-2 is False
 (D) Statement-1 is False, Statement-2 is True

[JEE 2008]

AH0148

27. **Statement-1 :** Aniline on reaction with $\text{NaNO}_2 / \text{HCl}$ at 0°C followed by coupling with β -naphthol gives a dark **blue** coloured precipitate.


and

Statement-2 : The colour of the compound formed in the reaction of aniline with $\text{NaNO}_2 / \text{HCl}$ at 0° followed by coupling with β -naphthol is due to the extended conjugation.


- (A) Statement-1 is True, Statement-2 is True ; Statement-2 is a correct explanation for Statement-1
 (B) Statement-1 is True, Statement-2 is True ; Statement-2 is NOT a correct explanation for Statement 1
 (C) Statement-1 is True, Statement-2 is False
 (D) Statement-1 is False, Statement-2 is True

[JEE 2008]

AH0149

28. In the reaction  $\xrightarrow{\text{NaOH(aq)}/\text{Br}_2}$ the intermediate(s) is(are) –


[JEE 2009]




AH0150

29. The compounds P, Q and S

[JEE 2009]




were separately subjected to nitration using $\text{HNO}_3 / \text{H}_2\text{SO}_4$ mixture. The product formed in each case respectively, is



AH0151

30. The correct acidity order of the following is :

[JEE 2009]






- (A) (III) > (IV) > (II) > (I) (B) (IV) > (III) > (I) > (II)
 (C) (III) > (II) > (I) > (IV) (D) (II) > (III) > (IV) > (I)

AH0152

31. Match the reactions in Column-I with appropriate options in Column-II.


Column-I

Column-II [IIT-JEE-2010]







(T) Carbocation intermediate

AH0153




The structure of the Product T is :

[JEE 2010]



AH0154

33. Match the reactions in **Column-I** with appropriate types of step/reactive intermediate involved in these reactions as given in **Column-II**

Column-I**Column-II**

[IIT-JEE-2012]

(P) Nucleophilic substitution





(Q) Electrophilic substitution

(R) Dehydration

(S) Nucleophilic addition

(R) Carbanion

34. Among P, Q, R and S, the aromatic compound(s) is / are :





(A) P

(B) Q


(C) R

(D) S


35. The major product(s) of the following reaction is (are) -




(A) P



(B) Q



(C) R



(D) S

AH0155

[JEE 2013]


AH0156

[JEE 2013]

AH0157

36. In the following reaction, the product (s) formed is (are)

[JEE 2013]




AH0158

Paragraph for Question 37 and 38


P & Q are isomers of dicarboxylic acid $C_4H_4O_4$. Both decolourize Br_2/H_2O . On heating P forms the cyclic anhydride.


Upon treatment with dilute alkaline $KMnO_4$, P as well as Q could produce one or more than one from S, T and U.

[JEE 2013]



37. In the following reaction sequences V and W are , respectively -






AH0159

38. Compounds formed from P and Q are respectively
 (A) Optically active S and optically active pair (T, U)
 (B) Optically inactive S and optically inactive pair (T, U)
 (C) Optically active pair (T, U) and optically active S
 (D) Optically inactive pair (T, U) and optically inactive S

AH0159


39. In the reaction shown below, the major product(s) formed is / are :

[JEE 2014]



AH0160

40. The reactivity of compound Z with different halogens under appropriate conditions is given below : [JEE 2014]



The observed pattern of electrophilic substitution can be explained by -



- (A) The steric effect of the halogen
 (B) The steric effect of the tert-butyl group
 (C) The electronic effect of the phenolic group
 (D) The electronic effect of the tert-butyl group
- AH0161**
41. Match the four starting materials (P, Q, R, S) given in List I with the corresponding reaction scheme (I, II, III, IV) provided in List - II and select the correct answer using the code given below in lists. [JEE 2014]

List - I



(P) $H \equiv H$

List - II



(1) **Scheme I**




(2) **Scheme II**



(3) **Scheme III**













(4) **Scheme IV**



Code :


	P	Q	R	S
(A)	1	4	2	3
(B)	3	1	4	2
(C)	3	4	2	1
(D)	4	1	3	2

42. The major product U in the following reactions is :

AH0162
[IIT 2015]43. In the following reactions, the major product **W** is :AH0163
[IIT 2015]

AH0164


44. Among the following the number of reaction(s) that produce(s) benzaldehyde is : [IIT 2015]



AH0165

45. The correct statement(s) about of the following reaction sequence is(are)

[IIT 2016]




- (A) R is steam volatile
(B) Q gives dark violet coloration with 1% aqueous FeCl₃ solution
(C) S gives yellow precipitate with 2, 4,-dinitrophenylhydrazine
(D) S gives dark violet coloration with 1% aqueous FeCl₃ solution

AH0166

46. The product(s) of the following reaction sequence is(are)

[IIT 2016]



AH0167

47. Among the following reaction(s) which gives (give) tert-butyl benzene as the major product is(are)


[IIT 2016]



AH0168

48. The IUPAC name(s) of the following compound is(are) :

[IIT 2017]



(A) 4-methylchlorobenzene

(B) 4-chlorotoluene


(C) 1-chloro-4-methylbenzene

(D) 1-methyl-4-chlorobenzene

AH0169

49. Among the following, the number of aromatic compound (s) is :

[IIT 2017]



Answer 50, 51 and 52 by appropriately matching the information given in the three columns of the following table.

Columns 1, 2 and 3 contains starting materials, reaction conditions, , and type of reactions, respectively .

Column 1	Column 2	Column 3
(I) Toluene	(i) NaOH/Br ₂	(P) Condensation
(II) Acetophenone	(ii) Br ₂ / hν	(Q) Carboxylation
(III) Benzaldehyde	(iii) (CH ₃ CO) ₂ O/CH ₃ COOK	(R) Substitution
(IV) Phenol	(iv) NaOH/CO ₂	(S) Haloform

AH0170

50. For the synthesis of benzoic acid, the only CORRECT combination is

(A) (III) (iv) (R)

(B) (IV) (ii) (P)

(C) (I) (iv) (Q)

(D) (II) (i) (S)

AH0171

51. The only CORRECT combination in which the reaction proceeds through radical mechanism is

(A) (I) (ii) (R)

(B) (II) (iii) (R)

(C) (III) (ii) (P)

(D) (IV) (i) (Q)

AH0171

52. The only CORRECT combination that gives two different carboxylic acids is

(A) (IV) (iii) (Q)


(B) (III) (iii) (P)

(C) (II) (iv) (R)

(D) (I) (i) (S)

AH0171


53. The major product of the following reaction is :



AH0172

Paragraph for 54 & 55

The reaction of compound **P** with CH_3MgBr (excess) in $(\text{C}_2\text{H}_5)_2\text{O}$ followed by addition of H_2O gives **Q**. The compound **Q** on treatment with H_2SO_4 at 0°C gives **R**. The reaction of **R** with CH_3COCl in the presence of anhydrous AlCl_3 in CH_2Cl_2 followed by treatment with H_2O produces compounds **S**. [Et it compounds **P** is ethyl group] [IIT 2017]




54. The reactions, **Q** to **R** and **R** to **S**, are -

- (A) Dehydration and Friedel-Crafts acylation
- (B) Friedel-Crafts alkylation, dehydration and Friedel-Crafts acylation
- (C) Aromatic sulfonation and Friedel-Crafts acylation
- (D) Friedel-Crafts alkylation and Friedel-Crafts acylation




AH0173

55. The product **S** is -



AH0173

56. The reaction(s) leading to the formation of 1,3,5-trimethylbenzene is (are) [IIT 2018]







AH0174

Paragraph "X"

Treatment of benzene with CO/HCl in the presence of anhydrous $\text{AlCl}_3/\text{CuCl}$ followed by reaction with $\text{Ac}_2\text{O}/\text{NaOAc}$ gives compound X as the major product. Compound X upon reaction with $\text{Br}_2/\text{Na}_2\text{CO}_3$, followed by heating at 473 K with moist KOH furnishes Y as the major product. Reaction of X with $\text{H}_2/\text{Pd-C}$, followed by H_3PO_4 treatment gives Z as the major product. [IIT 2018]
(There are two questions based on PARAGRAPH "X", the question given below is one of them)

57. The compound Y is :-







AH0175

Paragraph "X"






Treatment of benzene with CO/HCl in the presence of anhydrous $\text{AlCl}_3/\text{CuCl}$ followed by reaction with $\text{Ac}_2\text{O}/\text{NaOAc}$ gives compound X as the major product. Compound X upon reaction with $\text{Br}_2/\text{Na}_2\text{CO}_3$, followed by heating at 473 K with moist KOH furnishes Y as the major product. Reaction of X with $\text{H}_2/\text{Pd-C}$, followed by H_3PO_4 treatment gives Z as the major product.
(There are two question based on PARAGARAPH "X", the question given below is one of them)

58. The compound Z is :-



AH0175


59. Aniline reacts with mixed acid (conc. HNO_3 and conc. H_2SO_4) at 288 K to give P (51%), Q (47%) and R (2%). The major product(s) the following reaction sequence is (are) :- [IIT 2018]



AH0176

60. In the following reaction sequence, the amount of D (in g) formed from 10 moles of acetophenone is _____. [IIT 2018]

(Atomic weight in g mol^{-1} : H = 1, C = 12, N = 14, O = 16, Br = 80. The yield (%) corresponding to the product in each step is given in the parenthesis)




AH0177


61. Scheme 1 and 2 describe the conversion of P to Q and R to S, respectively. Scheme 3 describes the synthesis of T from Q and S. The total number of Br atoms in a molecule of T is _____

Scheme 1 :


[IIT 2019]



Scheme 2 :




Scheme 3 :



AH0178

62. Choose the correct option(s) that give(s) an aromatic compound as the major product.


[IIT 2019]




AH0179

63. Choose the correct option(s) for the following reaction sequence

[IIT 2019]



Consider Q, R and S as major products







AH0180







64. Answer the following by appropriately matching the lists based on the information given in the paragraph

List-I includes starting materials and reagents of selected chemical reactions. List-II gives structures of compounds that may be formed as intermediate products and/or final products from the reactions of List-I [IIT 2019]

List-I



List-II



Which of the following options has correct combination considering List-I and List-II?

(1) (III), (S), (R)

(2) (IV), (Q), (R)

(3) (III), (T), (U)





(4) (IV), (Q), (U)

AH0181







65. Answer the following by appropriately matching the lists based on the information given in the paragraph

List-I includes starting materials and reagents of selected chemical reactions. List-II gives structures of compounds that may be formed as intermediate products and/or final products from the reactions of List-I [IIT 2019]

List-I



List-II



Which of the following options has correct combination considering List-I and List-II?

(1) (I), (Q), (T), (U)

(2) (II), (P), (S), (U)

(3) (II), (P), (S), (T)

(4) (I), (S), (Q), (R)

AH0182










ANSWER-KEY**EXERCISE # O-I**

1. Ans. (B)	2. Ans. (C)	3. Ans. (C)	4. Ans. (C)	5. Ans. (C)
6. Ans. (B)	7. Ans. (D)	8. Ans. (B)	9. Ans. (B)	10. Ans. (D)
11. Ans. (C)	12. Ans. (A)	13. Ans. (B)	14. Ans. (A)	15. Ans. (B)
16. Ans. (B)	17. Ans. (D)	18. Ans. (B)	19. Ans. (B)	20. Ans. (A)
21. Ans. (A)	22. Ans. (B)	23. Ans. (A)	24. Ans. (C)	25. Ans. (B)
26. Ans. (B)	27. Ans. (B)	28. Ans. (D)	29. Ans. (C)	30. Ans. (D)
31. Ans. (D)	32. Ans. (A)	33. Ans. (D)	34. Ans. (C)	35. Ans. (C)
36. Ans. (A)	37. Ans. (A)	38. Ans. (B)	39. Ans. (C)	40. Ans. (A)
41. Ans. (D)	42. Ans. (C)	43. Ans. (A)		








EXERCISE # O-II

1. Ans. (A,B,C,D)	2. Ans. (A,B,D)	3. Ans. (B,D)	4. Ans. (B,C,D)
5. Ans. (A,B,C)	6. Ans. (B,D)	7. Ans. (C,D)	8. Ans. (C,D)
9. Ans. (B,C)	10. Ans. (B,C,D)	11. Ans. (A,B)	12. Ans. (A,B,C,D)
13. Ans. (A,B,C)	14. Ans. (A,C)	15. Ans. (A,B,D)	16. Ans. (B,C,D)
17. Ans. (A,B,C)	18. Ans. (A,B,C)	19. Ans. (A,B,C,D)	20. Ans. (C)
21. Ans. (B)	22. Ans. (A)	23. Ans. (A,C,D)	24. Ans. (B,C)
25. Ans. (A,B,D)	26. Ans. (A)	27. Ans. (A)	28. Ans. (A)
29. Ans. (B)	30. Ans. (A)	31. Ans. (A)-Q; (B)-P,R,S; (C)-R,S; (D)-P,Q,R,S	
32. Ans. (A)→P,S ; (B)→P,R ; (C)→Q,S ; (D)→P,R			
33. Ans. (A)→Q,R,S ; (B)→P,R,S ; (C)→R,S ; (D)→Q,R,S			
34. Ans. (A)→R,T ; (B)→R,S ; (C)→Q,S ; (D)→P,R			

EXERCISE # S-I


1. Ans. 
2. Ans. (i)  (ii)  (iii)  (iv) 
3. Ans. (i)  (ii) 
4. Ans.  

Solution for No. 8 & 9




EXERCISE # (MAINS)

1. Ans. (1) 2. Ans. (2) 3. Ans. (4) 4. Ans. (2)
5. Ans. (3) 6. Ans. (1)



7. Ans. (2)



8. Ans. (3) 9. Ans.(4) 10. Ans.(2) 11. Ans.(4)
12. Ans.(1) 13. Ans.(3) 14. Ans.(4) 15. Ans. (4)
16. Ans. (1) 17. Ans. (3) 18. Ans. (2) 19. Ans. (3)
20. Ans. (2) 21. Ans. (1) 22. Ans. (4) 23. Ans. (2)
24. Ans. (1) 25. Ans.(4) 26. Ans. (Bonus) 27. Ans. (3)
28. Ans. (3) 29. Ans. (2) 30. Ans. (3) 31. Ans. (1)

32. Ans. (4)

33. Ans. (1)


34. Ans. (3)

35. Ans. (1)



36. Ans. (1)

37. Ans. (4)





38. Ans. (1)



39. Ans. (2)




40. Ans. (3)




41. Ans. (1)

Sol.



It is an acid base indicator

42 Ans. (13)



Total 13 atom are present in same plane (7 carbon & 6 hydrogen atoms.)

EXERCISE # (ADVANCE)

- | | | | |
|---|------------------|------------------|------------------|
| 1. Ans. (D) | 2. Ans. (A) | 3. Ans. (A,B) | 4. Ans. (C) |
| 5. Ans. (D) | 6. Ans. (C) | 7. Ans. (C) | 8. Ans. (A) |
| 9. Ans. (A,C) | 10. Ans. (C) | 11. Ans. (B) | 12. Ans. (A,C) |
| 13. Ans. (D) | 14. Ans. (C) | 15. Ans. (B) | 16. Ans. (D) |
| 17. Ans. (C) | 18. Ans. (C) | 19. Ans. (D) | 20. Ans. (D) |
| 21. Ans. (B) | 22. Ans. (C) | 23. Ans. (C) | 24. Ans. (B) |
| 25. Ans. (B) | 26. Ans. (C) | 27. Ans. (D) | 28. Ans. (A,B,C) |
| 29. Ans. (C) | 30. Ans. (A) | | |
| 31. Ans. (A)→R, S, T ; (B)→T ; (C)→P, Q ; (D)→R | | | 32. Ans. (C) |
| 33. Ans. (A)→(R,S,T) ; (B)→(P, S) ; (C)→(R, S) ; (D)→(Q, R) | | | |
| 34. Ans. (A,B,C,D) | 35. Ans. (B) | 36. Ans. (B,D) | 37. Ans. (A) |
| 38. Ans. (B) | 39. Ans. (A) | 40. Ans. (A,B,C) | 41. Ans. (C) |
| 42. Ans. (C) | 43. Ans. (A) | 44. Ans. (4) | 45. Ans. (B,C) |
| 46. Ans. (B) | 47. Ans. (B,C,D) | 48. Ans. (B,C) | 49. Ans. (5) |
| 50. Ans. (D) | 51. Ans. (A) | 52. Ans. (B) | 53. Ans. (C) |
| 54. Ans. (B) | 55. Ans. (D) | 56. Ans. (A,B,D) | 57. Ans. (C) |
| 58. Ans. (A) | 59. Ans. (D) | 60. Ans. (495) | 61. Ans. (4.00) |
| 62. Ans. (2,4) | 63. Ans. (2,4) | 64. Ans. (2) | 65. Ans. (2) |