## Some Applications of Trigonometry

Objective Section \_

## Fill in the Blanks



Ans. 30°, 45° Explanation :



Q. 2. A ladder 10 m long reaches a window 8 m above the ground. The distance of the foot

🗳 Very Short Answer Type Questions \_

Q. 1. The ratio of the length of a vertical rod and the length of its shadow is  $1:\sqrt{3}$ . Find the angle of elevation of the sun at that moment ? [CBSE Delhi, Set 1, 2020] Ans. Let the angle of elevation be  $\theta$ .



of the ladder from the base of the wall is .....m. m. [CBSE Delhi, Set 3, 2020]



(Pythagoras theorem  $(10)^2 = (8)^2 + BC^2$ 

 $\Rightarrow 100 - 64 = BC^{2}$  $\Rightarrow BC^{2} = 36$  $\Rightarrow BC = 6 m$ 



	$=\frac{1}{\sqrt{3}}$	
	= tan 30°	
.:	$\tan \theta = \tan 30^{\circ}$	
$\Rightarrow$	$\theta = 30^{\circ}$	Ans



[CBSE OD, Term 2, Set 1, 2017]

AB

BC

Ans. In  $\triangle ABC$ ,

 $\Rightarrow$ 

(1 mark each)



 $\tan \theta = \tan 60^\circ \implies \theta = 60^\circ$ Hence angle of elevation is 60°.

Q. 3. The ratio of the height of a tower and the length of its shadow on the ground is  $\sqrt{3}$  : 1. What is the angle of elevation of the sun?

[CBSE Delhi, Term 2, Set 1, 2017]



$$\tan \theta = \frac{AB}{BC} = \frac{\sqrt{3}}{1}$$
$$\Rightarrow = 60^{\circ}$$

Hence, the angle of elevation is  $60^{\circ}$ .

- Q. 4. A ladder, leaning against a wall, makes an angle of 60° with the horizontal. If the foot of the ladder is 2.5 m away from the wall, find the length of the ladder.
  - [CBSE OD, Term 2, Set 1, 2016]
- **Ans.** Let *AB* be the ladder leaning against a wall *AC*.





- $\Rightarrow$   $AB = 2.5 \times 2 = 5 \text{ m}$
- ∴ Length of ladder is 5 m.
- Q. 5. In Fig. 1, *AB* is a 6 m high pole and *CD* is a ladder inclined at an angle of 60° to the horizontal and reaches up to a point D of pole. If AD = 2.54 m, find the length of the ladder. (use  $\sqrt{3} = 1.73$ )



[CBSE Delhi, Term 2, Set 1, 2016]

**Ans.** Given, 
$$AB = 6$$
 m and  $AD = 2.54$  m.

$$\therefore DB = (6 - 2.54) \text{ m} = 3.46 \text{ m}$$

In  $\Delta DBC$ ,

$$\sin 60^{\circ} = \frac{DB}{DC}$$

$$\Rightarrow \qquad \frac{\sqrt{3}}{2} = \frac{3.46}{DC}$$

$$\Rightarrow \qquad DC = \frac{3.46 \times 2}{1.73} = 4$$

- $\therefore$  The length of the ladder is 4 m.
- Q. 6. In figure 1, a tower *AB* is 20 m high and *BC*, its shadow on the ground, is  $20\sqrt{3}$  m long. Find the sun's altitude.



[CBSE OD, Term 2, Set 1, 2015]

**Ans.** Given *AB* is the tower and *BC* is its shadow.



$$\therefore \tan \theta = \frac{AB}{BC} \quad [\because \tan \theta = \frac{\text{Perpendicular}}{\text{Base}}]$$
$$\Rightarrow \quad \tan \theta = \frac{20}{20\sqrt{3}} = \frac{1}{\sqrt{3}}$$
$$\Rightarrow \quad \tan \theta = \tan 30^{\circ} \quad \left[\because \tan 30^{\circ} = \frac{1}{\sqrt{3}}\right]$$
$$\Rightarrow \quad \theta = 30^{\circ}$$

Q. 7. The tops of two towers of height x and y, standing on level ground, subtend angles of 30° and 60° respectively at the centre of the line joining their feet, then find x : y.

[CBSE Delhi, Term 2, Set 1, 2015]

**Ans.** Let *AB* and *CD* be two towers of height *x* and *y* respectively.



*M* is the mid-point of *BC i.e.*, BM = MC

Short Answer Type Questions-II .

Q. 1. The rod AC of a TV disc antenna is fixed at right angles to the wall AB and a rod CD is supporting the disc as shown in Fig. 4. If AC = 1.5 m long and CD = 3 m, find (i)  $\tan \theta$ (ii)  $\sec \theta + \csc \theta$ 

[CBSE Delhi, Set 1, 2020]



Fig. 4

**Solution :** Given : AC = 1.5 m and CD = 3 m In  $\triangle ADC$ ,

$$\sin \theta = \frac{\text{Perpendicular}}{\text{Hypotenuse}}$$
$$= \frac{\text{AC}}{\text{CD}}$$

In  $\triangle$  *ABM*, we have

$$\frac{AB}{BM} = \tan 30^{\circ}$$

$$\Rightarrow \qquad BM = \frac{x}{\tan 30^{\circ}} \qquad \dots (i)$$

In  $\Delta$  *CDM*, we have

$$\frac{DC}{MC} = \tan 60^{\circ}$$
$$\Rightarrow \qquad \frac{y}{MC} = \tan 60^{\circ}$$

$$MC = \frac{y}{\tan 60^{\circ}} \qquad \dots (ii)$$

From eq. (i) and (ii), we get

 $\Rightarrow$ 

 $\Rightarrow$ 

*.*..

x	y
tan 30°	tan 60°
$\frac{x}{x}$	$=$ $\frac{\tan 30^{\circ}}{2}$
y	tan 60°
$\frac{x}{1}$	$=\frac{1/\sqrt{3}}{\sqrt{2}}=\frac{1}{3}$
y	V3 5
x: y	= 1 : 3.

 $= \frac{1.5}{3} = \frac{1}{2}$   $\therefore \qquad \sin \theta = \frac{1}{2}$   $\Rightarrow \qquad \sin \theta = \sin 30^{\circ}$   $\Rightarrow \qquad \theta = 30^{\circ}$ (i)  $\tan \theta = \tan 30^{\circ}$  $= \frac{1}{\sqrt{3}}$  Ans.

(ii) 
$$\sec \theta + \csc \theta = \sec 30^\circ + \csc 30^\circ$$
  

$$\Rightarrow \qquad = \frac{2}{\sqrt{3}} + \frac{2}{1}$$

$$2 + 2\sqrt{3}$$

 $=\frac{-1}{\sqrt{3}}$ 

Ans.

Q. 2. On a straight line passing through the foot of a tower, two points C and D are at distances of 4 m and 16 m from the foot respectively. If the angles of elevation from C and D of the top of the tower are

complementary, then find the height of the tower.

[CBSE OD, Term 2, Set 1, 2017]

Ans.



In  $\triangle ABC$ ,

$$\frac{AB}{BC} = \tan (90^\circ - \theta)$$
$$\frac{h}{4} = \cot \theta \qquad \dots (i)$$

In  $\triangle ABD$ ,

$$\frac{AB}{BD} = \tan \theta$$
$$\frac{h}{16} = \tan \theta \qquad \dots (ii)$$

Multiply eq. (i) and (ii),

$$\frac{h}{4} \times \frac{h}{16} = \cot \theta \times \tan \theta$$
$$\frac{h^2}{64} = 1$$

 $\Rightarrow \qquad h^2 = 64 \Rightarrow h = 8 \text{ m}$ 

- $\therefore$  Height of tower = 8 m.
- Q. 3. A moving boat is observed from the top of a 150 m high cliff moving away from the cliff. The angle of depression of the boat changes from 60° to 45° in 2 minutes. Find the speed of the boat in m/h.

[CBSE Delhi, Term 2, Set 1, 2017]

**Ans.** From 
$$\triangle ABC$$
,  $\frac{AB}{BC} = \tan 60^\circ$ 

or

$$BC = \frac{AB}{\tan 60^{\circ}}$$
$$BC = \frac{150}{\sqrt{3}} \text{ m}$$



=4500 - 2598 = 1902 m/hr

Hence, the speed of boat is 1902 m/hr.

Q. 4. The angle of elevation of the top of a hill at the foot of a tower is 60° and the angle of elevation of the top of the tower from the foot of the hill is 30°. If height of the tower is 50 m, find the height of the hill.

[CBSE Delhi, Term 2, Set 3, 2017]





 $h = 50\sqrt{3} \times \sqrt{3}$ (from equations (i) & (ii))  $= 50 \times 3$ = 150 m

- Q. 5. A man standing on the deck of a ship, which is 10 m above water level, observes the angle of elevation of the top of a hill as 60° and the angle of depression of the base of hill as 30°. Find the distance of the hill from the ship and the height of the hill. [CBSE OD, Term 2, Set 1, 2016]
- **Ans.** Let *AB* be the height of deck of ship from the water level and *CD* be the height of hill.



Then,

 $In \Delta$ 

 $\Rightarrow$ 

ABC,  

$$\tan 30^\circ = \frac{10}{11}$$

 $\Rightarrow$   $y = 10\sqrt{3}$ 

In  $\triangle ADE$ ,

 $\tan 60^\circ = \frac{x}{y}$  $y = \frac{x}{\sqrt{3}} \qquad \dots (ii)$ 

...(i)

From (i) and (ii), we get

$$\frac{x}{\sqrt{3}} = 10\sqrt{3}$$
$$x = 10 \times 3 = 30 \text{ m}$$

... Distance of the hill from the ship is  $10\sqrt{3}$  m and the height of the hill is 30 + 10 = 40 m.

Q. 6. The angles of depression of the top and bottom of a 50 m high building from the top of a tower are 45° and 60° respectively. Find the height of the tower and the horizontal distance between the tower and the building. (use  $\sqrt{3} = 1.73$ )

[CBSE Delhi, Term 2, Set 1, 2016]

**Ans.** Let *AB* and *CD* be the tower and high building, respectively.



and, in  $\Delta ACB$ ,

60°

$$\tan 60^{\circ} = \frac{AB}{CB}$$

$$\Rightarrow \qquad \sqrt{3} = \frac{h}{CB}$$

$$\Rightarrow \qquad CB = \frac{h}{\sqrt{3}} \qquad \dots (ii)$$

В

Now, CB = DE

then, from eq. (i) and (ii), we get

$$h - 50 = \frac{h}{\sqrt{3}}$$

$$\Rightarrow \quad h - \frac{h}{\sqrt{3}} = 50$$

$$\Rightarrow \quad \frac{(\sqrt{3} - 1)}{\sqrt{3}} h = 50$$

$$\Rightarrow \quad h = \frac{50\sqrt{3}}{\sqrt{3} - 1} = \frac{50\sqrt{3}}{\sqrt{3} - 1} \times \frac{1}{\sqrt{3}}$$

$$\Rightarrow \quad h = \frac{50\sqrt{3}(\sqrt{3} + 1)}{\sqrt{3}}$$

$$\Rightarrow \qquad h = \frac{150 + 50\sqrt{3}}{3 - 1}$$
$$\Rightarrow \qquad h = \frac{150 + 50\sqrt{3}}{2}$$

 $\Rightarrow \qquad h = 75 + 25\sqrt{3}$  $\Rightarrow \qquad h = 75 + 25 (1.73)$ = 118.25 m

Hence, the height of the tower is 118.25 m and the horizontal distance between the tower and the building is 68.25 m.

Q. 7. The angle of elevation of an aeroplane from point *A* on the ground is 60°. After flight of 15 seconds, the angle of elevation change to 30°. If the aeroplane is flying at a constant height of  $1500\sqrt{3}$  m, find the speed of the plane in km/hr.

[CBSE OD, Term 2, Set 1, 2015]





Let *BC* be the height at which the aeroplane flying.

Then, 
$$BC = 1500\sqrt{3} \text{ m}$$

In 15 seconds, the aeroplane moves from C to E and makes angle of elevation 30°.

Let AB = x m, BD = y m So, AD = (x + y) m In  $\triangle ABC$ ,  $\tan 60^\circ = \frac{BC}{AB}$  $\Rightarrow \sqrt{3} = \frac{1500\sqrt{3}}{x}$ [ $\because \tan 60^\circ = \sqrt{3}$ ]  $\Rightarrow x = 1500$  m ...(i) In  $\triangle EAD$  $\tan 30^\circ = \frac{ED}{AD}$ 

🗳 Long Answer Type Questions 🗉

Q. 1. From a point on the ground, the angles of elevation of the bottom and the top of a tower fixed at the top of a 20 m high

$$\Rightarrow \qquad \frac{1}{\sqrt{3}} = \frac{1500\sqrt{3}}{x+y} \left[ \because \tan 30^\circ = \frac{1}{\sqrt{3}} \right]$$
$$\Rightarrow \qquad x+y = 1500 \times 3$$
$$\Rightarrow \qquad y = 4500 - 1500 = 3000 \text{ m}$$
$$[Using equation (i)]$$
Speed of aeroplane =  $\frac{\text{Distance}}{\text{time}} = \frac{3000}{15}$ 
$$= 200 \text{ m/s or } 720 \text{ km/hr}$$

Q. 8. The angle of elevation of the top of a building from the foot of the tower is 30° and the angle of elevation of the top of the tower from the foot of the building is 45°. If the tower is 30 m high, find the height of the building.

[CBSE Delhi, Term 2, Set 1, 2015]

**Ans.** Let *AB* be the tower and *CD* be a building of height 30 m and *x* m respectively.

Let the distance between the two be *y* m.



Then, in  $\triangle ABC$ 

$$\frac{30}{y} = \tan 45^{\circ}$$
$$\frac{30}{y} = 1 \Longrightarrow y = 30$$

And, in  $\triangle BDC$ 

$$\frac{x}{y} = \tan 30^{\circ}$$
$$x = y \tan 30^{\circ}$$
$$x = 30 \times \frac{1}{\sqrt{3}} = 10\sqrt{3}$$

Hence, the height of the building is  $10\sqrt{3}$  m.

(4 marks each)

building are 45° and 60° respectively. Find the height of the tower.

[CBSE OD, Set 1, 2020]

**Ans.** Let the building be AB, tower be CA and the point of observation on the ground be P.



 $\therefore$  AB = 20 m,  $\angle$  APB = 45° and  $\angle$  CAB = 60° Now, in right triangle APB,

$$\tan 45^{\circ} = \frac{AB}{PB}$$
$$\Rightarrow \qquad 1 = \frac{20}{PB}$$

$$\Rightarrow$$
 PB = 20

Similarly, in right triangle CPB

 $\tan 60^{\circ} = \frac{BC}{PB}$   $\Rightarrow \qquad \sqrt{3} = \frac{BC}{20}$   $\Rightarrow \qquad BC = 20\sqrt{3}$ 

Now, AC = BC - AB =  $20\sqrt{3}$  - 20

$$= 20(\sqrt{3} - 1)$$

Ans.

Hence, the height of the tower is  $20(\sqrt{3}-1)$  m.

Q. 2. The angle of elevation of the top of a building from the foot of a tower is 30° and the angle of elevation of the top of a tower from the foot of the building is 60°. If the tower is 50 m high, then find the height of the building. [CBSE OD, Set 2, 2020]

Ans. Let AB be the building and CD be the tower.



Now, in a right angled triangle DBC,

$$\tan 60^{\circ} = \frac{DC}{BC}$$
$$\sqrt{3} = \frac{50}{BC}$$
$$BC = \frac{50}{\sqrt{3}}$$

 $\Rightarrow$ 

 $\rightarrow$ 

And, in a right angled triangle ABC

$$\tan 30^{\circ} = \frac{AB}{BC}$$

$$\Rightarrow \qquad \frac{1}{\sqrt{3}} = \frac{AB}{50/\sqrt{3}}$$

$$\Rightarrow \qquad \frac{1}{\sqrt{3}} = AB \times \frac{\sqrt{3}}{50}$$

$$\Rightarrow \qquad AB = \frac{1}{\sqrt{3}} \times \frac{50}{\sqrt{3}} = \frac{50}{3}$$

$$= 16.67 \text{ m.}$$

Hence, the height of the building is 16.67 m. Ans.

- Q. 3. A vertical tower stands on a horizontal plane and is surmounted by a vertical flag-staff of height 6 m. At a point on the plane, the angle of elevation of the bottom and top of the flag-staff are 30° and 45° respectively. Find the height of the tower. (Take  $\sqrt{3} = 1.73$ ) [CBSE Delhi, Set 1, 2020]
- **Ans.** Let the height of the tower AB = h. and height of the flag-staff AD = 6 m.



$$\Rightarrow \qquad 1 = \frac{AD + AB}{BC}$$

$$\Rightarrow \qquad 1 = \frac{(6+h)}{BC}$$

$$\Rightarrow \qquad BC = (6+h)m \qquad \dots (ii)$$
From (i) and (ii), we get
$$h\sqrt{3} = (6+h)$$

$$h\sqrt{3} - h = 6$$

$$h(\sqrt{3} - 1) = 6$$

$$h = \frac{6}{\sqrt{3} - 1}$$

$$= \frac{6}{\sqrt{3} - 1} \times \frac{\sqrt{3} + 1}{\sqrt{3} + 1} = \frac{6(\sqrt{3} + 1)}{(\sqrt{3})^2 - (1)^2}$$

$$= \frac{6(\sqrt{3} + 1)}{3 - 1} = \frac{6(\sqrt{3} + 1)}{2}$$

$$= 3(\sqrt{3} + 1)$$

$$= 3(1.73 + 1)$$

$$= 3(2.73)$$

$$= 8.19 m$$

$$\therefore 8.19 m is the height of the tower. Ans. From the top of a 7 m high building the angle of elevation of the top of a tower is$$

Q. 4. From the top of a 7 m high building the angle of elevation of the top of a tower is 60° and the angle of depression of its foot is 45°. Determine the height of the tower. [CBSE Delhi, Term 2, Set 2, 2017] [CBSE Delhi, Set 3, 2020]

6



Q. 5. The shadow of a tower standing on a level ground is found to be 40 m longer when the Sun's altitude is 30° than when it was 60°. Find the height of the tower. (Given  $\sqrt{3}$  = 1.732) [CBSE, 2019]

Ans. Let AB be the building and CD be the tower.

In A ACB, dan 60° = AB BC => BC = AB V3 XBC = AB \$ In A ADB,  $4an 30^\circ = \frac{AB}{BD}$ HOTBO 40+ BC = J3XAB Put BC=AB ferom O 13 27 = 40 27 > 2053m Ang = AB = 20x1.732m 34.64 2 given, use 53 = 1.732 = 34.64m

- Q. 6. Amit, standing on a horizontal plane, finds a bird flying at a distance of 200 m from him at an elevation of 30°. Deepak standing on the roof of a 50 m high building, finds the angle of elevation of the same bird to be 45°. Amit and Deepak are on opposite sides of the bird. Find the distance of the bird from Deepak. [CBSE OD, Set 1, 2019]
- **Ans.** Let Amit be at *C* point and bird is at *A* point, such that  $\angle ACB = 30^\circ$ , *AB* is the height of bird from point *B* on ground and Deepak is at *D* point, *DE* is the building of height 50 m.



Now, In right triangle *ABC*, we have

$$\sin 30^\circ = \frac{P}{H} = \frac{AB}{AC}$$
$$\frac{1}{2} = \frac{AB}{200}$$
$$AB = 100 \text{ m}$$

In right  $\triangle AFD$ , we have

$$\sin 45^\circ = \frac{P}{H} = \frac{AF}{AD}$$
$$\frac{1}{\sqrt{2}} = \frac{50}{AD}$$
$$\begin{bmatrix} \because AB = AF + BF\\ \Rightarrow 100 = AF + 50\\ \Rightarrow AF = 50 \end{bmatrix}$$
$$AD = 50\sqrt{2} \text{ m}$$

Hence, the distance of bird from Deepak is  $50\sqrt{2}$  m.

Q. 7. Two poles of equal heights are standing opposite to each other on either side of the road which is 80 m wide. From a point P between them on the road, the angle of elevation of the top of a pole is 60° and the angle of depression from the top of the other pole of point P is 30°. Find the heights of the poles and the distance of the point P from the poles.

[CBSE OD, Set 2, 2019]

**Ans.** Let *AC* is road of 80 m width, *P* is the point on road *AC* and height of poles *AB* and *CD* is *h* m.



From right  $\triangle PAB$ , we have

$$\frac{AB}{AP} = \tan 60^\circ = \sqrt{3}$$
$$\frac{h}{x} = \sqrt{3} \qquad (\because AP = x)$$
$$h = \sqrt{3} x \qquad \dots (i)$$

From right  $\Delta DCP$ , we have

$$\frac{CD}{PC} = \tan 30^{\circ} = \frac{1}{\sqrt{3}}$$
$$\frac{h}{80 - x} = \frac{1}{\sqrt{3}}$$
$$\Rightarrow \qquad h = \frac{80 - x}{\sqrt{3}} \qquad \dots (ii)$$

Equating the values of h from equation (i) and (ii) we get

$x\sqrt{3} = \frac{80-x}{\sqrt{3}}$
3x = 80 - x
4x = 80
x = 20  m

On putting x = 20 in equation (i), we get

$$h = \sqrt{3} \times 20 = 20\sqrt{3}$$

Thus, height of poles is  $20\sqrt{3}$  m and point P is at a distance of 20 m from left pole and (80 - 20) i.e., 60 m from right pole.

Q. 8. From a point *P* on the ground, the angle of elevation of the top of a tower is 30° and that of the top of the flag-staff fixed on the top of the tower is 45°. If the length of the flag-staff is 5 m, find the height of the tower. (Use  $\sqrt{3} = 1.732$ )

[CBSE OD, Set 3, 2019]

**Ans.** Let *AB* be the tower and *BC* be the flag-staff.



Let *P* be a point on the ground such that  $\angle APB = 30^{\circ}$  and  $\angle APC = 45^{\circ}$ , BC = 5 m.

Let AB = h m and PA = x metres

From right  $\triangle PAB$ , we have

 $\Rightarrow$ 

$$\cot 30^{\circ} = \frac{x}{h} = \frac{PA}{AB}$$
$$\sqrt{3} = \frac{x}{h}$$
$$x = \sqrt{3} h \qquad \dots(i)$$

From right  $\triangle PAC$ , we have  $\cot 45^\circ = \frac{PA}{AC} = \frac{x}{h+5}$ x = h+5

Equating the values of *x* from equations (i) and (ii), we get

...(ii)

$$\sqrt{3} h = h + 5$$
  

$$\sqrt{3} h - h = 5$$
  

$$h(\sqrt{3} - 1) = 5$$
  

$$h = \frac{5}{\sqrt{3} - 1} = \frac{5}{1.732 - 1}$$
  

$$= \frac{5}{0.732}$$
  

$$= \frac{5000}{732}$$

$$= 6.83$$
 m  
Hence, the height of tower is 6.83 m.

Q. 9. A man in a boat rowing away from a light house 100 m high takes 2 minutes to change the angle of elevation of the top of the light house from 60° to 30°. Find the speed of the boat in metres per minute. [Use  $\sqrt{3} = 1.732$ ]

[CBSE Delhi, Set 1, 2019]

**Ans.** Let *AB* be the light house, *C* and *D* be the two positions of the boat, such that,



Now, In  $\triangle ABC$ 

$$\tan 60^\circ = \frac{AB}{BC}$$
$$\sqrt{3} = \frac{100}{y}$$
$$y = \frac{100}{\sqrt{3}}$$

In  $\triangle ABD$ 

$$\tan 30^\circ = \frac{AB}{BD}$$
$$\frac{1}{\sqrt{3}} = \frac{100}{x+y}$$
$$\Rightarrow \qquad x+y = 100\sqrt{3}$$
or
$$\qquad y = 100\sqrt{3} - x \qquad \dots (ii)$$

From equation (i) and (ii)

$$\frac{100}{\sqrt{3}} = 100\sqrt{3} - x$$

$$\Rightarrow \qquad x = 100\sqrt{3} - \frac{100}{\sqrt{3}}$$

$$= 100\left(\sqrt{3} - \frac{1}{\sqrt{3}}\right)$$

$$= 100 \times \frac{2}{\sqrt{3}} = \frac{200}{\sqrt{3}}$$

= 115.48 metres

∴ Time taken to cover 115.48 m = 2 min ∴ Speed of boat =  $\frac{115.48}{2}$  = 57.74 m/min Hence, speed of boat = 57.74 m/min

Q. 10. As observed from the top of a 100 m high light house from the sea-level, the angles of depression of two ships are 30° and 45°. If one ship is exactly behind the other on the same side of the light house, find the distance between the two ships. [Use  $\sqrt{3} = 1.732$ ]

...(i)

[CBSE, 2018]



Topper's Answers

Ans.

 (001 = 10t a 0)	<b>5</b> .
-> d= 1005-k	an. = (00 (JZ-1)
Griven, Ja= 1.732,	
2) d= (DO (1.72)-1) ~~~	The distance between the boats is
= 100× 0.732 = 73.7m.	73.2M.

Let *AB* be the light house and two ships be at *C* and *D*.



In  $\triangle ABC$ ,

$$\frac{BC}{AB} = \cot 45^{\circ}$$

$$\Rightarrow \qquad \frac{x}{100} = 1$$
$$\Rightarrow \qquad x = 100 \qquad \dots(i)$$

Similarly, in  $\triangle ABD$ ,

$$\frac{BD}{AB} = \cot 30^{\circ}$$

 $\Rightarrow \qquad \frac{y}{100} = \sqrt{3}$  $\Rightarrow \qquad y = 100\sqrt{3} \qquad \dots (ii)$ 

Distance between two ships = y - x

=  $100 \sqrt{3} - 100$ [from equation (i) and (ii)] =  $100 (\sqrt{3} - 1)$ = 100 (1.732 - 1)= 100 (0.732)= 73.2 m

Q. 11. An aeroplane is flying at a height of 300 m above the ground. Flying at this height, the angles of depression from the aeroplane of two points on both banks of a river in opposite directions

## are 45° and 60° respectively. Find the width of the river. [Use $\sqrt{3} = 1.732$ ] [CBSE OD, Term 2, Set 1, 2017]

**Ans.** Let aeroplane is at *A*, 300 m high from a river, *C* and *D* are opposite banks of river.



In right  $\triangle ABC$ ,

$$\frac{BC}{AB} = \cot \, 60^\circ$$

$$\Rightarrow \quad \frac{x}{300} = \frac{1}{\sqrt{3}} \Rightarrow x = \frac{300}{\sqrt{3}} \times \frac{\sqrt{3}}{\sqrt{3}}$$

= 
$$100\sqrt{3}$$
 m  
=  $100 \times 1.732 = 173.2$  m

In right  $\triangle ABD$ ,

$$\frac{BD}{AB} = \cot 45^{\circ}$$

$$\Rightarrow \frac{y}{300} = 1 \Rightarrow y = 300 \text{ m}$$
  
Width of river =  $x + y$   
= 173.2 + 300  
= 473.2 m

- Q. 12. A man observes a car from the top of a tower, which is moving towards the tower with a uniform speed. If the angle of depression of the car changes from 30° to 45° in 12 minutes, find the time taken by the car now to reach the tower. [CBSE OD, Term 2, Set 2, 2017]
- **Ans.** Let *AB* is a tower, car is at point *D* at  $30^{\circ}$  and goes to *C* at  $45^{\circ}$  in 12 minutes.



In  $\triangle ABC$ ,

$$\frac{AB}{BC} = \tan 45^{\circ}$$
$$\frac{h}{BC} = 1 \Longrightarrow h = x$$

x

...(i)

In  $\triangle ABD$ ,

 $\Rightarrow$ 

$$\frac{AB}{BD} = \tan 30^{\circ}$$

$$\Rightarrow \qquad \frac{h}{x+y} = \frac{1}{\sqrt{3}} \Rightarrow h = \frac{x+y}{\sqrt{3}} \qquad \dots (ii)$$

From eq. (i) & (ii), we get

$$x = \frac{x+y}{\sqrt{3}} \Longrightarrow \sqrt{3}x = x+y$$
$$\Rightarrow \qquad (\sqrt{3}-1)x = y$$

Car covers the distance *y* in time = 12 min So  $(\sqrt{3}-1) x$  distance covers in 12 min

Distance *x* covers in time =  $\frac{12}{\sqrt{3}-1} \times \frac{\sqrt{3}+1}{\sqrt{3}+1}$ 

$$= \frac{12(\sqrt{3}+1)}{3-1}$$
  
= 6 ( $\sqrt{3}$  + 1)  
= 6 × 2.732  
= 16.39

Now, car reaches to tower in 16.39 minutes.

Q. 13. From the top of a tower, 100 m high, a man observes two cars on the opposite sides of the tower and in same straight line with its base, with angles of depression  $30^{\circ}$  and  $45^{\circ}$ . Find the distance between the cars. [Take  $\sqrt{3} = 1.732$ ]

[CBSE OD, Term 2, Set 3, 2017]

**Ans.** Let *AB* is a tower, cars are at point *C* and *D* respectively



Q. 14. The angle of elevation of a cloud from a point 60 m above the surface of the water of a lake is 30° and the angle of depression of its shadow in water of lake is 60°. Find the height of the cloud from the surface of water.

[CBSE Delhi, Term 2, Set 1, 2017]

Ans. In 
$$\triangle CMP$$
,  
 $\tan 30^\circ = \frac{CM}{PM}$   
 $\Rightarrow \qquad \frac{1}{\sqrt{3}} = \frac{h}{PM} \text{ or } PM = \sqrt{3}h \quad ...(i)$ 

In 
$$\triangle PMC$$
,  
 $\tan 60^\circ = \frac{C'M}{PM}$   
 $\sqrt{3} = \frac{h+60+60}{PM}$   
or  $PM = \frac{h+120}{\sqrt{3}}$  ...(ii)  
From equation (i) and (ii)  
 $\sqrt{3} h = \frac{h+120}{\sqrt{3}}$   
 $\Rightarrow 3h = h + 120$   
 $\Rightarrow 2h = 120$   
 $\Rightarrow h = 60 \text{ m}$ 

Height of cloud from surface of water

$$= h + 60$$
  
= 60 + 60  
= 120 m.

Q. 15. Two points A and B are on the same side of a tower and in the same straight line with its base. The angles of depression of these points from the top of the tower are 60° and 45° respectively. If the height of the tower is 15 m, then find the distance between these points.

[CBSE Delhi, Term 2, Set 2, 2017]

**Ans.** Let *PT* be tower



From  $\triangle PTA$ ,

$$\tan 60^\circ = \frac{PT}{TA} \Longrightarrow TA = \frac{15}{\sqrt{3}}$$

From  $\Delta PTB$ ,

$$\tan 45^\circ = \frac{PT}{TB} \Rightarrow TB = PT = 15 \text{ m}$$

Distance between two points

$$AB = TB - TA$$
  
=  $15 - \frac{15}{\sqrt{3}} = \frac{15(\sqrt{3} - 1)}{\sqrt{3}}$  m

Q. 16. An observer finds the angle of elevation of the top of the tower from a certain point on the ground as 30°. If the observer moves 20 m towards the base of the tower, the angle of elevation of the top increases by 15°, find the height of the tower.

[CBSE Delhi, Term 2, Set 3, 2017]

**Ans.** Let *AB* be tower of height *h*.



Q. 17. The angle of elevation of the top Q of a vertical tower PQ from a point X on the ground is 60°. From a point Y, 40 m vertically above X, the angle of elevation of the top Q of tower is 45°. Find the height of the tower PQ and the distance PX. (Use  $\sqrt{3} = 1.73$ )

[CBSE OD, Term 2, Set 1, 2016]

Ans. We have, PQ as a vertical tower



In  $\Delta YZQ$ ,

$$\tan 45^\circ = \frac{QZ}{YZ}$$

$$\Rightarrow \qquad \frac{QZ}{YZ} = 1$$
  
$$\Rightarrow \qquad QZ = YZ \qquad \dots(i)$$

And, in  $\Delta XPQ$ ,

$$\tan 60^{\circ} = \frac{QP}{XP}$$

$$\Rightarrow \qquad \sqrt{3} = \frac{QZ + 40}{XP}$$

$$\Rightarrow \qquad \sqrt{3} = \frac{QZ + 40}{YZ} \quad (\because XP = YZ)$$

$$\Rightarrow \qquad \sqrt{3} QZ = QZ + 40 \qquad [Using (i)]$$

$$\Rightarrow \qquad \sqrt{3} QZ - QZ = 40$$

$$\Rightarrow \qquad QZ (\sqrt{3} - 1) = 40$$

$$\Rightarrow \qquad QZ = \frac{40}{\sqrt{3} - 1} = \frac{40}{\sqrt{3} - 1} \times \frac{\sqrt{3} + 1}{\sqrt{3} + 1}$$

$$= 20 (\sqrt{3} + 1)$$

$$= 20 (2.73)$$

$$= 54.60 \text{ m}$$

:. 
$$PX = 54.6 \text{ m}$$

And PQ = (54.6 + 40) m = 94.6 m.

Q. 18. As observed from the top of a light house, 100 m high above sea level, the angles of depression of a ship, sailing directly towards it, changes from 30° to 60°. Find the distance travelled by the ship during the period of observation. (Use  $\sqrt{3} = 1.73$ )

[CBSE OD, Term 2, Set 2, 2016]

**Ans.** Let *CD* be a light house of length 100 m and *A* & *B* be the positions of ship sailing towards it.



Then, in  $\triangle CBD$ ,

=

=

$$\tan 60^\circ = \frac{CD}{BC}$$

$$\Rightarrow \qquad \sqrt{3} = \frac{100}{BC}$$

$$\Rightarrow \qquad BC = \frac{100}{\sqrt{3}} = \frac{100\sqrt{3}}{3} \qquad \dots (i)$$

And, in 
$$\Delta CAD$$
,

$$\Rightarrow \qquad \frac{1}{\sqrt{3}} = \frac{100}{AC}$$

$$\Rightarrow \qquad AC = 100\sqrt{3} \qquad \dots(ii)$$

 $\therefore$  Distance travelled by the ship (*AB*)

$$= AC - BC$$
$$= 100\sqrt{3} - \frac{100\sqrt{3}}{3}$$

[from equation (i) & (ii)]

$$= 100\sqrt{3} \left(\frac{3-1}{3}\right)$$
$$= \frac{200 \times 1.73}{3}$$
$$= 115.33 \text{ m}$$

Q. 19. From a point on the ground, the angle of elevation of the top of a tower is observed to be 60°. From a point 40 m vertically above the first point of observation, the angle of elevation of the top of the tower is 30°. Find the height of the tower and its horizontal distance from the point of observation.

[CBSE OD, Term 2, Set 3, 2016]

**Ans.** We have, *PQ* as a vertical tower.

Now, in  $\Delta YZQ$ 



And, in  $\Delta XPQ$ ,

 $\Rightarrow$ 

 $\Rightarrow$ 

 $\tan 60^\circ = \frac{QP}{XP}$  $\sqrt{3} = \frac{QZ + 40}{XP}$ 

$$\Rightarrow \qquad \gamma_Z \sqrt{3} = QZ + 40$$
$$(\because XP = YZ)$$

$$\Rightarrow \qquad QZ \sqrt{3}(\sqrt{3}) = QZ + 40$$

[using equation (i)]

3QZ = QZ + 40

 $\Rightarrow 2QZ = 40$ 

 $\therefore$  QZ = 20

:. Height of tower = (40 + 20) m = 60 m and Horizontal distance =  $QZ\sqrt{3}$ 

 $= 20\sqrt{3} \text{ m}$ 

Q. 20. A bird is sitting on the top of a 80 m high tree. From a point on the ground, the angle of elevation of the bird is 45°. The bird flies away horizontally in such a way that it remained at a constant height from the ground. After 2 seconds, the angle of elevation of the bird from the same point is 30°. Find the speed of flying of the bird. (Take  $\sqrt{3} = 1.732$ )

[CBSE Delhi, Term 2, Set 1, 2016] Ans. Let *B* be the initial position of bird sitting on top of tree of length 80 m.



After 2 sec, the position of bird becomes *C*. Let the distance travel by bird from *B* to *C* is x m.

Now, in  $\triangle ABO$ 

$$\tan 45^\circ = \frac{AB}{AO} = \frac{80}{y}$$
$$y = 80 \text{ m} \qquad \dots(i)$$

And, in  $\triangle DCO$ ,

 $\Rightarrow$ 

 $\Rightarrow$ 

=

=

$$\tan 30^\circ = \frac{CD}{DO} = \frac{80}{x+y}$$
$$\frac{1}{\sqrt{3}} = \frac{80}{x+80}$$

$$\Rightarrow \qquad x + 80 = 80\sqrt{3}$$
$$\Rightarrow \qquad x = 80 (\sqrt{3} - 1)$$
$$= 80 \times 0.732$$
$$\therefore \qquad x = 58.56 \text{ m}$$

Hence, speed of flying of the bird =  $\frac{58.56}{2}$ (: Speed =  $\frac{\text{Distance}}{\text{Time}}$ )

$$= 29.28 \text{ m/s}$$

Q. 21. The angles of elevation of the top of a tower from two points at a distance of 4 m and 9 m from the base of the tower and in the same straight line with it are 60° and 30° respectively. Find the height of the tower.

[CBSE Delhi, Term 2, Set 2, 2016]

**Ans.** Let length of tower is *h* 

In 
$$\triangle ABD$$
,

$$\tan 60^\circ = \frac{h}{4} \qquad \dots (i)$$



In  $\triangle ABC$ ,

 $\tan 30^\circ = \frac{h}{9}$ 

$$\Rightarrow \cot (90^{\circ} - 30^{\circ}) = \frac{h}{9}$$
$$\Rightarrow \cot 60^{\circ} = \frac{h}{9} \qquad \dots (ii)$$

Multiplying equation (i) and (ii), we get

$$\tan 60^{\circ} \cdot \cot 60^{\circ} = \frac{h}{4} \times \frac{h}{9}$$
$$\Rightarrow \qquad 1 = \frac{h^2}{36}$$
$$\therefore \qquad h = 6 \text{ m}$$

Note: In this question, it has not been specified whether two points from tower are taken in same or opposite side we have taken these points on the same side of tower.

Q. 22. At a point *A*, 20 m above the level of water in a lake, the angle of elevation of a cloud is 30°. The angle of depression of the reflection of the cloud in the lake, at A is 60°. Find the distance of the cloud from A. [CBSE OD, Term 2, Set 1, 2015]

Ans.



Let *PQ* be the surface of the lake, *A* is the point vertically above *P* such at AP = 20m.

Let *C* be the position of the cloud and *D* be its reflection in the lake.

Let 
$$BC = H$$
 metres

Now, In  $\triangle ABD$ ,

$$\tan 60^{\circ} = \frac{BD}{AB}$$

$$\Rightarrow \qquad \sqrt{3} = \frac{H + 20 + 20}{AB}$$

$$\Rightarrow \qquad \sqrt{3} \cdot AB = H + 40$$

$$\Rightarrow \qquad AB = \frac{H + 40}{\sqrt{3}} \qquad \dots (i)$$

And in  $\triangle ABC$ ,

 $\Rightarrow$ 

$$\tan 60^{\circ} = \frac{BC}{AB}$$

$$\Rightarrow \qquad \frac{1}{\sqrt{3}} = \frac{H}{AB}$$

$$\Rightarrow \qquad AB = \sqrt{3}H \qquad \dots (ii)$$

From equation (i) and (ii)

$$\frac{H+40}{\sqrt{3}} = \sqrt{3}H$$

$$\Rightarrow \qquad 3H = H+40$$

$$\Rightarrow \qquad 2H = 40 \Rightarrow H = 20$$

Putting the value of *H* in equation (ii), we get

 $AB = 20\sqrt{3}$ 

Again, in  $\triangle ABC$  $(AC)^2 = (AB)^2 + (BC)^2$  $=(20\sqrt{3}^2)+(20)^2$ = 1200 + 400= 1600 $AC = \sqrt{1600} = 40$ 

Hence, the distance of cloud from A is 40 m.

Q. 23. From a point *P* on the ground the angle of elevation of the top of a tower is 30° and that of the top of a flag staff fixed on the top of the tower, is 60°. If the length of the flag staff is 5 m, find the height of the tower.

[CBSE Delhi, Term 2, Set 1, 2015]

**Ans.** Let *CB* be the tower of *x* m and *AC* be the flag staff of 5 m.

Then, in  $\Delta CPB$ 



$$\Rightarrow \qquad PB = \frac{x}{\tan 30^\circ} = \sqrt{3}x \quad \dots(i)$$

In  $\Delta APB$ ,

 $\Rightarrow$ 

$$\tan 60^\circ = \frac{5+x}{PB}$$
$$PB = \frac{5+x}{\sqrt{3}} \qquad \dots (ii)$$

From eq. (i) and (ii),

 $\sqrt{3}x = \frac{x+5}{\sqrt{3}}$   $\Rightarrow \qquad 3x = x+5$   $\Rightarrow \qquad 3x-x=5$   $\Rightarrow \qquad 2x = 5$   $\Rightarrow \qquad x = 5/2 = 2.5$   $\therefore$  Height of the tower is 2.5 m.