

EXPONENTS AND POWERS

CONTENTS

- Exponents
- Exponents of Negative Integers
- Laws of Exponents
- Use of Exponent in Expressing Large number

➤ EXPONENTS

The repeated addition of numbers can be written in short form (product form).

Examples :

S.No.	Statements	Repeated Addition	Products Form
(i)	4 times 2	$2 + 2 + 2 + 2$	4×2
(ii)	5 time -1	$(-1) + (-1) + (-1) + (-1) + (-1)$	$5 \times (-1)$
(iii)	3 times $\frac{-2}{3}$	$\left(\frac{-2}{3}\right) + \left(\frac{-2}{3}\right) + \left(\frac{-2}{3}\right)$	$3 \times \left(\frac{-2}{3}\right)$
(iv)	2 times 1	$1 + 1$	2×1

Also, we can write the repeated multiplication of numbers in a short form known as exponential form.

For example, when 5 is multiplied by itself for two times, we write the product 5×5 in exponential form as 5^2 which is read as 5 raised to the power two.

Similarly, if we multiply 5 by itself for 6 times, the product $5 \times 5 \times 5 \times 5 \times 5 \times 5$ is written in exponential form as 5^6 which is read as 5 raised to the power 6.

In 5^6 , the number 5 is called the **base** of 5^6 and 6 is called the **exponent** of the base.

In general, we write,

An exponential number as b^a , where b is the base and a is the exponent.

The notation of writing the multiplication of a number by itself several times is called the exponential notation or power notation.

Thus, in general we find that :

If 'a' is a rational number then 'n' times the product of 'a' by itself is given as $a \times a \times a \times a \dots$, n times and is denoted by a^n , where 'a' is called the base and n is called the exponent of a^n .

❖ EXAMPLES ❖

Ex.1 Write the following statements as repeated multiplication and complete the table :

S. No.	Statements	Repeated Multiplication	Short form
(i)	3 multiplied by 3 for 6 times	$3 \times 3 \times 3 \times 3 \times 3 \times 3 = 729$	3^6
(ii)	2 multiplied by 2 for 3 times	$2 \times 2 \times 2$	2^3
(iii)	1 multiplied by 1 for 7 times	$1 \times 1 \times 1 \times 1 \times 1 \times 1 \times 1$	1^7

Ex.2 Write the base and exponent of following numbers. And also write in expanded form :

S. No.	Numbers	Base	Exponent	Expanded Form	Value
(i)	3^4	3	4	$3 \times 3 \times 3 \times 3$	81
(ii)	2^5	2	5	$2 \times 2 \times 2 \times 2 \times 2$	32
(iii)	3^3	3	3	$3 \times 3 \times 3$	27
(iv)	2^2	2	2	2×2	4
(v)	1^7	1	7	$1 \times 1 \times 1 \times 1 \times 1 \times 1 \times 1$	1

EXPONENTS OF NEGATIVE INTEGERS

When the exponent of a negative integer is odd, the resultant is a negative number, and when the power of a negative number is even, the resultant is a positive number.

or (a negative integer)^{an odd number} = a negative integer.

(a negative integer)^{an even number} = a positive integer.

❖ EXAMPLES ❖

Ex.3 Express 144 in the powers of prime factors.

Sol. $144 = 16 \times 9 = 2 \times 2 \times 2 \times 2 \times 3 \times 3$

Here 2 is multiplied four times and 3 is multiplied 2 times to get 144.

$$\therefore 144 = 2^4 \times 3^2$$

Ex.4 Which one is greater : 3^5 or 5^3 ?

Sol. $3^5 = 3 \times 3 \times 3 \times 3 \times 3 = 9 \times 9 \times 3$

$$= 81 \times 3 = 243$$

$$\text{and } 5^3 = 5 \times 5 \times 5 = 25 \times 5 = 125$$

$$\text{Clearly, } 243 > 125 \quad \therefore 3^5 > 5^3$$

LAWS OF EXPONENTS

Law-1 : If a is any non-zero integer and m and n are whole numbers, then

$$a^m \times a^n = a^{m+n}$$

Eg :

$$\begin{aligned} \text{(i)} \quad 3^4 \times 3^2 &= (\underbrace{3 \times 3 \times 3 \times 3}_{4 \text{ times multiplication of 3 by itself}}) \times (\underbrace{3 \times 3}_{2 \text{ times multiplication of 3 by itself}}) \\ &= \underbrace{3 \times 3 \times 3 \times 3 \times 3 \times 3}_{6 \text{ times multiplication of 3 by itself}} = 3^6 = 3^{4+2} \end{aligned}$$

$$\text{Thus, } 3^4 \times 3^2 = 3^{4+2}$$

$$\begin{aligned} \text{(ii)} \quad 2^3 \times 2^5 &= (\underbrace{2 \times 2 \times 2}_{3 \text{ times multiplication of 2 by itself}}) \times (\underbrace{2 \times 2 \times 2 \times 2 \times 2}_{5 \text{ times multiplication of 2 by itself}}) \\ &= \underbrace{2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2}_{8 \text{ times multiplication of 2 by itself}} \\ &= 2^8 = 2^{3+5} \end{aligned}$$

$$\text{Thus, } 2^3 \times 2^5 = 2^{3+5}$$

Therefore, in general, we write,

$$a^m \times a^n = (\underbrace{a \times a \times \dots \times a}_{m \text{ times multiplication of 'a' by itself}}) \times (\underbrace{a \times a \times \dots \times a}_{n \text{ times multiplication of 'a' by itself}})$$

$$= a \times a \times a \times a \times a \times \dots, (m+n) \text{ times} = a^{m+n}$$

Law-2 :

If a and b are non-zero integers and m is a positive integer, then

$$a^m \times b^m = (a \times b)^m$$

Eg :

$$\begin{aligned} 5^3 \times 3^3 &= (5 \times 5 \times 5) \times (3 \times 3 \times 3) \\ &= (5 \times 3) \times (5 \times 3) \times (5 \times 3) \\ &= 15 \times 15 \times 15 = (15)^3 \end{aligned}$$

$$\text{So, } 5^3 \times 3^3 = (5 \times 3)^3 = (15)^3$$

Here, we find that 15 is the product of bases 5 and 3.

Also, if a and b are non-zero integers, then

$$\begin{aligned} a^5 \times b^5 &= (a \times a \times a \times a \times a) \times (b \times b \times b \times b \times b) \\ &= (a \times b) (a \times b) (a \times b) (a \times b) (a \times b) = (ab)^5 \end{aligned}$$

Ex.5 Write in exponential form :

$$\text{(i)} \quad (5 \times 7)^6 \quad \text{(ii)} \quad (-7n)^5$$

Sol.

$$\begin{aligned} \text{(i)} \quad (5 \times 7)^6 &= (5 \times 7) (5 \times 7) (5 \times 7) (5 \times 7) (5 \times 7) (5 \times 7) \\ &= (5 \times 5 \times 5 \times 5 \times 5 \times 5) (7 \times 7 \times 7 \times 7 \times 7 \times 7) = 5^6 \times 7^6 \\ \text{Hence, } (5 \times 7)^6 &= 5^6 \times 7^6 \\ \text{(ii)} \quad (-7n)^5 &= (-7n) (-7n) (-7n) (-7n) (-7n) \\ &= (-7 \times -7 \times -7 \times -7 \times -7) (n \times n \times n \times n \times n) \\ &= (-7)^5 \times (n)^5 \end{aligned}$$

Law-3 :

If a is a non-zero integer and m and n are two whole numbers such that $m > n$, then

$$a^m \div a^n = a^{m-n}$$

and for $m < n$

$$a^m \div a^n = (a)^{m-n} = \frac{1}{a^{n-m}}$$

$$\text{For example, } 2^5 \div 2^7 = \frac{2 \times 2 \times 2 \times 2 \times 2}{2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2}$$

$$= \frac{1}{2 \times 2} = \frac{1}{2^2} = \frac{1}{2^{7-5}}$$

When an exponential form is divided by another exponential form whose bases are same, then the resultant is an exponential form with same base but the exponent is the difference of the exponent of the divisor from the exponent of the dividend.

Law-4 :

Division of exponential forms with the same exponents and different base :

If a and b are any two non-zero integers, have same exponent m then for $a^m \div b^m$, we write

$$\frac{a^m}{b^m} = \frac{a \times a \times a \times \dots, m \text{ times}}{b \times b \times b \times \dots, m \text{ times}}$$

$$= \left(\frac{a}{b}\right) \times \left(\frac{a}{b}\right) \times \left(\frac{a}{b}\right) \times \dots, m \text{ times} = \left(\frac{a}{b}\right)^m$$

For examples

$$(i) \quad 2^6 \div 3^6 = \frac{2^6}{3^6} = \frac{2 \times 2 \times 2 \times 2 \times 2 \times 2}{3 \times 3 \times 3 \times 3 \times 3 \times 3}$$

$$= \frac{2}{3} \times \frac{2}{3} \times \frac{2}{3} \times \frac{2}{3} \times \frac{2}{3} \times \frac{2}{3} = \left(\frac{2}{3}\right)^6$$

$$\text{Hence, } 2^6 \div 3^6 = \left(\frac{2}{3}\right)^6$$

$$(ii) \quad (-2)^4 \div b^4 = \frac{(-2)^4}{b^4} = \frac{-2 \times -2 \times -2 \times -2}{b \times b \times b \times b}$$

$$= \frac{-2}{b} \times \frac{-2}{b} \times \frac{-2}{b} \times \frac{-2}{b} = \left(-\frac{2}{b}\right)^4$$

$$\text{Hence, } (-2)^4 \div b^4 = \left(-\frac{2}{b}\right)^4$$

Ex.6 Write the following in expanded form :

$$(i) \quad \left(-\frac{7}{9}\right)^3$$

$$(ii) \quad \left(\frac{5}{8}\right)^6$$

Sol. (i) $\left(-\frac{7}{9}\right)^3 = \frac{-7}{9} \times \frac{-7}{9} \times \frac{-7}{9}$

$$= \frac{-7 \times -7 \times -7}{9 \times 9 \times 9} = \frac{(-7)^3}{9^3}$$

$$(ii) \quad \left(\frac{5}{8}\right)^6 = \frac{5}{8} \times \frac{5}{8} \times \frac{5}{8} \times \frac{5}{8} \times \frac{5}{8} \times \frac{5}{8}$$

$$= \frac{5 \times 5 \times 5 \times 5 \times 5 \times 5}{8 \times 8 \times 8 \times 8 \times 8 \times 8} = \frac{5^6}{8^6}$$

Law-5 :

If 'a' be any non-zero integer and m and n any two positive integers then

$$[(a^m)^n] = a^{mn}$$

Eg : $(2^2)^3 = 2^2 \times 2^2 \times 2^2 = 2^{2+2+2} = 2^6 = 2^{2 \times 3}$

$$(2^7)^2 = 2^7 \times 2^7 = 2^{7+7} = 2^{14} = 2^{7 \times 2}$$

Law-6 :

Law of zero Exponent

We know that

$$2^6 \div 2^6 = \frac{2^6}{2^6} = \frac{2 \times 2 \times 2 \times 2 \times 2 \times 2}{2 \times 2 \times 2 \times 2 \times 2 \times 2} = 1$$

By using Law-3 of exponents, we have

$$2^6 \div 2^6 = 2^{6-6} = 2^0$$

Thus, $2^0 = 1$

In general $a^m \div a^m = a^{m-m} = a^0$ and also

$$\frac{a^m}{a^m} = \frac{a \times a \times a \times a \times a \times \dots, m \text{ times}}{a \times a \times a \times a \times a \times \dots, m \text{ times}}$$

$$= 1$$

Hence, $\boxed{a^0 = 1}$

$\therefore$ Any non-zero integer raised to the power 0 always results into 1.

Ex.7 Find the value of :

$$(i) \quad (3^0 - 2^0) \times 5^0$$

$$(ii) \quad 2^0 \times 3^0 \times 4^0$$

$$(iii) \quad (6^0 - 2^0) \times (6^0 + 2^0)$$

Sol. (i) We have, $(3^0 - 2^0) \times 5^0$

$$\text{Therefore, } (1 - 1) \times 1 = 0 \times 1 = 0$$

$$[\text{Since } 3^0 = 1, 2^0 = 1]$$

$$(ii) \quad \text{We have, } 2^0 \times 3^0 \times 4^0 = (1 \times 1 \times 1) = 1$$

$$(iii) \quad \text{We have, } (6^0 - 2^0) \times (6^0 + 2^0)$$

$$= (1 - 1) \times (1 + 1)$$

$$= 0 \times 2 = 0.$$

or 41.763×10^8 or 4.1763×10^9

Ex.14 Express 128 as power of 2 and also write its base and exponent.

Sol.

2	128
2	64
2	32
2	16
2	8
2	4
2	2
	1

$$128 = 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2$$

i.e., $128 = 2^7$

In 2^7 , Base = 2

Exponent (power) = 7

Ex.15 Express 625 as a power of 5 and also write its base and exponent.

Sol.

5	625
5	125
5	25
5	5
	1

$$625 = 5 \times 5 \times 5 \times 5$$

i.e., $625 = 5^4$

In 5^4 , Base = 5,

Exponent = 4

Ex.16 Which is smaller : 5^2 or 2^5 ?

Sol. $5^2 = 5 \times 5 = 25$

$$2^5 = 2 \times 2 \times 2 \times 2 \times 2 = 32$$

$$5^2 < 2^5 \quad (\ominus \quad 25 < 32)$$

Ex.17 Which is greater : 2^7 or 7^2 ?

Sol. $2^7 = 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 = 128$.

$$7^2 = 7 \times 7 = 49 \Rightarrow 2^7 > 7^2$$

Ex.18 Expand y^3x^2 , y^2x^3 , x^2y^3 , x^3y^2 . Are they same ?

Sol. $y^3x^2 = y \times y \times y \times x \times x$

$$y^2x^3 = y \times y \times x \times x \times x$$

$$x^2y^3 = x \times x \times y \times y \times y$$

$$x^3y^2 = x \times x \times x \times y \times y$$

In the case of x^3y^2 and x^2y^3 the powers of x and y are different. Thus x^3y^2 and x^2y^3 are different.

On the other hand, x^3y^2 and y^2x^3 are same, as the powers of x and y in these two terms are the same. The order of factors does not matter.

$$x^3y^2 = x^3 \times y^2 = y^2 \times x^3 = y^2x^3.$$

Similarly, x^2y^3 and y^3x^2 are same.

Ex.19 Express the following numbers as a product of powers of prime factors :

(i) 27 (ii) 512 (iii) 343

(iv) 729 (v) 3125

Sol. (i) $27 = 3 \times 3 \times 3 = 3^3 \Rightarrow 27 = 3^3$

(ii) $512 = 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 = 2^8$

$$\Rightarrow 512 = 2^8$$

(iii) $343 = 7 \times 7 \times 7 = 7^3 \Rightarrow 343 = 7^3$

(iv) $729 = 3 \times 3 \times 3 \times 3 \times 3 \times 3 = 3^6$

$$\Rightarrow 729 = 3^6$$

(v) $3125 = 5 \times 5 \times 5 \times 5 \times 5 = 5^5$

$$\Rightarrow 3125 = 5^5$$

Ex.20 Simplify :

(i) $(-4)^3$ (ii) $-3 \times (-2)^3$

(iii) $(-4)^2 \times (-5)^2$ (iv) $(-2)^3 \times (-10)^3$

Sol. (i) $(-4)^3 = (-4) \times (-4) \times (-4) = 64$

$$= 4 \times 4 \times 4 \times (-1)^3$$

$$(\ominus \quad (-1)^{\text{odd number}} = \text{negative})$$

(ii) $-3 \times (-2)^3 = (-3) \times (-2) \times (-2) \times (-2)$

$$= 3 \times 2 \times 2 \times 2 \times (-1)^4$$

$$= 24 \times 1$$

$$(\ominus \quad (-1)^{\text{even number}} = \text{positive})$$

$$= 24$$

(iii) $(-4)^2 \times (-5)^2 = (-4) \times (-4) \times (-5) \times (-5)$

$$= 4 \times 4 \times 5 \times 5 \times (-1)^4$$

$$= 16 \times 25 \times 1 = 400$$

(iv) $(-2)^3 \times (-10)^3$

$$= (-2) \times (-2) \times (-2) \times (-10) \times (-10) \times (-10)$$

$$= 2 \times 2 \times 2 \times 10 \times 10 \times 10 \times (-1)^6 = 8000$$

Ex.21 Compare : 3.7×10^{12} , 2.5×10^8 .

Sol. $3.7 \times 10^{12} = 3.7 \times 1000000000000$

$= 3700000000000$

$2.5 \times 10^8 = 2.5 \times 100000000$

$= 25 \times 10000000$

$3.7 \times 10^{12} > 2.5 \times 10^8$

(Θ place value of 10^{12} is greater than the place value of 10^8)

Ex.22 Calculate : $3^2 \times 3^4$.

Sol. $3^2 \times 3^4 = (3 \times 3) \times (3 \times 3 \times 3 \times 3) = 3^6 = 3^{2+4}$

Ex.23 Calculate : $(-2)^3 \times (-2)^4$.

Sol. $(-2)^3 \times (-2)^4$

$= (-2 \times -2 \times -2) \times (-2 \times -2 \times -2 \times -2)$

$= (-2)^7 = (-2)^{3+4}$.

Ex.24 Evaluate : $4^8 \div 4^3$

Sol. $4^8 \div 4^3 = \frac{4^8}{4^3} = \frac{4 \times 4 \times 4 \times 4 \times 4 \times 4 \times 4 \times 4}{4 \times 4 \times 4}$

$= 4 \times 4 \times 4 \times 4 \times 4 = 4^5 = 4^{8-3}$

Ex.25 Evaluate : $(4^2)^3, (2^4)^3$.

Sol.

$(4^2)^3 = 4^2 \times 4^2 \times 4^2$ $= 4^{2+2+2}$ $= 4^6$ $(\Theta a^m \times a^n \times a^p = a^{m+n+p})$ $(4^2)^3 = 4^{2 \times 3}$	&	$(2^4)^3 = 2^4 \times 2^4 \times 2^4$ $= 2^{4+4+4}$ $= 2^{12}$ $(\Theta a^m \times a^n \times a^p = a^{m+n+p})$ $(2^4)^3 = 2^{4 \times 3}$
---	---	--

Ex.26 Evaluate : $(3^2 \times 4^2)$

Sol. $3^2 \times 4^2 = 3 \times 3 \times 4 \times 4 = (3 \times 4) \times (3 \times 4)$

$= 12 \times 12 = 12^2$

Ex.27 Evaluate : $(5^3 \times 2^3)$

Sol. $5^3 \times 2^3 = 5 \times 5 \times 5 \times 2 \times 2 \times 2$

$= 5 \times 2 \times 5 \times 2 \times 5 \times 2$

$= 10 \times 10 \times 10$

$\therefore 5^3 \times 2^3 = 10^3$

Ex.28 Evaluate : $\frac{3^2}{4^2}, \frac{4^4}{7^5}$.

Sol. $\frac{3^2}{4^2} = \frac{3 \times 3}{4 \times 4} = \frac{3}{4} \times \frac{3}{4} = \left(\frac{3}{4}\right)^2$

$\frac{4^5}{7^5} = \frac{4 \times 4 \times 4 \times 4 \times 4}{7 \times 7 \times 7 \times 7 \times 7} = \left(\frac{4}{7}\right)^5$

Ex.29 Evaluate : $\frac{x^3}{y^3}$.

Sol. $\frac{x^3}{y^3} = \frac{x \times x \times x}{y \times y \times y} = \left(\frac{x}{y}\right) \times \left(\frac{x}{y}\right) \times \left(\frac{x}{y}\right) = \left(\frac{x}{y}\right)^3$

Ex.30 Find the value of $\frac{4^3}{4^3}$.

Sol. **First method :** $\frac{4^3}{4^3} = \frac{4 \times 4 \times 4}{4 \times 4 \times 4} = 1$

Second method : Using laws of exponent.

$\frac{4^3}{4^3} = 4^{3-3} \quad (\Theta a^m \div a^n = a^{m-n})$

$= 4^0 = 1.$

Ex.31 Write exponential form for $9 \times 9 \times 9 \times 9 \times 9$ taking base as 3.

Sol. We have, $9 \times 9 \times 9 \times 9 \times 9 = 9^5$

$= (3 \times 3)^5 \quad (\Theta 9 = 3 \times 3)$

$(\Theta a^m \times a^n = a^{m+n})$

$= (3^2)^5$

$= 3^{2 \times 5} = 3^{10} \quad [\Theta (a^m)^n = a^{mn}]$

Ex.32 Using laws of exponents, simplify and write the answer in exponential form :

(i) $2^3 \times 2^4 \times 2^7$ (ii) $4^{13} \div 4^8$

(iii) $5^2 \times 2^2$ (iv) $x^3 \times x^2$

(v) $6^x \times 6^2$ (vi) $(5^2)^3 \div 5^3$

(vii) $(3^4)^3$ (viii) $(2^{20} \div 2^{15}) \times 2^3$

(ix) $8^x \div 8^2$ (x) $a^5 \times b^5$

Sol. (i) $2^3 \times 2^4 \times 2^7 = 2^{3+4+7} = 2^{14}$

$(\Theta a^m \times a^n \times a^p = a^{m+n+p})$

(ii) $4^{13} \div 4^8 = 4^{13-8} = 4^5 = (2^2)^5$

$= 2^{2 \times 5} = 2^{10}$

$(\Theta a^m \times a^n = a^{m+n}, (a^m)^n = a^{mn})$

(iii) $5^2 \times 2^2 = (5 \times 2)^2 = 10^2$

$(\Theta a^m \times b^m = (a \times b)^m)$

(iv) $x^3 \times x^2 = x^{3+2} = x^5 \quad (\Theta a^m \times a^n = a^{m+n})$

(v) $6^x \times 6^2 = 6^{x+2} \quad (\Theta a^m \times a^n = a^{m+n})$

$$(vi) (5^2)^3 \div 5^3 = 5^{2 \times 3} \div 5^3$$

$$= 5^6 \div 5^3 \quad [\Theta (a^m)^n = a^{mn}]$$

$$= 5^{6-3}$$

$$= 5^3$$

$$(vii) (3^4)^3 = 3^{4 \times 3} = 3^{12} \quad [\Theta (a^m)^n = a^{mn}]$$

$$(viii) (2^{20} \div 2^{15}) \times 2^3 = (2^{20-15}) \times 2^3$$

$$(\Theta a^m \div a^n = a^{m-n})$$

$$= 2^5 \times 2^3 = 2^{5+3} = 2^8$$

$$(ix) 8^x \div 8^2 = 8^{x-2} \quad (\Theta a^m \div a^n = a^{m-n})$$

$$(x) a^5 \times b^5 = (a \times b)^5$$

Ex.33 Say true or false and justify your answer :

$$(i) 10 \times 10^{11} = 100^{11}$$

$$(ii) 2^3 > 5^2$$

$$(iii) 6^0 = (400)^0$$

Sol. (i) $10 \times 10^{11} = 10^1 \times 10^{11}$

$$= 10^{1+11} \quad (\Theta a^m \times a^n = a^{m+n})$$

$$\therefore 10 \times 10^{11} = 10^{12}$$

$$\text{Also } 100^{11} = (10 \times 10)^{11}$$

$$= (10^2)^{11} = 10^{2 \times 11}$$

$$\therefore 100^{11} = 10^{22}$$

$$\text{So, } 10 \times 10^{11} = 100^{11} \rightarrow \text{False}$$

$$(\Theta 10^{12} \neq 10^{22})$$

$$(ii) 2^3 = 2 \times 2 \times 2 = 8$$

$$5^2 = 5 \times 5 = 25.$$

$$2^3 = 5^2 \rightarrow \text{False} \quad (\Theta 8 \neq 25)$$

$$(iii) 6^0 = 1 \quad (\Theta a^0 = 1)$$

$$\text{and } (400)^0 = 1$$

$$6^0 = 400^0 \rightarrow \text{True} \quad (\Theta 1 = 1)$$

Ex.34 Express each of the following as product of prime factors only in exponential form :

$$(i) 729 \times 64 \quad (ii) 270$$

$$(iii) 108 \times 192 \quad (iv) 512 \times 216$$

Sol. (i) 729×64

$$= (3 \times 3 \times 3 \times 3 \times 3 \times 3) \times (2 \times 2 \times 2 \times 2 \times 2 \times 2)$$

$$(\Theta 729 = 3 \times 3 \times 3 \times 3 \times 3 \times 3)$$

$$729 \times 64 = 3^6 \times 2^6 = (3 \times 2)^6 = 6^6$$

$$279 \times 64 = 3^6 \times 2^6 = (3 \times 2)^6 = 6^6$$

$$(ii) \begin{array}{r|l} 2 & 270 \\ \hline 3 & 135 \\ \hline 3 & 45 \\ \hline 3 & 15 \\ \hline 5 & 5 \\ \hline & 1 \end{array}$$

$$270 = 2 \times 3 \times 3 \times 3 \times 5$$

$$270 = 2 \times 3^3 \times 5$$

$$(iii) \begin{array}{r|l} 2 & 108 \\ \hline 2 & 54 \\ \hline 3 & 27 \\ \hline 3 & 9 \\ \hline 3 & 3 \\ \hline & 1 \end{array} \quad \begin{array}{r|l} 2 & 192 \\ \hline 2 & 96 \\ \hline 2 & 48 \\ \hline 2 & 24 \\ \hline 2 & 12 \\ \hline 2 & 6 \\ \hline 3 & 3 \\ \hline & 1 \end{array}$$

$$108 \times 192 = (2 \times 2 \times 3 \times 3 \times 3) \times (2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 3)$$

$$= (2^2 \times 3^3) \times (2^6 \times 3)$$

$$= 2^{2+6} \times 3^{3+1}$$

$$= 2^8 \times 3^4$$

$$(iv) \begin{array}{r|l} 2 & 512 \\ \hline 2 & 256 \\ \hline 2 & 128 \\ \hline 2 & 64 \\ \hline 2 & 32 \\ \hline 2 & 16 \\ \hline 2 & 8 \\ \hline 2 & 4 \\ \hline 2 & 2 \\ \hline & 1 \end{array} \quad \begin{array}{r|l} 2 & 216 \\ \hline 2 & 108 \\ \hline 2 & 54 \\ \hline 3 & 27 \\ \hline 3 & 9 \\ \hline 3 & 3 \\ \hline & 1 \end{array}$$

$$512 \times 216 = (2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2) \times (2 \times 2 \times 2 \times 3 \times 3 \times 3)$$

$$= 2^9 \times 2^3 \times 3^3$$

$$= 2^{9+3} \times 3^3$$

$$= 2^{12} \times 3^3$$

Ex.35 Simplify :

$$(i) \frac{(2^5)^2 \times 7^3}{8^3 \times 7}$$

$$(ii) \frac{25 \times 5^2 \times x^8}{10^3 \times x^4}$$

$$(iii) \frac{3^5 \times 10^5 \times 25}{5^7 \times 6^5}$$

$$(iv) \frac{4^7 \times 3^4}{4^4 \times 4^3 \times (3^2)^2}$$

Sol. (i) $\frac{(2^5)^2 \times 7^3}{8^3 \times 7} = \frac{2^{5 \times 2} \times 7^3}{(2^3)^3 \times 7} \quad [\Theta \ (a^m)^n = a^{mn}]$

$$= \frac{2^{10} \times 7^3}{2^9 \times 7}$$

$$= 2^{10-9} \times 7^{3-1} \quad (\Theta \ a^m \div a^n = a^{m-n})$$

$$= 2^1 \times 7^2$$

$$= 2 \times 49$$

$$= 98$$

(ii) $\frac{25 \times 5^2 \times x^8}{10^3 \times x^4} = \frac{5^2 \times 5^2 \times x^8}{(5 \times 2)^3 \times x^4}$

$$= \frac{5^2 \times 5^2 \times x^8}{5^3 \times 2^3 \times x^4} \quad [\Theta \ (a \times b)^m = a^m \times b^m]$$

$$= \frac{5^4 \times x^8}{5^3 \times 2^3 \times x^4}$$

$$= \frac{5^{4-3} \times x^{8-4}}{2^3} \quad (\Theta \ a^m \div a^n = a^{m-n})$$

$$= \frac{5 \times x^4}{2^3} = \frac{5}{8} x^4$$

(iii) $\frac{3^5 \times 10^5 \times 25}{5^7 \times 6^5} = \frac{3^5 \times (5 \times 2)^5 \times 5^2}{5^7 \times (3 \times 2)^5}$

$$[\Theta \ (a \times b)^m = a^m \times b^m]$$

$$= \frac{3^5 \times 5^5 \times 2^5 \times 5^2}{5^7 \times 3^5 \times 2^5} \quad (\Theta \ a^m \div b^n = a^{m-n})$$

$$= 3^{5-5} \times 5^{5+2-5} \times 2^{5-5} \quad (\Theta \ a^0 = 1)$$

$$= 1 \times 1 \times 1 = 1$$

(iv) $\frac{4^7 \times 3^4}{4^4 \times 4^3 \times (3^2)^2}$

$$= \frac{4^7 \times 3^4}{4^4 \times 4^3 \times 3^{2 \times 2}} \quad [\Theta \ (a^m)^n = a^{mn}]$$

$$= \frac{4^7 \times 3^4}{4^7 \times 3^4} \quad (\Theta \ a^m \div a^n = a^{m-n})$$

$$= 4^{7-7} \times 3^{4-4}$$

$$= 4^0 \times 3^0$$

$$= 1 \times 1 = 1 \quad (\Theta \ a^0 = 1)$$

Ex.36 Simplify and express each of the following in exponential form :

(i) $25^4 \div 5^3$

(ii) $2^0 \times 3^0 \times 4^0$

(iii) $2^0 + 3^0 + 4^0$

(iv) $\frac{2^8 \times a^5}{4^3 \times a^3}$

(v) $(3^0 + 2^0) \times 5^0$

Sol. (i) $25^4 \div 5^3 = (5^2)^4 \div 5^3$

$$= 5^8 \div 5^3 \quad (\Theta \ a^m \div a^n = a^{m-n})$$

$$= (5)^{8-3} = 5^5.$$

(ii) $2^0 \times 3^0 \times 4^0 = 1 \times 1 \times 1 \quad (\Theta \ a^0 = 1)$

$$= 1$$

(iii) $2^0 + 3^0 + 4^0 = 1 + 1 + 1 \quad (\Theta \ a^0 = 1)$

$$= 3$$

(iv) $\frac{2^8 \times a^5}{4^3 \times a^3} = \frac{2^8 \times a^5}{(2^2)^3 \times a^3} = \frac{2^8 \times a^5}{2^6 \times a^3} \quad [\Theta \ (a^m)^n = a^{mn}]$

$$= 2^{8-6} \times a^{5-3} \quad (\Theta \ a^m \div a^n = a^{m-n})$$

$$= 2^2 \times a^2 = (2 \times a)^2 = (2a)^2$$

(v) $(3^0 + 2^0) \times 5^0$

$$= (1 + 1) \times 1 \quad (\Theta \ a^0 = 1)$$

$$= 2 \times 1$$

Ex.37 Express the following numbers in the standard form :

(i) 35794.8

(ii) 78,640

(iii) 2,160,000

(iv) 60,090,000,000,000

Sol. (i) Four digit shifted so multiply by 1 followed by 4 zeroes.

$$\overset{\curvearrowright}{35794.8} = 3.57948 \times 10000$$

$$= 3.57948 \times 10^4.$$

$$\begin{aligned} \text{(ii)} \quad 78,640 &= 78640.0 \\ &= 78640 \times 10000 = 7.864 \times 10^4 \end{aligned}$$

$$\begin{aligned} \text{(iii)} \quad 2,160,000 &= 2160000.0 \\ &= 2.160,000 \times 10^6 = 2.16 \times 10^6 \end{aligned}$$

$$\begin{aligned} \text{(iv)} \quad 60,090,000,000,000 &= 60090,000,000,000.0 \\ &= 6.0090,000,000,000 \times 10^{13} \\ &= 6.009 \times 10^{13}. \end{aligned}$$

Ex.38 Write the following in expanded form using exponent :

$$\text{(i)} \quad 279404 \quad \text{(ii)} \quad 3006194 \quad \text{(iii)} \quad 20068$$

$$\begin{aligned} \text{Sol. (i)} \quad 279404 &= 2 \times 100000 + 7 \times 10000 + 9 \times 1000 \\ &\quad + 4 \times 100 + 00 + 4 \times 1 \\ &= 2 \times 10^5 + 7 \times 10^4 + 9 \times 10^3 + 4 \times 10^2 \\ &\quad + 4 \times 10^0 \end{aligned}$$

$$\begin{aligned} \text{(ii)} \quad 3006194 &= 3 \times 1000000 + 0 \times 100000 + 0 \times 10000 \\ &\quad + 6 \times 1000 + 1 \times 100 + 9 \times 10 + 4 \times 1 \\ &= 3 \times 10^6 + 6 \times 10^3 + 1 \times 10^2 + 9 \times 10^1 + 4 \times 10^0 \end{aligned}$$

$$\begin{aligned} \text{(iii)} \quad 20068 &= 2 \times 10000 + 6 \times 10 + 8 \times 1 \\ &= 2 \times 10^4 + 6 \times 10^1 + 8 \times 10^0 \end{aligned}$$

$$\text{(iii)} \quad 4 \times 10^5 + 5 \times 10^3 + 3 \times 10^2 + 2 \times 10^0$$

$$\begin{aligned} \text{Sol. (i)} \quad 8 \times 10^4 + 6 \times 10^3 + 0 \times 10^2 + 4 \times 10^1 + 5 \times 10^0 \\ &= 8 \times 10000 + 6 \times 1000 + 0 \times 100 + 4 \times 10 + 5 \times 1 \\ &= 80000 + 6000 + 0 + 40 + 5 = 86045. \end{aligned}$$

$$\begin{aligned} \text{(ii)} \quad 9 \times 10^5 + 2 \times 10^2 + 3 \times 10^1 \\ &= 9 \times 100000 + 2 \times 100 + 3 \times 10 \\ &= 900000 + 200 + 30 = 900230 \end{aligned}$$

$$\begin{aligned} \text{(iii)} \quad 4 \times 10^5 + 5 \times 10^3 + 3 \times 10^2 + 2 \times 10^0 \\ &= 4 \times 100000 + 5 \times 1000 + 3 \times 100 + 2 \times 1 \\ &= 400000 + 5000 + 300 + 2 = 405302 \end{aligned}$$

Ex.39 Find the number from each of the following expanded forms :

$$\text{(i)} \quad 8 \times 10^4 + 6 \times 10^3 + 0 \times 10^2 + 4 \times 10^1 + 5 \times 10^0$$

$$\text{(ii)} \quad 9 \times 10^5 + 2 \times 10^2 + 3 \times 10^1$$

EXERCISE # 1

- Q.1 (a)** Find the value of
 (i) 6^2 (ii) 2^4 (iii) 8^3
 (iv) 11^3 (v) 7^4
- (b)** Write the base and exponent of
 (i) 3^5 (ii) $(-7)^9$ (iii) 18^2
- Q.2** Express the following in exponential form :
 (i) $8 \times 8 \times 8 \times 8$ (ii) $b \times b$
 (iii) $6 \times 6 \times 9 \times 9 \times 9$ (iv) $x \times x \times x \times y$
 (v) $5 \times 5 \times x \times x$
 (vi) $x \times x \times x \times x \times y \times y \times z$
- Q.3** Identify the smaller number, where-ever possible, in each of the following ?
 (i) 5^3 or 3^5 (ii) 6^3 or 3^6
 (iii) 4^8 or 8^4 (iv) 1000^3 or 3^{1000}
 (v) 3^{10} or 10^3 (vi) 2^6 or 6^2
- Q.4** Express each of the following numbers using exponential notations :
 (i) 81 (ii) 15625
 (iii) 1000000 (iv) 65536
 (v) 16807
- Q.5** Express each of the following as product of powers of their prime factors :
 (i) 324 (ii) 7200 (iii) 810 (iv) 540
- Q.6** Simplify :
 (i) 3×10^2 (ii) $8^3 \times 2^3$
 (iii) $3^3 \times 4$ (iv) 4×5^4
 (v) 0×10^3 (vi) $3^2 \times 5^3$
 (vii) $3^4 \times 4^2$ (viii) $4^2 \times 10^4$
- Q.7** Simplify :
 (i) $(-5)^3$ (ii) $(-2) \times (-3)^5$
 (iii) $(-2)^2 \times (-4)^2$ (iv) $(-4)^3 \times (-10)^5$
- Q.8** Compare the following :
 (i) 8.9×10^9 ; 9.8×10^7
 (ii) 5×10^4 , 3×10^6
 (iii) 16×10^{16} , 3×10^3
 (iv) 6×10^{16} , 7×10^{17}
- Q.9** Using laws of exponents, simplify and write the answer in exponential form :
 (i) $5^3 \times 5^5 \times 5^9$ (ii) $11^{17} \div 11^{15}$
 (iii) $9^x \times 9^4$ (iv) $(6^2)^3 \div 6^5$
 (v) $3^5 \times 6^5$ (vi) $(4^{14} \div 4^{11}) \times 2^5$
- Q.10** Say true or false and justify your answer :
 (i) $100 \times 10^{10} = 100^{12}$ (ii) $3^9 \times 4^8 = 12^{17}$
 (iii) $5^0 = (2000)^0$ (iv) $5^3 > 3^5$
- Q.11** Express each of the following as a product of prime factors only in exponential form :
 (i) 289×324 (ii) 216×125
 (iii) 2187×49 (iv) 1331×144
 (v) 169×343 (vi) $225 \times 3 \times 5$
- Q.12** Simplify :
 (i) $\frac{15^4 \times 9^4 \times 80}{12^2 \times 27^2}$ (ii) $\frac{4^3 \times x^4 \times 6x^3}{2 \times x^2}$
 (iii) $\frac{3 \times 2^2 \times 5^2}{4 \times 15}$ (iv) $(6^0 + 7^0 + 8^0) \div 3$
 (v) $\frac{8^0 \times 9^0 \times 10^0}{(720)^0}$ (vi) $(3^5 \times 3^2)^2$
 (vii) $\frac{7^6 \times (100)^0}{7^2 \times 7^4}$ (viii) $\frac{8 \times 3^2 \times 12^4}{(4 \times 3)^4 \times (2 \times 3)^2}$
 (ix) $\frac{t^6}{xt^3} \times t^2 \times x^2$ (x) $[(9^3)^2 \times 9^6] \div 9^{10}$
- Q.13** Write the following numbers in the expanded form :
 (i) 398505 (ii) 9087183
 (iii) 3708267 (iv) 230423
 (v) 86003 (vi) 390868
- Q.14** Find the number from each of the following exponential forms :
 (i) $9 \times 10^5 + 8 \times 10^4 + 7 \times 10^3 + 6 \times 10^2 + 3 \times 10^1 + 2 \times 10^0$
 (ii) $6 \times 10^4 + 7 \times 10^3 + 8 \times 10^2 + 5 \times 10^0$
 (iii) $4 \times 10^4 + 8 \times 10^2 + 6 \times 10^0$
 (iv) $7 \times 10^6 + 6 \times 10^3 + 3 \times 10^2 + 4 \times 10^1$

Q.15 Express the following numbers in standard form :

- (i) 7,00,00,000 (ii) 8,00,00,000
- (iii) 47,89,00,000 (iv) 480,767
- (v) 48096.9 (vi) 9807.86

Q.16 Express the numbers appearing in the following statements in standard form :

- (i) The distance of two places A and B is 487,000,000,000 m.
- (ii) Diameter of an object is 62,30,000 mm
- (iii) Speed of a car is 80000.00 m/hr.

(iv) In sky there are approximately 100,000,000,000,000 stars.

(v) The universe is estimated to be about 12,000,000,000 years old

(vi) The population of world is approximately 3,083,000,000

ANSWER KEY

1. (a) (i) 36 (ii) 16 (iii) 512 (iv) 1331 (v) 2401
 (b) (i) Base = 3, Exponent = 5 (ii) Base = (-7) , Exponent = 9
 (iii) Base = 18, Exponent = 2
2. (i) 8^4 (ii) b^2 (iii) $6^2 \times 9^3 = 2^2 \times 3^8$ (iv) $x^3 \times y$ (v) $5^2 \times x^2 = (5x)^2$ (vi) $x^4 y^2 z$
3. (i) 5^3 (ii) 6^3 (iii) 8^4 (iv) 1000^3 (v) 10^3 (vi) 6^2
4. (i) 3^4 (ii) 5^6 (iii) 10^6 (iv) 2^{16} (v) 7^5
5. (i) $2^2 \times 3^4$ (ii) $2^5 \times 3^2 \times 5^2$ (iii) $2 \times 3^4 \times 5$ (iv) $2^2 \times 3^3 \times 5$
6. (i) 300 (ii) 4096 (iii) 108 (iv) 2500 (v) 0 (vi) 1125 (vii) 1296 (viii) 160000
7. (i) -125 (ii) 486 (iii) 64 (iv) 6400000
8. (i) $8.9 \times 10^9 > 9.8 \times 10^7$ (ii) $3 \times 10^6 > 5 \times 10^4$ (iii) $16 \times 10^{16} > 3 \times 10^3$ (iv) $7 \times 10^{17} > 6 \times 10^{16}$
9. (i) 5^{17} (ii) 11^2 (iii) 9^{x+4} (iv) 6 (v) $3^{10} \times 2^5$ (vi) 2^{11}
10. (i) false (ii) false (iii) true (iv) false
11. (i) $(17 \times 2)^2 \times 3^4$ (ii) $6^3 \times 5^3$ (iii) $3^7 \times 7^2$ (iv) $11^3 \times 2^4 \times 3^2$ (v) $13^2 \times 7^3$ (vi) $3^3 \times 5^3$
12. (i) 253125 (ii) $192x^5$ (iii) 5 (iv) 1 (v) 1 (vi) 3^{14} (vii) 1 (viii) 2 (ix) xt^5 (x) 81
13. (i) $3 \times 10^5 + 9 \times 10^4 + 8 \times 10^3 + 5 \times 10^2 + 5 \times 10^0$
 (ii) $9 \times 10^6 + 8 \times 10^4 + 7 \times 10^3 + 1 \times 10^2 + 8 \times 10^1 + 3 \times 10^0$
 (iii) $3 \times 10^6 + 7 \times 10^5 + 8 \times 10^3 + 2 \times 10^2 + 6 \times 10^1 + 7 \times 10^0$
 (iv) $2 \times 10^5 + 3 \times 10^4 + 4 \times 10^2 + 2 \times 10^1 + 3 \times 10^0$
 (v) $8 \times 10^4 + 6 \times 10^3 + 3 \times 10^0$
 (vi) $3 \times 10^5 + 9 \times 10^4 + 8 \times 10^2 + 6 \times 10^1 + 8 \times 10^0$
14. (i) 987632 (ii) 67805 (iii) 40806 (iv) 7006340
15. (i) 7×10^7 (ii) 8×10^7 (iii) 4.789×10^8 (iv) 4.80767×10^5 (v) 4.80969×10^4 (vi) 9.80786×10^3
16. (i) 4.87×10^{11} m (ii) 6.23×10^6 mm (iii) 8×10^4 m/hr (iv) 1×10^{14} (v) 1.2×10^{10} yrs.
 (vi) 3.083×10^9

EXERCISE # 2

Fill in the blanks type Questions :

(Q.1 to Q.15)

- Q.1** The value of $(10)^0 + (100)^0$ is equal to
- Q.2** In power notation $25/36$, can be expressed as
- Q.3** The value of $(3)^4$ is
- Q.4** The power notation for $10 \times 10 \times 10 \times 10 \times 10$ is
- Q.5** $(-6)^3$ is equal to
- Q.6** The value of $x^0 \div y^0$ is
- Q.7** $5^6 \times 5^x = 5^{---}$
- Q.8** $(6^x)^2 = 6^{---}$
- Q.9** $(9)^3 \times \dots = 9^8$
- Q.10** $\dots \div 4^2 = 4^6$
- Q.11** The expanded form using exponent for 405972 is
- Q.12** The standard form for 68790 is
- Q.13** In general if 'b' is any non-zero integer, then $(b)^0$ is equal to
- Q.14** 5^2 is read as of five.
- Q.15** In exponent form (-2) raised to power four can be written as

True/False type Question (Q.16 to Q.25)

- Q.16** We can not find the exponential value of $(a)^m$ unless we know that numerical numbers, the literal numbers a and m are.
- Q.17** Third power of a number is called the square of the number.
- Q.18** 5^2 is read as "two square".

- Q.19** x^3y^2 and $-y^2x^3$ are not like terms.
- Q.20** 7^2 is greater than 2^7 .
- Q.21** The product of powers of prime factors for the number 343 is 3^7 .
- Q.22** The value of $(a)^m \times (a)^{-n}$ is $(a)^{m+n}$.
- Q.23** The value of $a^m \div (a)^{-n}$ is $(a)^{m+n}$.
- Q.24** The value of $(a^{-m})^n$ is $(a)^{-m+n}$.

- Q.25** The value of $\left(\frac{1}{9}\right)^0$ is 1.

- Q.26** Match column A with column B

Column A	Column B
(i) $x^a \times x^b$	(a) x^{a-b}
(ii) $x^a \div x^b$	(b) x^{ab}
(iii) $(x^a)^b$	(c) 1
(iv) $(x)^0$	(d) x^{a+b}
(v) $(x^0)^m$	
(vi) $(x^b)^a$	
(vii) $\left(\frac{x^a}{x^a}\right)$	

- Q.27** Find the square of first ten natural numbers.
- Q.28** Find the cube of first ten natural numbers.
- Q.29** To what power (-3) should be raised to get -27 ?
- Q.30** To what power (-2) should be raised to get 16 ?
- Q.31** Convert the following into power notation :
- (i) $\frac{1}{27}$ (ii) $\frac{-1}{64}$
- (iii) $\frac{1}{81}$ (iv) $\frac{49}{81}$
- Q.32** Find the value of the following :

$$(i) \left(\frac{1}{7}\right)^4$$

$$(ii) \left(\frac{2}{8}\right)^3$$

$$(iii) \left(\frac{7}{9}\right)^5$$

$$(iv) \left(\frac{-6}{8}\right)^3$$

Q.33 Simplify :

$$(i) \frac{11^3 \times 5^2}{121 \times 5}$$

$$(ii) \frac{81 \times 7^3 \times 100}{10^2 \times 3^4 \times 7}$$

$$(iii) \frac{a^2 \times a^3 \times b^3 \times b^4}{a^5 \times b^2}$$

$$(iv) \frac{2^7 \times 4^3 \times 5^4}{4 \times 4 \times 10^3}$$

Q.34 Write the following numbers in the standard form :

$$(i) 4830000$$

$$(ii) 946 \times 10^7$$

$$(iii) 525 \times 10^7$$

Q.35 Write the following numbers in the usual form :

$$(i) 4.85 \times 10^7$$

$$(ii) 7.49 \times 10^5$$

$$(iii) 3.5 \times 10^6$$

Q.36 Express the following numbers in the form $K \times 10^n$, where K is a number such that $1 < K < 10$ and n is an integer :

$$(i) 30560000$$

$$(ii) 847300000$$

ANSWER KEY

1. 2 2. $\left(\frac{5}{6}\right)^2$ 3. 81 4. $(10)^5$ 5. (-216) 6. 1 7. $6 + x$
8. 6^{2x} 9. 9^5 10. 4^8 11. $4 \times 10^5 + 5 \times 10^3 + 9 \times 10^2 + 7 \times 10^1 + 2 \times 10^0$
12. 6.8×10^4 13. 1 14. square 15. $(-2)^4$ 16. T 17. F 18. F
19. T 20. F 21. F 22. F 23. T 24. F 25. T
26. (i) d (ii) a (iii) b (iv) c (v) c (vi) b (vii) c
27. $1^2 = 1$; $2^2 = 4$; $3^2 = 9$; $4^2 = 16$; $5^2 = 25$; $6^2 = 36$; $7^2 = 49$; $8^2 = 64$; $9^2 = 81$; $10^2 = 100$
28. $1^3 = 1$; $2^3 = 8$; $3^3 = 27$; $4^3 = 64$; $5^3 = 125$; $6^3 = 216$; $7^3 = 343$; $8^3 = 512$; $9^3 = 729$; $10^3 = 1000$
29. $(-3)^3 = -27$ 30. $(-2)^4 = 16$
31. (i) $\left(\frac{1}{3}\right)^3$ (ii) $-\left(\frac{1}{2}\right)^6$ or $\left(\frac{-1}{4}\right)^3$ (iii) $\left(\frac{1}{3}\right)^4$ (iv) $\left(\frac{7}{9}\right)^2$
32. (i) $\frac{1}{2401}$ (ii) $\frac{8}{512}$ (iii) $\frac{16807}{59049}$ (iv) $\frac{-216}{512}$
33. (i) 55 (ii) 49 (iii) b^5 (iv) 320
34. (i) 4.83×10^6 (ii) 9.46×10^9 (iii) 5.25×10^9
35. (i) 48500000 (ii) 749000 (iii) 3500000
36. (i) 3.056×10^7 (ii) 8.473×10^8