## **CHAPTER**

## **Chemical Bonding** and Molecular Structure

## Section-A

## JEE Advanced/ IIT-JEE

### Fill in the Blanks

- 1. The angle between two covalent bonds is maximum in (1981 - 1 Mark) .....  $(CH_4, H_2O, CO_2)$
- Pair of molecules which forms strongest intermolecular 2. hydrogen bond is .....

(1981 - 1 Mark)

- There are ......  $\pi$  bonds in a nitrogen molecule. 3.
  - (1982 1 Mark)
- 4. ..... hybrid orbitals of nitrogen atom are involved in the formation of ammonium ion. (1982 - 1 Mark)
- 5. The shape of  $[CH_3]^+$  is ..... (1990 - 1 Mark)
- The two types of bonds present in B<sub>2</sub>H<sub>6</sub> are covalent and (1994 - 1 Mark)
- 7. When  $N_2$  goes to  $N_2^+$ , the N-N bond distance ..., and when  $O_2$  goes to  $O_2^+$  the O-O bond distance....

(1996 - 1 Mark)

## True / False

- Linear overlap of two atomic p-orbitals leads to a sigma 1. (1983 - 1 Mark)
- All molecules with polar bonds have dipole moment. 2.

(1985 - ½ Mark)

- 3. SnCl<sub>2</sub> is a non-linear molecule. (1985 - ½ Mark)
- 4. In benzene, carbon uses all the three p-orbitals for hybridisation. (1987 - 1 Mark)
- 5.  $sp^2$  hybrid orbitals have equal s and p character.

(1987 - 1 Mark)

- The presence of polar bonds in a poly-atomic molecule 6. suggests that the molecule has non-zero dipole moment.
  - (1990 1 Mark)
- The dipole moment of CH<sub>2</sub>F is greater than that of CH<sub>3</sub>Cl. 7. (1993 - 1 Mark)

#### C **MCQs with One Correct Answer**

The compound which contains both ionic and covalent 1. (1979)bonds is

- (a) CH<sub>4</sub> (b) H<sub>2</sub> (c) KCN (1979)The octet rule is not valid for the molecule
- (a) CO<sub>2</sub> (b) H<sub>2</sub>O (d) CO (c) O<sub>2</sub>3. Element X is strongly electropositive and element Y is strongly electronegative. Both are univalent. The compound formed would be (1980)
  - (a)  $X^+Y^-$ (b)  $X^{-}X^{+}$ (c) X-Y (d)  $X \rightarrow Y$ Which of the following compounds are covalent? (1980)
- (b) CaO (c) KCl (a) H<sub>2</sub> (d) Na<sub>2</sub>S
- 5. The total number of electrons that take part in forming the (1980)bond in N<sub>2</sub> is
- (d) 10 (c) 6 Which of the following is soluble in water (1980)
  - (a) CS<sub>2</sub> (b) C<sub>2</sub>H<sub>5</sub>OH
- (c) CCl<sub>4</sub> (d) CHCl<sub>3</sub> If a molecule MX<sub>3</sub> has zero dipole moment, the sigma
  - bonding orbitals used by M (atomic number < 21) are (1981 - 1 Mark)
    - (a) pure p(b) sp hybrid
    - (c)  $sp^2$  hybrid (d)  $sp^3$  hybrid
- The ion that is isoelectronic with CO is 8. (1982 - 1 Mark)
  - (a) CN-(b)  $O_2^+$ (c)  $O_2^-$
- Among the following, the molecule that is linear is
  - (1982 1 Mark) (a)  $CO_2$ (b) NO<sub>2</sub> (c)  $SO_2$ (d) ClO<sub>2</sub>
- The compound with no dipole moment is (1982 1 Mark) (b) carbon tetrachloride (a) methyl chloride (c) methylene chloride (d) chloroform
- Carbon tetrachloride has no net dipole moment because of
  - (a) its planar structure (1983 - 1 Mark)
  - its regular tetrahedral structure
  - similar sizes of carbon and chlorine
  - similar electron affinities of carbon and chlorine
- Which one among the following does not have the hydrogen bond? (1983 - 1 Mark)
  - (b) liquid NH<sub>2</sub> phenol (a)
  - (c) water (d) liquid HCl
- The types of bonds present in CuSO<sub>4</sub>.5H<sub>2</sub>O are only electrovalent and covalent (1983 - 1 Mark)
  - electrovalent and coordinate covalent
  - electrovalent, covalent and coordinate covalent
  - covalent and coordinate covalent

14.	On hybridization of one <i>s</i> and one <i>p</i> orbitals we get:  (a) two mutually perpendicular orbitals (1984 - 1 Mark)  (b) two orbitals at 180°		<ul><li>(c) unsymmetrical electron distribution</li><li>(d) presence of more number of electrons in bonding orbitals</li></ul>
	(c) four orbitals directed tetrahedrally (d) three orbitals in a plane	29.	Pick out the isoelectronic structures from the following; (1993 - 1 Mark)
15.	The molecule having one unpaired electron is: (1985 - 1 Mark)		I. CH <sub>3</sub> <sup>+</sup> II. H <sub>3</sub> O <sup>+</sup>
	(a) NO (b) CO (c) $CN^-$ (d) $O_2$		III. NH <sub>3</sub> IV CH <sub>3</sub>
16.	The bond between two identical non-metal atoms has a pair		3
	of electrons : (1986 - 1 Mark)		(a) I and II (b) III and IV
	(a) unequally shared between the two	30.	(c) I and III (d) II, III and IV Which one is most ionic: (1995S)
	(b) transferred fully from one atom to another	30.	` ,
	(c) with identical spins	21	(a) $P_2O_5$ (b) $CrO_3$ (c) $MnO$ (d) $Mn_2O_7$
17	(d) equally shared between them  The hydrogen hand is strongest in	31.	Number of paired electrons in $O_2$ molecule is: (1995S)
17.	The hydrogen bond is strongest in: (1986 - 1 Mark)	22	(a) 7 (b) 8 (c) 16 (d) 14
	(a) O-HS (b) S-HO (c) F-HF (d) F-HO	32.	Among the following species, identify the isostructural pairs NF <sub>3</sub> , NO <sub>3</sub> , BF <sub>3</sub> , H <sub>3</sub> O <sup>+</sup> , HN <sub>3</sub> (1996 - 1 Mark)
18.	The hybridisation of sulphur in sulphur dioxide is:		111 3, 110 3, B1 3, 1130 , 1111 3 (1770 - 1 Mark)
	(1986 - 1 Mark)		(a) $[NF_3, NO_3^-]$ and $[BF_3, H_3O^+]$
10	(a) $sp$ (b) $sp^3$ (c) $sp^2$ (d) $dsp^2$		(") [3,5][3,3]
19.	Hydrogen bonding is maximum in (1987 - 1 Mark)  (a) Ethanol (b) Diethyl ether		(b) $[NF_3, HN_3]$ and $[NO_3, BF_3]$
20.	(c) Ethyl chloride (d) Triethylamine The species in which the central atom uses $sp^2$ hybrid		(c) $[NF_3, H_3O^+]$ and $[NO_3^-, BF_3]$
	orbitals in its bonding is (1988 - 1 Mark)		(d) $[NF_3, H_3O^+]$ and $[HN_3, BF_3]$
	(a) $PH_3$ (b) $NH_3$ (c) $CH_3^+$ (d) $SbH_3$	22	. 5, 5 . 5, 51
21.	The molecule that has linear structure is (1988 - 1 Mark)	33.	The number and type of bonds between two carbon atoms
21.	(a) $CO_2$ (b) $NO_2$ (c) $SO_2$ (d) $SiO_2$		in $CaC_2$ are: (1996 - 1 Mark)
22.	The molecule which has zero dipole moment is:		(a) one sigma ( $\sigma$ ) and one pi ( $\pi$ ) bonds
	(a) CH <sub>2</sub> Cl <sub>2</sub> (b) BF <sub>3</sub> (1989 - 1 Mark)		(b) one sigma ( $\sigma$ ) and two pi ( $\pi$ ) bonds
	(c) $NF_3$ (d) $ClO_2$		(c) one sigma ( $\sigma$ ) and one and a half pi ( $\pi$ ) bonds
23.	The molecule which has pyramidal shape is:	24	(d) one sigma ( $\sigma$ ) bond.
	(a) PCl <sub>3</sub> (b) SO <sub>3</sub> (1989 - 1 Mark)	34.	Which contains both polar and non-polar bonds?
			(a) NH <sub>4</sub> Cl (b) HCN (1997 - 1 Mark)
	(c) $CO_3^{2-}$ (d) $NO_3^{-}$	25	(c) H <sub>2</sub> O <sub>2</sub> (d) CH <sub>4</sub>
24.	The compound in which $\overset{*}{C}$ uses its $sp^3$ hybrid orbitals for	35.	The critical temperature of water is higher than that of O
<b>27.</b>	bond formation is: (1989 - 1 Mark)		because the $H_2O$ molecule has (1997 - 1 Mark) (a) fewer electrons than $O_2$
	* *		2
	(a) $HCOOH$ (b) $(H_2N)_2CO$		(b) two covalent bonds
	(c) $(CH_3)_3^*COH$ (d) $CH_3^*CHO$	36.	(c) V-shape (d) dipole moment. Which one of the following compounds has $sp^2$
25.	Which of the following is paramagnetic? (1989 - 1 Mark)	30.	
20.			• • • • • • • • • • • • • • • • • • • •
	(a) $O_2^-$ (b) $CN^-$ (c) $CO$ (d) $NO^+$	37.	
26.	The type of hybrid orbitals used by the chlorine atom in	37.	
			the central atom in BF <sub>3</sub> is $(1998 - 2 Marks)$
	$ClO_2^-$ is (1992 - 1 Mark)		(a) linear, sp (b) trigonal planar, sp <sup>2</sup>
	(a) $sp^3$ (b) $sp^2$		(c) tetrahedral, sp <sup>3</sup> (d) pyramidal, sp <sup>3</sup> .
	(c) sp (d) none of these	38.	The correct order of increasing C — O bond length of CO,
27.	The maximum possible number of hydrogen bonds a water molecule can form is (1992 - 1 Mark)		$CO_3^{2-}, CO_2$ , is (1999 - 2 Marks)
28.	(a) 2 (b) 4 (c) 3 (d) 1 The cyanide ion, $CN^-$ and $N_2$ are isoelectronic. But in		(a) $CO_3^{2-} < CO_2 < CO$ (b) $CO_2 < CO_3^{2-} < CO$
	contrast to CN <sup>-</sup> , N <sub>2</sub> is chemically inert, because of (1992 - 1 Mark)		(c) $CO < CO_3^{2-} < CO_2$ (d) $CO < CO_2 < CO_3^{2-}$
	(a) low bond energy	39.	The geometry of H <sub>2</sub> S and its dipole moment are
	(b) absence of bond polarity		(1999 - 2 Marks)
	()		<ul><li>(a) angular and non-zero</li><li>(b) angular and zero</li><li>(c) linear and non-zero</li><li>(d) linear and zero</li></ul>

- Molecular shapes of SF<sub>4</sub>, CF<sub>4</sub> and XeF<sub>4</sub> are (2000S)
  - the same, with 2, 0 and 1 lone pairs of electrons respectively
  - the same, with 1, 1 and 1 lone pairs of electrons respectively
  - different, with 0, 1 and 2 lone pairs of electrons respectively
  - different, with 1, 0 and 2 lone pairs of electrons respectively
- 41. The hybridisation of atomic orbitals of nitrogen in  $NO_2^+$ ,

NO<sub>3</sub> and NH<sub>4</sub> are (2000S)

- (a) sp, sp<sup>3</sup> and sp<sup>2</sup> respectively
- (b) sp, sp<sup>2</sup> and sp<sup>3</sup> respectively
- (c) sp<sup>2</sup>, sp and sp<sup>3</sup> respectively
- (d) sp<sup>2</sup>, sp<sup>3</sup> and sp respectively
- The common features among the species CN<sup>-</sup>, CO and NO<sup>+</sup> (2001S)are
  - bond order three and isoelectronic (a)
  - (b) bond order three and weak field ligands
  - (c) bond order two and  $\pi$ -acceptors
  - (d) isoelectronic and weak field ligands
- The correct order of hybridization of the central atom in the following species NH<sub>3</sub>, [PtCl<sub>4</sub>]<sup>2-</sup>, PCl<sub>5</sub> and BCl<sub>3</sub> is (2001S)
  - (a)  $dsp^2$ ,  $dsp^3$ ,  $sp^2$  and  $sp^3$  (b)  $sp^3$ ,  $dsp^2$ ,  $dsp^3$ ,  $sp^2$
- (c)  $dsp^2$ ,  $sp^2$ ,  $sp^3$ ,  $dsp^3$ (d)  $dsp^2$ ,  $sp^3$ ,  $sp^2$ ,  $dsp^3$ Specify the coordination geometry around and hybridisation
- of N and B atoms in a 1:1 complex of BF<sub>3</sub> and NH<sub>3</sub> (a) N: tetrahedral, sp<sup>3</sup>; B: tetrahedral, sp<sup>3</sup>(2002S)
  - (b) N: pyramidal, sp<sup>3</sup>; B: pyramidal, sp<sup>3</sup>
  - (c) N: pyramidal, sp<sup>3</sup>; B: planar, sp<sup>2</sup>
  - (d) N: pyramidal, sp<sup>3</sup>; B: tetrahedral, sp<sup>3</sup>
- Identify the least stable ion amongst the following:

(2002S)

- (a) Li-(b) Be-(c) B-(d) C
- Which of the following molecular species has unpaired electron(s)? (2002S)
  - (a)  $N_2$ (b) F<sub>2</sub>
- (c)  $O_2^-$
- (d)  $O_2^{2-}$

2.

- Which of the following are isoelectronic and isostructural?  $NO_3^-, CO_3^{2-}, CIO_3^-, SO_3^-$ (2003S)
  - (a) NO<sub>3</sub><sup>-</sup>, CO<sub>3</sub><sup>2-</sup> (c) ClO<sub>3</sub><sup>-</sup>, CO<sub>3</sub><sup>2-</sup>
- (b)  $SO_3, NO_3$
- (d)  $CO_3^{2-}$ ,  $SO_3$
- According to molecular orbital theory which of the following statement about the magnetic character and bond order is (2004S)correct regarding O2
  - (a) Paramagnetic and Bond order  $< O_2$
  - (b) Paramagnetic and Bond order  $> O_2$
  - (c) Diamagnetic and Bond order  $< O_2$
  - (d) Diamagnetic and Bond order  $> O_2$
- 49. Which species has the maximum number of lone pair of electrons on the central atom? (2005S)
- (a)  $[ClO_3]^-$  (b)  $XeF_4$ (c)  $SF_4$ (d)  $\Pi_2$
- **50.** Among the following, the paramagnetic compound is (2007)
  - (a)  $Na_2O_2$ (b)  $O_3$
- (c)  $N_2O$
- (d)  $KO_2$

- The species having bond order different from that in CO is
  - (a) NO-
- (b) NO<sup>+</sup>
- (c) CN-
- (d) N<sub>2</sub>
- 52. Assuming that Hund's rule is violated, the bond order and magnetic nature of the diatomic molecule B<sub>2</sub> is (2010)
  - (a) 1 and diamagnetic
- (b) 0 and dimagnetic
- (c) 1 and paramagnetic (d) 0 and paramagnetic
- 53. The species having pyramidal shape is:
  - (a)  $SO_3$
- (b) BrF<sub>2</sub>
- (c)  $SiO_3^{2-}$
- (d) OSF<sub>2</sub>

(2010)

- 54. Geometrical shapes of the complexes formed by the reaction of Ni<sup>2+</sup> with Cl<sup>-</sup>, CN<sup>-</sup> and H<sub>2</sub>O, respectively, are (2011)
  - (a) octahedral, tetrahedral and square planar
  - tetrahedral, square planar and octahedral
  - square planar, tetrahedral and octahedral
  - (d) octahedral, square planar and octahedral
- Assuming 2s-2p mixing is **NOT** operative, the paramagnetic species among the following is (JEE Adv. 2014)
  - (c) C<sub>2</sub> (a) Be<sub>2</sub> (b)  $B_2$ (d)  $N_2$
- The geometries of the ammonia complexes of Ni<sup>2+</sup>, Pt<sup>2+</sup> and Zn<sup>2+</sup> respectively, are (JEE Adv. 2016)
  - octahedral, square planar and tetrahedral
  - square planar, octahedral and tetrahedral
  - tetrahedral, square planar and octahedral
  - octahedral, tetrahedral and square planar

#### D MCQs with One or More Than One Correct

- 1. CO<sub>2</sub> is isostructural with: (1986 - 1 Mark)
  - (a) HgCl<sub>2</sub> (b)  $SnCl_2$  (c)  $C_2H_2$
  - (d)  $NO_2$ (1991 - 1 Mark) The linear structure is assumed by:
  - (b)  $NCO^-$  (c)  $CS_2$ (d)  $NO_2^+$ (a) SnCl<sub>2</sub>
- 3. Which of the following have identical bond order?
  - (1992 1 Mark)
    - (d) CN+ (a) CN-(b)  $O_{2}^{-}$ (c) NO<sup>+</sup>
- The molecules that will have dipole moment are 4. (1992 - 1 Mark)
  - (a) 2, 2-dimethylpropane (b) trans-2-pentene
  - (c) cis-3-hexene (d) 2,2,3,3-tetramethylbutane
- The compound(s) with TWO lone pairs of electrons on the 5. central atom is(are) (JEE Adv. 2016) (b) ClF<sub>3</sub> (a)  $BrF_5$ (c)  $XeF_4$ (d)  $SF_4$
- According to Molecular Orbital Theory, (JEEAdv. 2016) 6.
  - (a)  $C_2^{2-}$  is expected to be diamagnetic
  - (b)  $O_2^{2+}$  is expected to have a longer bond length than  $O_2$
  - $N_2^+$  and  $N_2^-$  have the same bond order
  - He<sup>+</sup><sub>2</sub> has the same energy as two isolated He atoms

#### E **Subjective Problems**

- Water is liquid while H<sub>2</sub>S is a gas at room temperature. (1978) 1.
- Write the Lewis dot structural formula for each of the following. Give, also, the formula of a neutral molecule, which has the same geometry and the same arrangement of the bonding electrons as in each of the following. An example is

given below in the case of H<sub>3</sub>O<sup>+</sup>:

$$\begin{bmatrix} H \\ ... \\ H:O:H \end{bmatrix}^+ \begin{bmatrix} H \\ ... \\ H:N:H \end{bmatrix}$$
Lewis dot Neutral molecule

structure n (i)  $O_2^{2-}$ ; (ii)  $CO_3^{2-}$ ; (iii)  $CN^-$ ; (iv)  $NCS^-$ 

 $(1983 - 1 \times 4 = 4 Marks)$ 

- 3. How many sigma bonds and how many pi-bonds are present in a benzene molecule? (1985 1 Mark)
- 4. Write the Lewis dot structure of the following:

(1986 - 1 Mark)

- 5. Arrange the following:
  - (i) N<sub>2</sub>, O<sub>2</sub>, F<sub>2</sub>, Cl<sub>2</sub> in increasing order of bond dissociation energy. (1988 1 Mark)
  - (ii) Increasing strength of hydrogen bonding (X–H–X): (1991 1 Mark)

(iii) In the decreasing order of the O – O bond length present in them (2004 - 4 Marks)

 $O_2$ ,  $KO_2$  and  $O_2$  [AsF<sub>4</sub>]

- 6. The dipole moment of KCl is  $3.336 \times 10^{-29}$  Coulomb meters which indicates that it is a highly polar molecule. The interatomic distance between K<sup>+</sup> and Cl<sup>-</sup> in this molecule is  $2.6 \times 10^{-10}$  m. Calculate the dipole moment of KCl molecule if there were opposite charges of one fundamental unit located at each nucleus. Calculate the percentage ionic character of KCl. (1993 2 Marks)
- 7. Using the VSEPR theory, identify the type of hybridization and draw the structure of OF<sub>2</sub>. What are the oxidation states of O and F? (1994 3 Marks)
- 8. A compound of vanadium has a magnetic moment of 1.73 BM. Work out the electronic configuration of the vanadium ion in the compound. (1997 2 Marks)
- 9. Interpret the non-linear shape of  $H_2S$  molecule and non-planar shape of  $PCl_3$  using valence shell electron pair repulsion (VSEPR) theory. (Atomic numbers: H = 1, P = 15, S = 16, Cl = 17.) (1998 4 Marks)
- 10. Write the M.O. electron distribution of O<sub>2</sub>. Specify its bond order and magnetic property. (2000 3 Marks)
- 11. Using VSEPR theory, draw the shape of PCl<sub>5</sub> and BrF<sub>5</sub>.

  (2003 2 Marks)
- 12. Draw the structure of XeF<sub>4</sub> and OSF<sub>4</sub> according to VSEPR theory, clearly indicating the state of hybridisation of the central atom and lone pair of electrons (if any) on the central atom.
  (2004 2 Marks)

## F Match the Following

1. Match the orbital overlap figures shown in List-I with the description given in List-II and select the correct answer using the code given below the lists. (*JEE Adv. 2014*)

# List-II




 $p - d\pi$  antibonding



2.  $d-d\sigma$  bonding



3.  $p-d\pi$  bonding



4.  $d-d\sigma$  antibonding

Code:
P Q R S

- (a) 2 1 3 4
- (b) 4 3 1 2
- (c) 2 3 1 4
- (d) 4 1 3 2

## **H** Assertion & Reason Type Questions

1. Read the following Assertion and Reason and answer as per the options given below: (1998 - 2 Marks)

**Assertion :** The electronic structure of  $O_3$  is  $O_2$ .

**Reason:** Structure is not allowed because octet around O cannot be expanded.

- (a) If both assertion and reason are correct, and reason is the correct explanation of the assertion.
- (b) If both assertion and reason are correct, but reason is not the correct explanation of the assertion.
- (c) If assertion is correct but reason is incorrect.
- (d) If assertion is incorrect but reason is correct.
- Read the following Assertion and Reason and answer as per the options given below: (1998 2 Marks)
   Assertion: LiCl is predominantly a covalent compound.

**Reason:** Electronegativity difference between Li and Cl is too small.

- (a) If both assertion and reason are correct, and reason is the correct explanation of the assertion.
- (b) If both *assertion* and *reason* are correct, but *reason* is not the correct explanation of the *assertion*.
- (c) If assertion is correct but reason is incorrect.
- (d) If assertion is incorrect but reason is correct.

## I Integer Value Correct Type

- 1. Based on VSEPR theory, the number of 90 degree F-Br-F angles in  $BrF_5$  is (2010)
- 2. The total number of lone-pairs of electrons in melamine is (*JEE Adv. 2013*)

- A list of species having the formula  $XZ_4$  is given below.  $XeF_4$ ,  $SF_4$ ,  $SiF_4$ ,  $BF_4^-$ ,  $BrF_4^-$ ,  $[Cu(NH_3)_4]^{2+}$ ,  $[FeCl_4]^{2-}$ ,  $[CoCl_4]^{2-}$  and  $[PtCl_4]^{2-}$ .
  - Defining shape on the basis of the location of X and Z atoms, the total number of species having a square planar shape is (JEE Adv. 2014)
- Among the triatomic molecules/ions, BeCl<sub>2</sub>, N<sub>3</sub>, N<sub>2</sub>O,

 $NO_2^+$ ,  $O_3$ ,  $SCl_2$ ,  $ICl_2^-$ ,  $I_3^-$  and  $XeF_2$ , the total number of linear molecule(s)/ion(s) where the hybridization of the central atom does not have contribution from the d-orbital(s)

[Atomic number : S = 16, Cl = 17, I = 53 and Xe = 54] (JEE Adv. 2015)

## Section-B

- In which of the following species the interatomic bond angle is 109° 28'? [2002]
  - (a)  $NH_3$ ,  $(BF_4)^{-1}$
- (b)  $(NH_4)^+$ , BF<sub>2</sub>
- (c)  $NH_3$ ,  $BF_4$
- (d)  $(NH_2)^{-1}$ , BF<sub>3</sub>.
- Which of the following are arranged in an increasing order 2. of their bond strengths?
  - (a)  $O_2^- < O_2^- < O_2^+ < O_2^{2-}$  (b)  $O_2^{2-} < O_2^- < O_2^- < O_2^+$
  - (c)  $O_2^- < O_2^{2-} < O_2 < O_2^+$  (d)  $O_2^+ < O_2 < O_2^{-} < O_2^{2-}$
- 3. Hybridisation of the underline atom changes in:
  - (a) AlH<sub>3</sub> changes to AlH<sub>4</sub>
  - (b) H<sub>2</sub>O changes to H<sub>3</sub>O<sup>4</sup>
  - (c) NH<sub>3</sub> changes to NH<sub>4</sub><sup>+</sup>
  - (d) in all cases
- An ether is more volatile than an alcohol having the same molecular formula. This is due to [2003]
  - (a) alcohols having resonance structures
  - (b) inter-molecular hydrogen bonding in ethers
  - (c) inter-molecular hydrogen bonding in alcohols
  - (d) dipolar character of ethers
- Which one of the following pairs of molecules will have permanent dipole moments for both members? [2003]
  - (a)  $NO_2$  and  $CO_2$
- (b)  $NO_2$  and  $O_3$
- (c)  $SiF_4$  and  $CO_2$
- (d) SiF<sub>4</sub> and NO<sub>2</sub>
- Which one of the following compounds has the smallest bond angle in its molecule?
  - (a)  $OH_2$
- (b) SH<sub>2</sub>
- (c)  $NH_2$
- (d)  $SO_2$
- The pair of species having identical shapes for molecules of 7. both species is [2003]
  - (a)  $XeF_2$ ,  $CO_2$
- (b) BF<sub>3</sub>, PCl<sub>3</sub>
- (c)  $PF_5$ ,  $IF_5$
- (d)  $CF_A$ ,  $SF_A$
- The correct order of bond angles (smallest first) in H<sub>2</sub>S, 8. NH<sub>2</sub>, BF<sub>2</sub> and SiH<sub>4</sub> is
  - (a)  $H_2S < NH_3 < SiH_4 < BF_3$  (b)  $NH_3 < H_2S < SiH_4 < BF_3$
  - (c)  $H_2S \le SiH_4 \le NH_3 \le BF_3$  (d)  $H_2S \le NH_3 \le BF_3 \le SiH_4$
- The bond order in NO is 2.5 while that in NO<sup>+</sup> is 3. Which of 9. the following statements is true for these two species?

[2004]

- (a) Bond length in NO<sup>+</sup> is equal to that in NO
- (b) Bond length in NO is greater than in NO<sup>+</sup>
- (c) Bond length in NO<sup>+</sup> is greater than in NO
- (d) Bond length is unpredictable
- 10. The states of hybridization of boron and oxygen atoms in boric acid (H<sub>3</sub>BO<sub>3</sub>) are respectively [2004]

- (a)  $sp^3$  and  $sp^2$
- (b)  $sp^2$  and  $sp^3$
- (c)  $sp^2$  and  $sp^2$
- (d)  $sp^3$  and  $sp^3$
- Which one of the following has the regular tetrahedral structure? [2004]
  - (a)  $BF_{4}^{-}$
- (b)  $SF_4$
- (c) XeF<sub>4</sub>
- (d)  $[Ni(CN)_4]^{2-}$

(Atomic nos.: B = 5, S = 16, Ni = 28, Xe = 54)

- The maximum number of 90° angles between bond pair-bond pair of electrons is observed in [2004]
  - (a) dsp<sup>2</sup> hybridization
  - (b) sp<sup>3</sup>d hybridization
  - (c) dsp<sup>3</sup> hybridization
  - (d) sp<sup>3</sup>d<sup>2</sup> hybridization
- Lattice energy of an ionic compound depends upon
  - (a) Charge on the ion and size of the ion

[2005]

- (b) Packing of ions only
- (c) Size of the ion only
- (d) Charge on the ion only
- Which of the following molecules/ions does not contain unpaired electrons? [2006]
- (a)  $N_2^+$  (b)  $O_2$  (c)  $O_2^{2-}$
- (d)  $B_2$
- In which of the following molecules/ions are all the bonds not equal? [2006]
  - (a)  $XeF_4$
- (b)  $BF_4^-$
- (c)  $SF_{4}$
- (d)  $SiF_4$
- The decreasing values of bond angles from NH<sub>3</sub> (106°) to 16. SbH<sub>2</sub> (101°) down group-15 of the periodic table is due to [2006]

(a) decreasing lp-bp repulsion

- (b) decreasing electronegativity
- (c) increasing bp-bp repulsion
- (d) increasing p-orbital character in sp<sup>3</sup>
- Which of the following species exhibits the diamagnetic behaviour? [2007]
  - (a) NO
- (b)  $O_2^{2-}$
- (c)  $O_2^+$
- (d)  $O_2$ .
- The charge/size ratio of a cation determines its polarizing 18. power. Which one of the following sequences represents the increasing order of the polarizing power of the cationic

species, K<sup>+</sup>, Ca<sup>2+</sup>, Mg<sup>2+</sup>, Be<sup>2+</sup>?

[2007]

- (a)  $Ca^{2+} < Mg^{2+} < Be^+ < K^+$
- (b)  $Mg^{2+} < Be^{2+} < K^+ < Ca^{2+}$
- (c)  $Be^{2+} < K^+ < Ca^{2+} < Mg^{2+}$
- (d)  $K^+ < Ca^{2+} < Mg^{2+} < Be^{2+}$ .
- In which of the following ionization processes, the bond order has increased and the magnetic behaviour has changed? [2007]
  - (a)  $N_2 \rightarrow N_2^+$
- (b)  $C_2 \rightarrow C_2^+$
- (c)  $NO \rightarrow NO^+$
- (d)  $O_2 \rightarrow O_2^+$ .
- 20. Which of the following hydrogen bonds is the strongest?

[2007]

- (a) O-H---F
- (b) O-H---H
- (c) F-H---F
- (d) O-H---O.
- Which one of the following pairs of species have the same bond order? [2008]
  - (a) CN<sup>-</sup> and NO<sup>+</sup>
- (b) CN<sup>-</sup> and CN<sup>+</sup>
- (c)  $O_2^-$  and  $CN^-$
- (d) NO<sup>+</sup> and CN<sup>+</sup>
- The bond dissociation energy of B-F in BF<sub>3</sub> is 646 kJ mol<sup>-1</sup> whereas that of C - F in  $CF_4$  is 515 kJ mol<sup>-1</sup>. The correct reason for higher B-F bond dissociation energy as compared to that of C - F is
  - (a) stronger  $\sigma$  bond between B and F in BF<sub>3</sub> as compared to that between C and F in CF<sub>4</sub>.
  - (b) significant  $p\pi p\pi$  interaction between B and F in BF<sub>3</sub> whereas there is no possibility of such interaction between C and F in CF<sub>4</sub>.
  - (c) lower degree of  $p\pi p\pi$  interaction between B and F in BF<sub>3</sub> than that between C and F in CF<sub>4</sub>.
  - (d) smaller size of B- atom as compared to that of C- atom.
- Using MO theory, predict which of the following species has the shortest bond length? [2008]
- (b)  $O_2^-$
- (c)  $O_2^{2-}$
- Among the following the maximum covalent character is shown by the compound [2011]
  - (a) FeCl<sub>2</sub>
- (b) SnCl<sub>2</sub> (c) AlCl<sub>3</sub>

- The hybridization of orbitals of N atom in  $NO_3^-$ ,  $NO_2^+$  and  $NH_{4}^{+}$  are respectively:
  - (a) sp,  $sp^2$ ,  $sp^3$
- (b)  $sp^2$ , sp,  $sp^3$
- (c) sp, sp $^3$ , sp $^2$
- (d)  $sp^2$ ,  $sp^3$ , sp
- **26.** The structure of  $IF_7$  is
- [2011]
- (a) square pyramidal (c) octahedral
- (b) trigonal bipyramidal (d) pentagonal bipyramidal
- 27. Ortho-Nitrophenol is less soluble in water than p- and m-Nitrophenols because: [2012]
  - (a) o-Nitrophenol is more volatile steam than those of mand p-isomers.

- (b) o-Nitrophenol shows intramolecular H-bonding
- o-Nitrophenol shows intermolecular H-bonding
- Melting point of o-Nitrophenol is lower than those of *m*- and *p*-isomers.
- In which of the following pairs the two species are not isostructural? [2012]
  - (a)  $CO_3^{2-}$  and  $NO_3^{-}$ 
    - (b) PCl<sub>4</sub> and SiCl<sub>4</sub>
  - (c) PF<sub>5</sub> and BrF<sub>5</sub>
- (d)  $AlF_6^{3-}$  and  $SF_6$
- Which one of the following molecules is expected to exhibit diamagnetic behaviour? [JEE M 2013]
  - (a) C<sub>2</sub>

(b)  $N_2$ 


(c)  $O_2$ 


- (d)  $S_2$
- **30.** Which of the following is the wrong statement?


[JEE M 2013]

- (a) ONCl and ONO are not isoelectronic.
- (b) O<sub>2</sub> molecule is bent
- (c) Ozone is violet-black in solid state
- (d) Ozone is diamagnetic gas.
- In which of the following pairs of molecules/ions, both the species are not likely to exist? [JEE M 2013]
  - (a)  $H_2^+, He_2^{2-}$
- (b)  $H_2^-, He_2^{2-}$
- (c)  $H_2^{2+}, He_2$
- (d)  $H_2^-, He_2^{2+}$
- 32. Stability of the species Li<sub>2</sub>, Li<sub>2</sub> and Li<sub>2</sub> increases in the order of: [JEE M 2013]

  - (a)  $\text{Li}_2 < \text{Li}_2^+ < \text{Li}_2^-$  (b)  $\text{Li}_2^- < \text{Li}_2^+ < \text{Li}_2$
  - (c)  $\text{Li}_2 < \text{Li}_2^- < \text{Li}_2^+$  (d)  $\text{Li}_2^- < \text{Li}_2 < \text{Li}_2^+$
- 33. For which of the following molecule significant  $\mu \neq 0$ ? [JEE M 2014]







- (a) Only (i)
- (b) (i) and (ii)
- (c) Only(iii)
- (d) (iii) and (iv)
- 34. The species in which the N atom is in a state of sp hybridization is: [JEE M 2016]
  - $NO_3$ (a)
- (b) NO,
- $NO_2^+$
- (d)  $NO_{2}^{-}$