

DPP - Daily Practice Problems

Name :

Date :

Start Time :

End Time :

CHEMISTRY

46

SYLLABUS : Haloalkanes & Haloarenes - I : Introduction and Preparation of Halogen Containing Compounds

Max. Marks : 120

Time : 60 min.

GENERAL INSTRUCTIONS

- The Daily Practice Problem Sheet contains 30 MCQ's. For each question only one option is correct. Darken the correct circle/ bubble in the Response Grid provided on each page.
- You have to evaluate your Response Grids yourself with the help of solution booklet.
- Each correct answer will get you 4 marks and 1 mark shall be deducted for each incorrect answer. No mark will be given/ deducted if no bubble is filled. Keep a timer in front of you and stop immediately at the end of 60 min.
- The sheet follows a particular syllabus. Do not attempt the sheet before you have completed your preparation for that syllabus. Refer syllabus sheet in the starting of the book for the syllabus of all the DPP sheets.
- After completing the sheet check your answers with the solution booklet and complete the Result Grid. Finally spend time to analyse your performance and revise the areas which emerge out as weak in your evaluation.

DIRECTIONS (Q.1-Q.24) : There are 24 multiple choice questions. Each question has 4 choices (a), (b), (c) and (d), out of which ONLY ONE choice is correct.

Q.1 Which of the following is a secondary halide ?

- (a) Isopropyl chloride
- (b) Isobutyl chloride
- (c) *n*-Propyl chloride
- (d) *n*-Butyl chloride

Q.2 Haloforms are trihalogen derivatives of

- (a) ethane
- (b) methane
- (c) propane
- (d) benzene

Q.3 The compound which contains all the four 1°, 2°, 3° and 4° carbon atoms is

- (a) 2, 3-dimethylpentane
- (b) 3-chloro-2, 3-dimethylpentane
- (c) 2, 3, 4-trimethylpentane
- (d) 3, 3-dimethylpentane

Q.4 What is the main product of the reaction between 2-methylpropene with HBr ?

- (a) 1-Bromobutane
- (b) 1-Bromo- 2-methylpropane
- (c) 2-Bromobutane
- (d) 2-Bromo-2-methylpropane

RESPONSE GRID

1. (a)(b)(c)(d) 2. (a)(b)(c)(d) 3. (a)(b)(c)(d) 4. (a)(b)(c)(d)

Space for Rough Work

- Q.5** When ethyl alcohol (C_2H_5OH) reacts with thionyl chloride, in the presence of pyridine, the product obtained is
 (a) $CH_3CH_2Cl + HCl$
 (b) $C_2H_5Cl + Cl_2 + SO_2$
 (c) $CH_3CH_2Cl + H_2O + SO_2$
 (d) $CH_3CH_2Cl + HCl + SO_2$
- Q.6** In methyl alcohol solution, bromine reacts with ethylene to yield $BrCH_2CH_2OCH_3$ in addition to 1, 2-dibromoethane because
 (a) the ion formed initially may react with Br^- or CH_3OH
 (b) the methyl alcohol solvates the bromine
 (c) the reaction follows Markownikoff's rule
 (d) this is a free-radical mechanism
- Q.7** $C_3H_8 + Cl_2 \xrightarrow{\text{Light}} C_3H_7Cl + HCl$ is an example of which of the following types of reactions ?
 (a) Substitution (b) Elimination
 (c) Addition (d) Rearrangement
- Q.8** Benzene reacts with chlorine to form benzene hexachloride in presence of which of the following agent?
 (a) Nickel (b) $AlCl_3$
 (c) Bright sunlight (d) Zinc
- Q.9** When ethyl alcohol and KI react in presence of Na_2CO_3 , yellow crystals of are formed.
 (a) CHI_3 (b) CH_3I (c) CH_2I_2 (d) C_2H_5I
- Q.10** Which one of the following processes does not occur during formation of $CHCl_3$ from C_2H_5OH and bleaching powder?
 (a) Hydrolysis (b) Oxidation
 (c) Reduction (d) Chlorination
- Q.11** C_6H_5Cl is prepared by reacting aniline with
 (a) HCl
 (b) Cu_2Cl_2
 (c) Cl_2 in presence of anhydrous $AlCl_3$
 (d) HNO_2 and then heated with Cu_2Cl_2
- Q.12** A Grignard's reagent may be made by reacting magnesium with
 (a) methyl amine (b) diethyl ether
 (c) ethyl iodide (d) ethyl alcohol
- Q.13** Best method of preparing alkyl chloride is
 (a) $ROH + SOCl_2 \longrightarrow$
 (b) $ROH + PCl_5 \longrightarrow$
 (c) $ROH + PCl_3 \longrightarrow$
 (d) $ROH + HCl \xrightarrow{\text{Anhydrous } ZnCl_2}$
- Q.14** DDT is prepared by reacting chlorobenzene with
 (a) CCl_4 (b) CCl_3-CHO
 (c) $CHCl_3$ (d) Ethane
- Q.15** Preparation of alkyl halides in laboratory is least preferred by
 (a) treatment of alcohols
 (b) addition of hydrogen halides to alkenes
 (c) halide exchange
 (d) direct halogenation of alkanes
- Q.16** Which of the following acids adds to propene in the presence of peroxide to give anti-Markownikoff's product?
 (a) HF (b) HCl
 (c) HBr (d) HI
- Q.17** Conant Finkelstein reaction for the preparation of alkyl iodide is based upon the fact that
 (a) Sodium iodide is soluble in methanol, while sodium chloride is insoluble in methanol
 (b) Sodium iodide is soluble in methanol, while $NaCl$ and $NaBr$ are insoluble in methanol
 (c) Sodium iodide is insoluble in methanol, while $NaCl$ and $NaBr$ are soluble
 (d) The three halogens differ considerably in their electronegativity

**RESPONSE
GRID**

5. (a)(b)(c)(d) 6. (a)(b)(c)(d) 7. (a)(b)(c)(d) 8. (a)(b)(c)(d) 9. (a)(b)(c)(d)
 10. (a)(b)(c)(d) 11. (a)(b)(c)(d) 12. (a)(b)(c)(d) 13. (a)(b)(c)(d) 14. (a)(b)(c)(d)
 15. (a)(b)(c)(d) 16. (a)(b)(c)(d) 17. (a)(b)(c)(d)

Space for Rough Work

Q.18 $R-OH + HX \rightarrow R-X + H_2O$

In the above reaction, the reactivity of different alcohols is

- (a) Tertiary > Secondary > Primary
- (b) Tertiary < Secondary < Primary
- (c) Tertiary < Secondary > Primary
- (d) Secondary < Primary < Tertiary

Q.19 $C_6H_6 + Cl_2 \xrightarrow{UV \text{ Light}} \text{Product}$

In above reaction, product is

- (a) CCl_3CHO
- (b) $C_6H_6Cl_6$
- (c) $C_6H_{12}Cl_6$
- (d) $C_6H_9Cl_2$

Q.20 Ethanol is converted into ethyl chloride by reacting with which of the following?

- (a) Cl_2
- (b) $SOCl_2$
- (c) HCl
- (d) $NaCl$

Q.21 Ethyl benzoate reacts with PCl_5 to give

- (a) $C_2H_5Cl + C_6H_5COCl + POCl_3 + HCl$
- (b) $C_2H_5Cl + C_6H_5COCl + POCl_3$
- (c) $CH_3COCl + C_6H_5COCl + POCl_3$
- (d) $C_2H_5Cl + C_6H_5COOH + POCl_3$






Q.22 In presence of $AlCl_3$, benzene and *n*-propyl bromide react in Friedel-Craft's reaction to form

- (a) *n*-propylbenzene
- (b) 1,2-dinormal propylbenzene
- (c) 1,4-dinormal propylbenzene
- (d) Isopropylbenzene

Q.23 The catalyst used in Raschig's process is

- (a) $LiAlH_4$
- (b) Copper chloride
- (c) Sunlight
- (d) Ethanol/Na

Q.24 What will be the product in the following reaction?



DIRECTIONS (Q.25-Q.27): In the following questions, more than one of the answers given are correct. Select the correct answers and mark it according to the following codes:

Codes:

- (a) 1, 2 and 3 are correct
- (b) 1 and 2 are correct
- (c) 2 and 4 are correct
- (d) 1 and 3 are correct

Q.25 Which of the following is not a primary halide?

- (1) Isopropyl iodide
- (2) Secondary butyl iodide
- (3) Tertiarybutyl bromide
- (4) Neohexyl chloride

Q.26 Chloroform can not be obtained from

- (1) Methanol
- (2) Methanal
- (3) Propanol-1
- (4) Propanol-2

Q.27 Which of the following compounds undergo nucleophilic substitution reactions?

- (1) Isopropyl chloride
- (2) Ethyl bromide
- (3) Benzyl chloride
- (4) Vinyl chloride

**RESPONSE
GRID**

18. (a) (b) (c) (d)
23. (a) (b) (c) (d)

19. (a) (b) (c) (d)
24. (a) (b) (c) (d)

20. (a) (b) (c) (d)
25. (a) (b) (c) (d)

21. (a) (b) (c) (d)
26. (a) (b) (c) (d)

22. (a) (b) (c) (d)
27. (a) (b) (c) (d)

DIRECTIONS (Q. 28-Q.30) : Each of these questions contains two statements: Statement-1 (Assertion) and Statement-2 (Reason). Each of these questions has four alternative choices, only one of which is the correct answer. You have to select the correct choice.



- (a) Statement-1 is True, Statement-2 is True; Statement-2 is a correct explanation for Statement-1.
 (b) Statement-1 is True, Statement-2 is True; Statement-2 is NOT a correct explanation for Statement-1.
 (c) Statement-1 is False, Statement-2 is True.
 (d) Statement-1 is True, Statement-2 is False.

Q.28 Statement-1: CHCl_3 is stored in dark bottles.

Statement-2: CHCl_3 is oxidised in dark.

Q.29 Statement-1: CCl_4 is not a fire extinguisher.

Statement-2: CCl_4 is insoluble in water.

Q30 Statement-1 :  is less reactive than 

towards $\text{S}_{\text{N}}1$ reactions.

Statement-2: Tertiary alkyl halides react predominantly by $\text{S}_{\text{N}}1$ mechanism.

RESPONSE GRID

28. (a) (b) (c) (d) 29. (a) (b) (c) (d) 30. (a) (b) (c) (d)

DAILY PRACTICE PROBLEM SHEET 46 - CHEMISTRY


Total Questions	30	Total Marks	120
Attempted		Correct	
Incorrect		Net Score	
Cut-off Score	36	Qualifying Score	56
Success Gap = Net Score – Qualifying Score			
Net Score = (Correct \times 4) – (Incorrect \times 1)			

Space for Rough Work











DAILY PRACTICE PROBLEMS

CHEMISTRY SOLUTIONS



(46)



atom is attached to 2° carbon atom.




13. (a) In this method, all other products are gases and thus escape, forming alkyl halide in pure state.






15. (d) Direct halogenation of alkanes is least preferred for preparing RX because di-, tri- and tetra- halogenated products are also formed.


16. (c) HBr



18. (a)



22. (d)




The intermediate $\text{CH}_3\text{CH}_2\overset{+}{\text{CH}_2}$ rearranges to the more stable $(\text{CH}_3)_2\overset{+}{\text{CH}}$.

23. (b)


24. (a) NBS is a selective brominating reagent since it normally brominates the ethylenic compounds in the allylic position.

25. (a) Neohexyl chloride is a primary halide as in it Cl- atom is attached to a primary carbon.



Thus (1), (2) and (3) are correct choices.

26. (a) Only those compounds can form chloroform which have





choices, propanol - 2 is the only compound having the required structure.

Thus (1), (2) and (3) are correct choices

27. (a) As a result of resonance, the carbon-chlorine bond in vinyl chloride acquires some double bond character. Hence, vinyl chloride does not undergo nucleophilic substitution reactions.

28. (d) CHCl_3 is stored in dark bottles to prevent oxidation of CHCl_3 in presence of sunlight.

29. (c) CCl_4 is used as a fire extinguisher. The dense, non combustible vapours cover the burning substance and prevents the availability of oxygen around burning material.

30. (c)  is more reactive than 

because the former is a tertiary alkyl halide and the latter is a secondary alkyl halide. Tertiary alkyl halides react predominantly by $\text{S}_{\text{N}}1$ mechanism.