

DPP - Daily Practice Problems

Name :

Date :

Start Time :

End Time :

CHEMISTRY

26

SYLLABUS : Hydrocarbons-2 (Alkenes)

Max. Marks : 120

Time : 60 min.

GENERAL INSTRUCTIONS

- The Daily Practice Problem Sheet contains 30 MCQ's. For each question only one option is correct. Darken the correct circle/bubble in the Response Grid provided on each page.
- You have to evaluate your Response Grids yourself with the help of solution booklet.
- Each correct answer will get you 4 marks and 1 mark shall be deducted for each incorrect answer. No mark will be given/ deducted if no bubble is filled. Keep a timer in front of you and stop immediately at the end of 60 min.
- The sheet follows a particular syllabus. Do not attempt the sheet before you have completed your preparation for that syllabus. Refer syllabus sheet in the starting of the book for the syllabus of all the DPP sheets.
- After completing the sheet check your answers with the solution booklet and complete the Result Grid. Finally spend time to analyse your performance and revise the areas which emerge out as weak in your evaluation.

DIRECTIONS (Q.1-Q.21) : There are 21 multiple choice questions. Each question has 4 choices (a), (b), (c) and (d), out of which ONLY ONE choice is correct.

Q.1 The minimum number of C atoms required to be present in an optically active alkene are:

- (a) 4 (b) 6 (c) 8 (d) 10

Q.2 $\begin{array}{c} \text{H} \quad \text{Cl} \\ | \quad | \\ \text{CH}_2 - \text{CH}_2 \end{array} \xrightarrow{\text{alk. NaOH}} \text{CH}_2 = \text{CH}_2$

Most probable mechanism for this reaction is -

- (a) E1 (b) E2
(c) E1cB (d) α -elimination

Q.3 $\begin{array}{c} \text{Cl} \\ | \\ \text{CH}_3 - \text{CH} - \text{CH} - \text{CH}_3 \\ | \\ \text{Cl} \end{array} \longrightarrow \text{CH}_3 - \text{CH} = \text{CH} - \text{CH}_3$

This 2-butene is -

- (a) Cis-2-butene (b) Trans-2-butene
(c) Dependent upon reactant (d) Racemic mixture

Q.4 What would be the product when ethene reacts with Br₂ water in presence of brine ?

- (a) $\begin{array}{c} \text{CH}_2 - \text{CH}_2 \\ | \quad | \\ \text{Br} \quad \text{Br} \end{array}$
(b) $\begin{array}{c} \text{CH}_2 - \text{CH}_2 \text{ \& } \text{CH}_2 - \text{CH}_2 \\ | \quad | \quad | \quad | \\ \text{Br} \quad \text{Br} \quad \text{Br} \quad \text{Cl} \end{array}$
(c) $\begin{array}{c} \text{CH}_2 - \text{CH}_2 \text{ \& } \text{CH}_2 - \text{CH}_2 \\ | \quad | \quad | \quad | \\ \text{Br} \quad \text{Br} \quad \text{Br} \quad \text{NO}_2 \end{array}$
(d) $\begin{array}{c} \text{CH}_2 - \text{CH}_2 \text{ \& } \text{CH}_2 - \text{CH}_2 \\ | \quad | \quad | \quad | \\ \text{Br} \quad \text{Br} \quad \text{Br} \quad \text{NO}_3 \end{array}$



RESPONSE GRID

1. (a)(b)(c)(d) 2. (a)(b)(c)(d) 3. (a)(b)(c)(d) 4. (a)(b)(c)(d)


Q.5 What would be the product when 2-pentene reacts with HBr ?

- (a) 2-bromopentane (b) 3-bromopentane
(c) Both (a) and (b) (d) 1-bromopentane

Q.6 What would be the product when propene reacts with chlorine in presence of CCl_4 ?



Q.7 Propene + $\text{HOCl} \rightarrow \text{A} \rightarrow \text{Final product}$.
In the above reaction A will be –







Q.8 In hydroboration it is evident that in the overall reaction a molecule of a water has been added to propene and the addition is :

- (a) According to Markownikoff's rule
(b) Contrary to Markownikoff's rule
(c) Not concerned with Markownikoff's rule
(d) None of the above

Q.9 What would be the product when ethene is oxidised with acidic KMnO_4 ?




Q.10 Predict the product C obtained in the following reaction of butyne-1.



Q.11 Reaction of alkene and peracid gives oxirane. This reaction is named as –

- (a) Peroxidation (b) Oxidation
(c) Priles Chaiev reaction (d) None




Above reaction is known as –

- (a) Oxo reaction (b) Carboxylation
(c) Both of the above (d) None of these

Q.13 NBS reacts with 1-butene to give –

- (a) 3-bromobutene-1 (b) 1,2-dibromobutane
(c) 1-bromobutene (d) 1,2-dibromobutene-1

Q.14 The compound which reacts with HBr obeying Markownikov's rule is?



Q.15 Alkene $\text{R} - \text{CH} = \text{CH}_2$ reacts readily with B_2H_6 and the product on oxidation with alkaline hydrogen peroxide produces -

- (a) $\text{R} - \text{CH}_2 - \text{CHO}$ (b) $\text{R} - \text{CH}_2 - \text{CH}_2 - \text{OH}$
(c) $\text{R} - \overset{\text{O}}{\underset{\text{O}}{\text{C}}} - \text{CH}_3$ (d) $\text{R} - \overset{\text{OH}}{\text{CH}} - \overset{\text{OH}}{\text{CH}_2}$

Q.16 Reaction of HBr with propene in the presence of peroxide gives -

- (a) 3-bromopropane (b) allyl bromide
(c) n-propyl bromide (d) isopropyl bromide

RESPONSE
GRID

5. (a)(b)(c)(d) 6. (a)(b)(c)(d) 7. (a)(b)(c)(d) 8. (a)(b)(c)(d) 9. (a)(b)(c)(d)
10. (a)(b)(c)(d) 11. (a)(b)(c)(d) 12. (a)(b)(c)(d) 13. (a)(b)(c)(d) 14. (a)(b)(c)(d)
15. (a)(b)(c)(d) 16. (a)(b)(c)(d)

(2) By heating $\text{RCH}_2\text{CH}_2\text{N}(\text{CH}_3)_2$

- (3) By heating $\text{RCH}_2\text{CH}_2\text{OCOCH}_3$
(4) By Kolbe synthesis of $\text{C}_7\text{H}_5\text{COO Na}$

Q.24 Decolourization of alkaline KMnO_4 is used as a test for :

- (1) Olefinic hydrocarbons
- (2) Aromatic hydrocarbons
- (3) Acetylenic hydrocarbons
- (4) Saturated hydrocarbons

DIRECTIONS (Q.25-Q.27) : Read the passage given below and answer the questions that follows :

- Markownikoff's rule states, "the negative part of addendum is added on the carbon atom carrying lesser number of hydrogen atoms".

$$\text{R}-\text{CH}=\text{CH}_2 + \overset{\delta^+}{\text{H}}-\overset{\delta^-}{\text{X}} \longrightarrow \text{R}-\underset{\begin{array}{c} | \\ \text{X} \end{array}}{\text{CH}}-\text{CH}_3$$

Unsymmetrical alkene Alkyl halide

- However, addition of HBr on propylene in the presence of sunlight, air or an organic peroxide produces mainly n-propyl bromide instead of isopropyl bromide. In the presence of organic peroxides, addition of HBr takes place by a free radical mechanism as follows.

$$\text{C}_6\text{H}_5-\overset{\text{O}}{\parallel}{\text{C}}-\text{O}-\text{O}-\overset{\text{O}}{\parallel}{\text{C}}-\text{C}_6\text{H}_5 \xrightarrow{\text{Homolysis}} \text{C}_6\text{H}_5-\overset{\text{O}}{\parallel}{\text{C}}-\text{O}^\bullet$$

Benzoyl peroxide

- $$\begin{array}{ccc} \text{O} & & \\ \parallel & & \\ \text{C}_6\text{H}_5-\text{C}-\text{O}^\bullet & \longrightarrow & \text{C}_6\text{H}_5^\bullet + \text{CO}_2 \\ \text{Benzoyloxy} & & \text{Phenyl} \\ \text{free radical} & & \text{free radical} \end{array}$$

Q.25 Addition of HCl on $\text{CH}_3 - \underset{\text{CH}_3}{\text{CH}} - \text{CH} = \text{CH}_2$ forms the

following major product:

- (a) $\text{CH}_3-\underset{\text{CH}_3}{\underset{|}{\text{CH}}}-\underset{\text{Cl}}{\underset{|}{\text{CH}}}-\text{CH}_3$ (b) $\text{CH}_3-\underset{\text{CH}_3}{\underset{|}{\text{CH}}}-\text{CH}_2-\text{CH}_2\text{Cl}$
- (c) $\text{CH}_3-\underset{\text{CH}_2}{\underset{|}{\text{CCl}}}-\text{CH}_2-\text{CH}_3$ (d) $\text{Cl}-\underset{\text{CH}_2}{\underset{|}{\text{CH}}}-\text{CH}_2-\text{CH}_2-\text{CH}_3$

Q.23 $\text{RCH}=\text{CH}_2$ can be obtained by :



- $$(1) \quad \text{R}-\overset{\text{O}}{\underset{\parallel}{\text{C}}}-\text{H} \text{ and } (\text{C}_6\text{H}_5)_3\text{P}=\text{CH}_2$$

RESPONSE GRID	17. (a) (b) (c) (d)	18. (a) (b) (c) (d)	19. (a) (b) (c) (d)	20. (a) (b) (c) (d)	21. (a) (b) (c) (d)
	22. (a) (b) (c) (d)	23. (a) (b) (c) (d)	24. (a) (b) (c) (d)	25. (a) (b) (c) (d)	

Q.26 When HCl gas is passed through propene in the presence of benzoyl peroxide, it gives :

- (a) n-Propyl chloride
- (b) 2-Chloropropene
- (c) Allyl chloride
- (d) No reaction

Q.27 Reaction of $\text{CH}_3\text{CH}=\text{CH}_2$ with Br.CCl_3 in the presence of a peroxide yields the following product.



- (c) $\text{BrCH}_2-\text{CH}=\text{CH}_2$ and CHCl_3
- (d) No reaction takes place

DIRECTIONS (Q.28-Q.30) : Each of these questions contains two statements: Statement-1 (Assertion) and Statement-2 (Reason). Each of these questions has four alternative choices, only one of which is the correct answer. You have to select the correct choice.

(a) Statement-1 is True, Statement-2 is True; Statement-2 is a correct explanation for Statement-1.

(b) Statement-1 is True, Statement-2 is True; Statement-2 is NOT a correct explanation for Statement-1.


(c) Statement-1 is False, Statement-2 is True.

(d) Statement-1 is True, Statement-2 is False.

Q.28 Statement 1 : 1-Butene reaction with HBr in the presence of a peroxide produces 1-bromobutane.

Statement 2 : It involves the free radical mechanism.

Q.29 Statement-1 :



Statement-2 : At high temperature Cl_2 dissociates into chlorine atoms which bring about the allylic substitution.

Q.30 Statement 1 : Addition of bromine to *trans*-2-butene yields *meso*-2,3-dibromobutane.

Statement 2 : Bromine addition to an alkene is an electrophilic addition.

RESPONSE GRID

26. (a) (b) (c) (d)

27. (a) (b) (c) (d)


28. (a) (b) (c) (d)

29. (a) (b) (c) (d)

30. (a) (b) (c) (d)


DAILY PRACTICE PROBLEM SHEET 26 - CHEMISTRY

Total Questions	30	Total Marks	120
Attempted		Correct	
Incorrect		Net Score	
Cut-off Score	36	Qualifying Score	60
Success Gap = Net Score – Qualifying Score			
Net Score = (Correct × 4) – (Incorrect × 1)			





Here the central carbon atom is an asymmetric carbon atom.







- (2) (b) 1° halide generally gives E2 mechanism.



It may be asymmetrical or meso and they can give different compounds.




- (4) (b) In the presence of NaCl solution, the products are



- (8) (b) In hydroboration it is evident that in the overall reaction a molecule of water has been added to propene and the addition is contrary to Markownikoff's rule






Tripropylborane



n-propyl alcohol

- (9) (d) Ethene reacts with acidic KMnO_4 to form CO_2 and H_2O .

- (10) (c) This reaction occurs according to Markownikoff's rule which states that when an unsymmetrical alkene undergo hydrohalogenation, the negative part goes to that C-atom which contain lesser no. of H-atom.



- (11) (c) Reaction is known as Priles Chaiev reaction.
 (12) (c) Reaction is named as oxo and carboxylation. If $\text{CO} + \text{H}_2$ is taken then the reaction is named as a hydroformylation.
 (13) (a) NBS is used for the bromo substitution of allylic hydrogen.
 (14) (d)
 (15) (b) $\text{R} - \text{CH}_2 - \text{CH}_2 - \text{OH}$
 (16) (c) Reaction of HBr with propene in the presence of peroxide gives n-propyl bromide.
 (17) (a)
$$\text{CH}_3\text{CH}_2\text{CH}_2\text{Cl} \xrightarrow{\text{KOH(alc.)}} \text{CH}_3\text{CH} = \text{CH}_2$$

$$\text{CH}_3\text{CHClCH}_3 \xrightarrow{\text{KOH(alc.)}} \text{CH}_3\text{CH} = \text{CH}_2$$

 (18) (d) The synthesis of ethene from electrolysis of an aqueous solution of potassium succinate is known as Kolbe's electrolysis synthesis.

