


Case study based questions
10th Science

Control And Coordination

Passage - 1

5 Marks



Control and Coordination

All the living organisms (plants and animals) respond and react to changes in the environment around them. The changes in the environment to which the organisms respond and react are called stimuli (singular of stimuli is stimulus). The living organisms show response to stimuli such as light, heat, cold, sound, smell, taste, touch, pressure, pain, water, and force of gravity, etc. The response of organisms to a stimulus is usually in the form of some movement of their body part. For example, if a man touches a very hot utensil accidentally, he quickly pulls his hand away from the hot utensil. Here, heat is the stimulus and the man reacts by moving his hand away from the hot utensil. Similarly, when the sun is bright, we close our eyes. In this case, light is the stimulus and we react by closing the eyes.

Q1. The changes in the environment to which the organisms respond and react are called stimuli. State true or false.

- (1) TRUE
- (2) FALSE

Q2. The response to stimuli is a characteristic property of the _____ organisms.

- (1) Non-living
- (2) Living

Q 3. The animals can react to stimuli in many _____ ways.

- (1) Different
- (2) Limited

Q 4. The plants react to stimuli in a _____ way.

- (1) Different
- (2) Limited

Q 5. State true or false. The working together of the various organs of an organism in a systematic manner so as to produce a proper response to the stimulus, is called coordination.

- (1) TRUE
- (2) FALSE

Passage - 2

5 Marks



The plants do not have a nervous system and sense organs like eyes, ears, or nose, etc., like the animals, but they can still sense things. The plants can sense the presence of stimuli like light, gravity, chemicals, water, and touch, etc., and respond to them. The plants can sense things like light, gravity, chemicals, water, and touch, etc., by the action of hormones in them. The stimuli like light, gravity, chemicals, water, and touch, etc., are called environmental changes. So, we can also say that the plants coordinate their behaviour against environmental changes by using hormones. The hormones in plants do

not act the same way as in animals. The hormones in plants coordinate their behaviour by affecting the growth of a plant. And the effect on growth of the plant can result in the movement of a part of the plant like shoot (stem) or root, etc.

Q 1. The plants coordinate their behaviour against environmental changes by using_____

- (1) Hormones
- (2) Nerves

Q 2. Do plant have a nervous system?

- (1) Yes
- (2) No

Q 3. What do plants use for coordination?

- (1) Hormones
- (2) Nerves

Q 4. The plants respond to various stimuli very _____ by growing.


- (1) Slowly
- (2) Quickly

Q 5. Why plants cannot respond quickly?

- (1) Because plants have no nervous system
 - (2) Because plants have nervous system
-

Passage - 3

5 Marks



The control and coordination in plants is done by plant hormones. The plant hormones coordinate the activities of the plant by controlling one or the other aspect of the growth of the plant. So, the plant hormones are also known as plant growth substances. The growth of a plant can be divided into three stages : cell division, cell enlargement and cell differentiation (or cell specialisation), and these stages have particular locations in a plant. These three stages of plant growth as well as promotion of dormancy, breaking of dormancy, stomata control, falling of leaves, fruit growth, ripening of fruits and ageing in plants are controlled by the various plant hormones.

Q 1. By which hormone the control and coordination of plants done?

- (1) Photohormones
- (2) Phytohormones

Q 2. Which hormone promotes cell division?

- (1) Auxins
- (2) Gibberellins
- (3) Cytokinins
- (4) Abscisic acid

Q 3. Which hormone promotes cell the dormancy in seeds and buds?

- (1) Auxins
- (2) Gibberellins
- (3) Cytokinins
- (4) Absciscic acid

Q 4. Do Cytokinins delay the ageing of leaves?


- (1) Yes
- (2) No

Q 5. Which hormone promotes the wilting and falling of leaves?

- (1) Auxins
- (2) Gibberellins
- (3) Cytokinins
- (4) Absciscic acid

Passage - 4

5 Marks



The plants are fixed at a place with their roots in the ground, so they cannot move from one place to another. That is, plants do not show locomotion (move-

ment of the entire body). However, movements of the individual parts or organs of a plant (like shoot, root, leaves, etc.) are possible when they are subjected to some external stimuli like light, force of gravity, chemical substances, water, and touch, etc.

Q 1. Movements of the plant part are usually caused by an _____ growth

- (1) Equal
- (2) Unequal

Q 2. The movement in any part of a plant is usually a growth movement. State true or false

- (1) TRUE
- (2) FALSE

Q 3. The plants are _____ at a place with their roots in the ground.

- (1) Not fixed
- (2) Fixed

Q 4. State true or false. The direction of stimulus determines the direction of movement of the plant part but in nasties the direction of movement is not determined by the direction of stimulus.


- (1) TRUE
- (2) FALSE

Q 5. State true or false. If one side of a stem has more auxin than the other side, then the side of stem having more auxin hormone will grow faster than the other side.

- (1) TRUE
- (2) FALSE

Passage - 5

5 Marks



A growth movement of a plant part in response to an external stimulus in which the direction of stimulus determines the direction of response is called tropism. Thus, tropism is a directional movement of the part of a plant caused by its growth. The growth of a plant part in response to a stimulus can be towards the stimulus (in the direction of stimulus) or away from the stimulus (against the direction of stimulus) due to which we can have a positive tropism or negative tropism, respectively.

Q 1. If the growth (or movement) of a plant part is towards the stimulus, it is called _____ tropism.

- (1) Positive
- (2) Negative

Q 2. If the growth (or movement) of a plant part is away from the stimulus, then it is called _____ tropism.

- (1) Positive
- (2) Negative

Q 3. The bending of the plant stem (or shoot) towards light is actually _____ phototropism.

- (1) Positive
- (2) Negative

Q 4. State true or false. Tropism is a directional movement of the part of a plant caused by its growth.

- (1) TRUE
- (2) FALSE


Q 5. State true or false. A growth movement of a plant part in response to an external stimulus in which the direction of stimulus determines the direction of response is called tropism.

- (1) TRUE
 - (2) FALSE
-

Case study based questions 10th Science Control And Coordination

Passage - 1

5 Marks



There are five common stimuli in the environment : light, gravity, chemicals, water and touch (or contact). These five stimuli give us five types of tropisms : phototropism, geotropism, chemotropism, hydrotropism and thigmotropism. In phototropism, the stimulus is light ; in geotropism the stimulus is gravity, in chemotropism the stimulus is a chemical, in hydrotropism the stimulus is water, and in thigmotropism the stimulus is touch (of a solid surface). It is obvious that the tropisms are named according to the stimulus.

Q 1. The movement of a plant part in response to light is called _____

- (1) Phototropism
- (2) Geotropism
- (3) Chemotropism
- (4) Hydrotropism

Q 2. The movement of a plant part in response to gravity is called _____

- (1) Phototropism
- (2) Geotropism
- (3) Chemotropism

(4) Hydrotropism

Q 3. The movement of a plant part in response to a chemical stimulus is called _____

- (1) Phototropism
- (2) Geotropism
- (3) Chemotropism
- (4) Hydrotropism

Q 4. The movement of a plant part in response to water is called _____


- (1) Phototropism
- (2) Geotropism
- (3) Chemotropism
- (4) Hydrotropism

Q 5. The directional growth movement of a plant part in response to the touch of an object is called _____

- (1) Thigmotropism
- (2) Geotropism
- (3) Phototropism
- (4) Hydrotropism

Passage - 2

5 Marks



There are some plants called 'climbing plants' which have weak stems and hence cannot stand upright (or erect) on their own. The climbing plants have climbing organs called tendrils. Tendrils are the thin, thread-like growths on the stems or leaves of climbing plants. Thus, there are two types of tendrils : stem tendrils and leaf tendrils. Tendrils are sensitive to the touch (or contact) of other objects. That is, tendrils have cells which can sense their contact with a nearby solid object like a bamboo stick, or the stem of another plant. So, when a tendril touches an object, then the side of tendril in contact with the object grows slowly than its other side. This causes the tendril to bend towards the object by growing towards it, wind around the object and cling to it. The winding movement of the tendril of a climbing plant is an example of thigmotropism. The stimulus in thigmotropism is the touch (or contact) of an object. The winding movement of the tendril of a plant around a nearby object gives support to the plant having a weak stem.

Q 1. State true or false. Tendrils are the thin, thread-like growths on the stems or leaves of climbing plants.

- (1) TRUE
- (2) FALSE

Q 2. State true or false. Tendrils are sensitive to the touch (or contact) of other objects.

- (1) TRUE
- (2) FALSE

Q 3. The winding movement of the tendril of a climbing plant is an example of?

- (1) Geotropism
- (2) Thigmotropism
- (3) Phototropism

Q 4. State true or false. Tendrils are positively thigmotropic which means that they grow towards things they happen to touch.

- (1) TRUE
- (2) FALSE

Q 5. Tendrils are the climbing organs of the plants which are _____ thigmotropic.

- (1) Negatively
- (2) Positively

Passage - 3

5 Marks



We have just studied that in tropism, a plant part either moves towards the stimulus or away from the stimulus. However, in some plants, the movement of the plant part is neither towards the stimulus nor away from the stimulus. That is, the movement of plant part in some plants is not in a particular direction with respect to stimulus.

Q 1. The movement of a plant part in response to an external stimulus in which the direction of response is not determined by the direction of stimulus is called _____ movement.

- (1) Nastic
- (2) Tropic

Q 2. State true or false. The main difference between tropic and nastic movements is that tropic movement is a directional movement of a plant part but nastic movement is not a directional movement of the plant part with respect to the stimulus.

- (1) TRUE
- (2) FALSE

Q 3. The direction of nastic movement is _____ by the direction from which the stimulus is applied.

- (1) Determined
- (2) Not determined

Q 4. State true or false. The folding up of the leaves of a sensitive plant on touching is not a growth movement but the opening and closing of petals of flowers by the action of sunlight is a growth movement.

- (1) TRUE
- (2) FALSE

Q 5. Most of the movements of plant parts are very _____

- (1) Fast
-

(2) Slow

Passage - 4

5 Marks



The non-directional movement of a plant part in response to the touch of an object is called thigmonasty. In other words, thigmonasty is the nastic movement of a plant part in response to touch. Thus, the stimulus in thigmonasty is the 'touch'. An example of the nastic movement in plants caused by touch (or thigmonasty) is provided by the sensitive plant (*Mimosa pudica*) which is also known as touch-me-not plant. It is called chhui-mui in Hindi. If we touch the leaves (or rather leaflets) of the sensitive plant with our fingers, then its leaves fold up and droop almost immediately. The folding up of the leaves of sensitive plant on touching, is an example of nastic movements in plants (in which the stimulus is the 'touch' of our fingers).

Q 1. The non-directional movement of a plant part in response to the touch of an object is called _____

- (1) Thigmonasty
- (2) Photonasty

Q 2. State true or false. The sensitive plant has pad-like swellings called 'pulvini' at the base of each leaf.

- (1) TRUE
- (2) FALSE

Q 3. The folding up of the leaves of a sensitive plant on touching is due to the sudden loss of water from pad-like swellings called 'pulvini' present at the base of all leaves of the sensitive plant which make the pulvini lose their firmness causing the leaves to droop and fall. State true or false.

- (1) TRUE
- (2) FALSE

Q 4. State true or false. All the pulvini lose firmness and become limp due to which all the leaves above them collapse and fold up.


- (1) TRUE
- (2) FALSE

Q 5. The pulvini have _____ intercellular spaces (empty spaces) between their cells.

- (1) Small
- (2) Large

Passage - 5

5 Marks



The non-directional movement of a plant part (usually petals of flowers) in response to light is called photonasty. In other words, photonasty is the nastic movement of a plant part (like petals of flowers) in response to light. Thus, the stimulus in photonasty is light. A dandelion flower opens up in the morning in bright light but closes in the evening when the light fades and it gets dark. The opening and closing of petals of dandelion flowers in response to the intensity of light is an example of nastic movement in which the stimulus is light. In other words, it is an example of photonasty. The moonflower behaves exactly opposite to that of dandelion flowers in respect of response to light. The petals of moonflower close during the day when there is bright light but open up at night when it is dark and there is no light. This is also an example of photonasty.

Q 1. The non-directional movement of a plant part (usually petals of flowers) in response to light is called _____

- (1) Thigmonasty
- (2) Photonasty

Q 2. State true or false. Opening and closing of flowers in response to light (or photonasty) are growth movements.

- (1) TRUE
- (2) FALSE

Q 3. Moonflower _____ the petals during the daytime when there is bright light

- (1) Closes
- (2) Opens

Q 4. Moonflower _____ the petals at dusk (or night) when it gets dark and there is no light

- (1) Closes
- (2) Opens

Q 5. Dandelion flower _____ the petals at dusk (or night) when it gets dark

- (1) Closes
 - (2) Opens
-